

CENTEGIX

School Safety Best Practices



2500 Cumberland Pkwy
Suite 300



(800) 950-9202



info@centegix.com



www.centegix.com

EVERY.SECOND.MATTERS.

www.centegix.com

CrisisAlert™ Solution Best Practices

All School employees should have the ability to call a code red

Marjory Stoneman Douglas Public Safety Commission



Staff Alert

- 3 clicks for staff alert, vibration feedback.

Campus Alert

- 8 clicks for lockdown, vibration feedback happens after three clicks. Keep clicking until school is in lockdown

Alert Strobe

- Battery-powered Alert Strobe provide locating capability and high-intensity visual alerting to ensure building occupants clearly understand what's happening and what they need to do. Strobes are aligned with district protocols and matched with a color for easy identification, correlated with the classroom poster.

LOCKDOWN



LOCKOUT



HOLD



SHELTER



EVACUATE



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction