


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.7	-13	Pass	2985
30	1000	0.1	RMS	914.891	-55.29	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.78	-13	Pass	830
1830	1920	1	RMS	1850.25	23.4	60	Pass	601
1920	3000	1	RMS	2837.85	-40.39	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.7	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.03	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.8	-13	Pass	2985
30	1000	0.1	RMS	952.095	-55.1	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.7	-13	Pass	830
1830	1920	1	RMS	1851.15	23.42	60	Pass	601
1920	3000	1	RMS	2660.686	-40.42	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.67	-13	Pass	9000
12000	20000	1	RMS	16578.572	-36.07	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.23	-13	Pass	2985
30	1000	0.1	RMS	881.588	-55.09	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.76	-13	Pass	830
1830	1920	1	RMS	1850.25	22.24	60	Pass	601
1920	3000	1	RMS	2657.683	-40.33	-13	Pass	1080
3000	12000	1	RMS	11943.994	-48.74	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.04	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2985
30	1000	0.1	RMS	928.393	-55.37	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.8	-13	Pass	830
1830	1920	1	RMS	1851.15	22.24	60	Pass	601
1920	3000	1	RMS	2661.687	-40.39	-13	Pass	1080
3000	12000	1	RMS	11904.989	-48.62	-13	Pass	9000
12000	20000	1	RMS	16607.576	-35.9	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2985
30	1000	0.1	RMS	973.897	-55.49	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.76	-13	Pass	830
1830	1920	1	RMS	1879.5	23.44	60	Pass	601
1920	3000	1	RMS	2659.685	-40.34	-13	Pass	1080
3000	12000	1	RMS	11922.991	-48.59	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.11	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.3	-13	Pass	2985
30	1000	0.1	RMS	974.697	-55.37	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.79	-13	Pass	830
1830	1920	1	RMS	1880.4	23.51	60	Pass	601
1920	3000	1	RMS	2657.683	-40.37	-13	Pass	1080
3000	12000	1	RMS	11936.993	-48.62	-13	Pass	9000
12000	20000	1	RMS	16608.576	-36	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.39	-13	Pass	2985
30	1000	0.1	RMS	887.188	-55.41	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.77	-13	Pass	830
1830	1920	1	RMS	1879.5	22.33	60	Pass	601
1920	3000	1	RMS	2658.684	-40.42	-13	Pass	1080
3000	12000	1	RMS	11906.99	-48.69	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.1	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.98	-13	Pass	2985
30	1000	0.1	RMS	988.899	-55.4	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.76	-13	Pass	830
1830	1920	1	RMS	1880.4	22.32	60	Pass	601
1920	3000	1	RMS	2659.685	-40.41	-13	Pass	1080
3000	12000	1	RMS	11901.989	-48.69	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.98	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2985
30	1000	0.1	RMS	970.597	-55.56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.77	-13	Pass	830
1830	1920	1	RMS	1908.9	23.35	60	Pass	601
1920	3000	1	RMS	2658.684	-40.38	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.67	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.14	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2985
30	1000	0.1	RMS	963.496	-55.56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.75	-13	Pass	830
1830	1920	1	RMS	1909.8	23.43	60	Pass	601
1920	3000	1	RMS	2658.684	-40.39	-13	Pass	1080
3000	12000	1	RMS	11919.991	-48.66	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.11	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.84	-13	Pass	2985
30	1000	0.1	RMS	997.7	-55.43	-13	Pass	9700
1000	1830	1	RMS	1830	-44.75	-13	Pass	830
1830	1920	1	RMS	1908.9	22.37	60	Pass	601
1920	3000	1	RMS	2659.685	-40.39	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.74	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.1	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.09	-13	Pass	2985
30	1000	0.1	RMS	905.19	-55.47	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.79	-13	Pass	830
1830	1920	1	RMS	1909.8	22.33	60	Pass	601
1920	3000	1	RMS	2660.686	-40.42	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.68	-13	Pass	9000
12000	20000	1	RMS	19993.999	-36.07	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2985
30	1000	0.1	RMS	885.388	-55.24	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.72	-13	Pass	830
1830	1920	1	RMS	1850.25	23.47	60	Pass	601
1920	3000	1	RMS	2660.686	-40.4	-13	Pass	1080
3000	12000	1	RMS	11899.989	-48.61	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.93	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.1	-13	Pass	2985
30	1000	0.1	RMS	895.989	-55.61	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.77	-13	Pass	830
1830	1920	1	RMS	1852.8	23.39	60	Pass	601
1920	3000	1	RMS	2656.682	-40.38	-13	Pass	1080
3000	12000	1	RMS	3705.078	-47.28	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.05	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2985
30	1000	0.1	RMS	888.489	-55.4	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.79	-13	Pass	830
1830	1920	1	RMS	1850.25	22.44	60	Pass	601
1920	3000	1	RMS	2659.685	-40.36	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.71	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.99	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.35	-13	Pass	2985
30	1000	0.1	RMS	981.098	-55.32	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.77	-13	Pass	830
1830	1920	1	RMS	1852.8	22.39	60	Pass	601
1920	3000	1	RMS	2660.686	-40.37	-13	Pass	1080
3000	12000	1	RMS	3705.078	-48.17	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.02	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.17	-13	Pass	2985
30	1000	0.1	RMS	959.296	-55.28	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.77	-13	Pass	830
1830	1920	1	RMS	1878.75	23.52	60	Pass	601
1920	3000	1	RMS	2659.685	-40.4	-13	Pass	1080
3000	12000	1	RMS	11898.989	-48.57	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.1	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2985
30	1000	0.1	RMS	878.587	-55.47	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.72	-13	Pass	830
1830	1920	1	RMS	1881.3	23.54	60	Pass	601
1920	3000	1	RMS	2659.685	-40.35	-13	Pass	1080
3000	12000	1	RMS	11923.992	-48.66	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.03	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2985
30	1000	0.1	RMS	987.699	-55.58	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.8	-13	Pass	830
1830	1920	1	RMS	1878.75	22.35	60	Pass	601
1920	3000	1	RMS	2658.684	-40.36	-13	Pass	1080
3000	12000	1	RMS	11920.991	-48.67	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.05	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2985
30	1000	0.1	RMS	999.1	-55.36	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.76	-13	Pass	830
1830	1920	1	RMS	1881.3	22.43	60	Pass	601
1920	3000	1	RMS	2658.684	-40.38	-13	Pass	1080
3000	12000	1	RMS	11931.992	-48.62	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.93	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.66	-13	Pass	2985
30	1000	0.1	RMS	944.194	-55.28	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.72	-13	Pass	830
1830	1920	1	RMS	1907.25	23.49	60	Pass	601
1920	3000	1	RMS	2660.686	-40.36	-13	Pass	1080
3000	12000	1	RMS	3814.09	-48.6	-13	Pass	9000
12000	20000	1	RMS	16608.576	-36.12	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.4	-13	Pass	2985
30	1000	0.1	RMS	967.197	-55.44	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.75	-13	Pass	830
1830	1920	1	RMS	1909.8	23.47	60	Pass	601
1920	3000	1	RMS	2660.686	-40.35	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.6	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.03	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2985
30	1000	0.1	RMS	898.19	-55.4	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.7	-13	Pass	830
1830	1920	1	RMS	1907.25	22.5	60	Pass	601
1920	3000	1	RMS	2660.686	-40.41	-13	Pass	1080
3000	12000	1	RMS	11934.993	-48.67	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.97	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.53	-13	Pass	2985
30	1000	0.1	RMS	992.399	-55.47	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.76	-13	Pass	830
1830	1920	1	RMS	1909.8	22.45	60	Pass	601
1920	3000	1	RMS	2659.685	-40.38	-13	Pass	1080
3000	12000	1	RMS	11897.989	-48.67	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.04	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.88	-13	Pass	2985
30	1000	0.1	RMS	966.197	-55.39	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.74	-13	Pass	830
1830	1920	1	RMS	1850.4	23.32	60	Pass	601
1920	3000	1	RMS	2658.684	-40.34	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.65	-13	Pass	9000
12000	20000	1	RMS	16605.576	-35.9	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.86	-13	Pass	2985
30	1000	0.1	RMS	903.39	-55.45	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.73	-13	Pass	830
1830	1920	1	RMS	1854.6	23.21	60	Pass	601
1920	3000	1	RMS	2839.852	-40.35	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.6	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.03	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.86	-13	Pass	2985
30	1000	0.1	RMS	901.49	-55.47	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.74	-13	Pass	830
1830	1920	1	RMS	1850.4	22.27	60	Pass	601
1920	3000	1	RMS	2652.678	-40.36	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.74	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.03	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2985
30	1000	0.1	RMS	961.196	-55.48	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.69	-13	Pass	830
1830	1920	1	RMS	1854.75	22.21	60	Pass	601
1920	3000	1	RMS	2660.686	-40.36	-13	Pass	1080
3000	12000	1	RMS	11908.99	-48.69	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.14	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.96	-13	Pass	2985
30	1000	0.1	RMS	980.898	-55.41	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.76	-13	Pass	830
1830	1920	1	RMS	1877.85	23.45	60	Pass	601
1920	3000	1	RMS	2658.684	-40.35	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.57	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.09	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53	-13	Pass	2985
30	1000	0.1	RMS	995.3	-55.24	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.71	-13	Pass	830
1830	1920	1	RMS	1882.2	23.45	60	Pass	601
1920	3000	1	RMS	2659.685	-40.3	-13	Pass	1080
3000	12000	1	RMS	11977.998	-48.61	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.05	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.57	-13	Pass	2985
30	1000	0.1	RMS	880.488	-55.43	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.74	-13	Pass	830
1830	1920	1	RMS	1877.85	22.48	60	Pass	601
1920	3000	1	RMS	2656.682	-40.31	-13	Pass	1080
3000	12000	1	RMS	11909.99	-48.71	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.72	-13	Pass	2985
30	1000	0.1	RMS	906.89	-55.25	-13	Pass	9700
1000	1830	1	RMS	1822.992	-44.74	-13	Pass	830
1830	1920	1	RMS	1882.2	22.41	60	Pass	601
1920	3000	1	RMS	2658.684	-40.44	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.67	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.05	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.39	-13	Pass	2985
30	1000	0.1	RMS	866.686	-55.57	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.79	-13	Pass	830
1830	1920	1	RMS	1905.3	23.28	60	Pass	601
1920	3000	1	RMS	2659.685	-40.39	-13	Pass	1080
3000	12000	1	RMS	3811.09	-48.29	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.09	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2985
30	1000	0.1	RMS	999.5	-55.4	-13	Pass	9700
1000	1830	1	RMS	1819.988	-44.8	-13	Pass	830
1830	1920	1	RMS	1909.65	23.29	60	Pass	601
1920	3000	1	RMS	2657.683	-40.4	-13	Pass	1080
3000	12000	1	RMS	3819.091	-48.64	-13	Pass	9000
12000	20000	1	RMS	16586.573	-36.01	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.76	-13	Pass	2985
30	1000	0.1	RMS	954.895	-55.22	-13	Pass	9700
1000	1830	1	RMS	1797.961	-44.78	-13	Pass	830
1830	1920	1	RMS	1905.3	22.48	60	Pass	601
1920	3000	1	RMS	2658.684	-40.43	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.97	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.28	-13	Pass	2985
30	1000	0.1	RMS	888.489	-55.44	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.78	-13	Pass	830
1830	1920	1	RMS	1909.65	22.46	60	Pass	601
1920	3000	1	RMS	2658.684	-40.38	-13	Pass	1080
3000	12000	1	RMS	11924.992	-48.72	-13	Pass	9000
12000	20000	1	RMS	16584.573	-36.14	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2985
30	1000	0.1	RMS	986.999	-55.2	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.74	-13	Pass	830
1830	1920	1	RMS	1850.55	23.44	60	Pass	601
1920	3000	1	RMS	2659.685	-40.38	-13	Pass	1080
3000	12000	1	RMS	11920.991	-48.56	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.86	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	1000	0.1	RMS	978.798	-55.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.74	-13	Pass	830
1830	1920	1	RMS	1859.4	23.34	60	Pass	601
1920	3000	1	RMS	2660.686	-40.39	-13	Pass	1080
3000	12000	1	RMS	11934.993	-48.71	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.95	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.08	-13	Pass	2985
30	1000	0.1	RMS	902.69	-55.19	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.78	-13	Pass	830
1830	1920	1	RMS	1850.55	22.37	60	Pass	601
1920	3000	1	RMS	2657.683	-40.35	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.66	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.02	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-13	Pass	2985
30	1000	0.1	RMS	901.39	-55.41	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.79	-13	Pass	830
1830	1920	1	RMS	1859.4	22.4	60	Pass	601
1920	3000	1	RMS	2660.686	-40.42	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.83	-13	Pass	2985
30	1000	0.1	RMS	928.593	-55.36	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.76	-13	Pass	830
1830	1920	1	RMS	1875.6	23.48	60	Pass	601
1920	3000	1	RMS	2659.685	-40.4	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.66	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.15	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2985
30	1000	0.1	RMS	998.3	-55.47	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.79	-13	Pass	830
1830	1920	1	RMS	1884.45	23.52	60	Pass	601
1920	3000	1	RMS	2658.684	-40.4	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.55	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.02	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2985
30	1000	0.1	RMS	1000	-55.72	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.79	-13	Pass	830
1830	1920	1	RMS	1875.6	22.39	60	Pass	601
1920	3000	1	RMS	2660.686	-40.42	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.65	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.04	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.16	-13	Pass	2985
30	1000	0.1	RMS	898.29	-55.55	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.74	-13	Pass	830
1830	1920	1	RMS	1884.45	22.43	60	Pass	601
1920	3000	1	RMS	2659.685	-40.37	-13	Pass	1080
3000	12000	1	RMS	11906.99	-48.68	-13	Pass	9000
12000	20000	1	RMS	19950.994	-36.05	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.55	-13	Pass	2985
30	1000	0.1	RMS	983.398	-55.46	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.78	-13	Pass	830
1830	1920	1	RMS	1900.65	23.49	60	Pass	601
1920	3000	1	RMS	2657.683	-40.39	-13	Pass	1080
3000	12000	1	RMS	3801.089	-46.03	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.05	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.02	-13	Pass	2985
30	1000	0.1	RMS	918.792	-55.33	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.79	-13	Pass	830
1830	1920	1	RMS	1909.35	23.4	60	Pass	601
1920	3000	1	RMS	2661.687	-40.38	-13	Pass	1080
3000	12000	1	RMS	11957.995	-48.69	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.99	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2985
30	1000	0.1	RMS	905.59	-55.46	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.78	-13	Pass	830
1830	1920	1	RMS	1900.65	22.47	60	Pass	601
1920	3000	1	RMS	2655.681	-40.42	-13	Pass	1080
3000	12000	1	RMS	3801.089	-46.95	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.04	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.88	-13	Pass	2985
30	1000	0.1	RMS	994.599	-55.5	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.77	-13	Pass	830
1830	1920	1	RMS	1909.35	22.31	60	Pass	601
1920	3000	1	RMS	2659.685	-40.26	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.72	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.03	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	1000	0.1	RMS	900.29	-55.38	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.76	-13	Pass	830
1830	1920	1	RMS	1850.85	23.39	60	Pass	601
1920	3000	1	RMS	2656.682	-40.38	-13	Pass	1080
3000	12000	1	RMS	11977.998	-48.63	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.1	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.64	-13	Pass	2985
30	1000	0.1	RMS	899.09	-55.4	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.79	-13	Pass	830
1830	1920	1	RMS	1864.2	23.33	60	Pass	601
1920	3000	1	RMS	2657.683	-40.37	-13	Pass	1080
3000	12000	1	RMS	3728.081	-48.2	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.95	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.11	-13	Pass	2985
30	1000	0.1	RMS	906.39	-55.45	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.77	-13	Pass	830
1830	1920	1	RMS	1850.85	22.33	60	Pass	601
1920	3000	1	RMS	2659.685	-40.4	-13	Pass	1080
3000	12000	1	RMS	11897.989	-48.7	-13	Pass	9000
12000	20000	1	RMS	16592.574	-36.1	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.29	-13	Pass	2985
30	1000	0.1	RMS	986.699	-55.3	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.78	-13	Pass	830
1830	1920	1	RMS	1864.2	22.37	60	Pass	601
1920	3000	1	RMS	2659.685	-40.38	-13	Pass	1080
3000	12000	1	RMS	11909.99	-48.73	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.08	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.08	-13	Pass	2985
30	1000	0.1	RMS	902.49	-55.49	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.76	-13	Pass	830
1830	1920	1	RMS	1873.35	23.39	60	Pass	601
1920	3000	1	RMS	2659.685	-40.42	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16586.573	-36.01	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2985
30	1000	0.1	RMS	972.597	-55.42	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.76	-13	Pass	830
1830	1920	1	RMS	1886.7	23.4	60	Pass	601
1920	3000	1	RMS	2658.684	-40.35	-13	Pass	1080
3000	12000	1	RMS	3773.086	-48.44	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.01	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.8	-13	Pass	2985
30	1000	0.1	RMS	993.299	-55.51	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.8	-13	Pass	830
1830	1920	1	RMS	1873.35	22.29	60	Pass	601
1920	3000	1	RMS	2659.685	-40.43	-13	Pass	1080
3000	12000	1	RMS	11919.991	-48.6	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.99	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2985
30	1000	0.1	RMS	986.399	-55.44	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.73	-13	Pass	830
1830	1920	1	RMS	1886.7	22.35	60	Pass	601
1920	3000	1	RMS	2659.685	-40.43	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.65	-13	Pass	9000
12000	20000	1	RMS	16606.576	-36.02	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2985
30	1000	0.1	RMS	899.49	-55.39	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.79	-13	Pass	830
1830	1920	1	RMS	1895.85	23.41	60	Pass	601
1920	3000	1	RMS	2659.685	-40.36	-13	Pass	1080
3000	12000	1	RMS	3792.088	-48.26	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.09	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2985
30	1000	0.1	RMS	945.694	-55.33	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.78	-13	Pass	830
1830	1920	1	RMS	1909.2	23.33	60	Pass	601
1920	3000	1	RMS	2659.685	-40.38	-13	Pass	1080
3000	12000	1	RMS	11898.989	-48.65	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.09	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2985
30	1000	0.1	RMS	963.396	-55.39	-13	Pass	9700
1000	1830	1	RMS	1797.961	-44.77	-13	Pass	830
1830	1920	1	RMS	1895.85	22.41	60	Pass	601
1920	3000	1	RMS	2630.658	-40.4	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.57	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.02	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2985
30	1000	0.1	RMS	902.99	-55.54	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.76	-13	Pass	830
1830	1920	1	RMS	1909.2	22.37	60	Pass	601
1920	3000	1	RMS	2660.686	-40.39	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.59	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2985
30	1000	0.1	RMS	885.188	-55.64	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.77	-13	Pass	830
1830	1920	1	RMS	1851.15	23.11	60	Pass	601
1920	3000	1	RMS	2658.684	-40.41	-13	Pass	1080
3000	12000	1	RMS	11899.989	-48.63	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.04	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.17	-13	Pass	2985
30	1000	0.1	RMS	1000	-55.33	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.76	-13	Pass	830
1830	1920	1	RMS	1868.85	23.06	60	Pass	601
1920	3000	1	RMS	2656.682	-40.41	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.56	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.1	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2985
30	1000	0.1	RMS	904.69	-55.33	-13	Pass	9700
1000	1830	1	RMS	1830	-44.76	-13	Pass	830
1830	1920	1	RMS	1851.15	22.11	60	Pass	601
1920	3000	1	RMS	2659.685	-40.35	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.71	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.02	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2985
30	1000	0.1	RMS	976.198	-55.54	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.78	-13	Pass	830
1830	1920	1	RMS	1868.85	22.18	60	Pass	601
1920	3000	1	RMS	2656.682	-40.39	-13	Pass	1080
3000	12000	1	RMS	11923.992	-48.56	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.15	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.19	-13	Pass	2985
30	1000	0.1	RMS	955.695	-55.47	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.76	-13	Pass	830
1830	1920	1	RMS	1871.1	23.18	60	Pass	601
1920	3000	1	RMS	2659.685	-40.39	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.55	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.97	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2985
30	1000	0.1	RMS	974.697	-55.21	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.74	-13	Pass	830
1830	1920	1	RMS	1888.95	23.18	60	Pass	601
1920	3000	1	RMS	2660.686	-40.34	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.68	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.85	-13	Pass	2985
30	1000	0.1	RMS	910.091	-54.98	-13	Pass	9700
1000	1830	1	RMS	1800.965	-44.8	-13	Pass	830
1830	1920	1	RMS	1871.1	22.06	60	Pass	601
1920	3000	1	RMS	2659.685	-40.36	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.54	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.98	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.78	-13	Pass	2985
30	1000	0.1	RMS	996	-55.11	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.83	-13	Pass	830
1830	1920	1	RMS	1888.95	22.13	60	Pass	601
1920	3000	1	RMS	2659.685	-40.43	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.69	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.91	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.55	-13	Pass	2985
30	1000	0.1	RMS	906.19	-55.64	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.79	-13	Pass	830
1830	1920	1	RMS	1891.05	23.2	60	Pass	601
1920	3000	1	RMS	2660.686	-40.38	-13	Pass	1080
3000	12000	1	RMS	3782.087	-48.54	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.05	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.17	-53.74	-13	Pass	2985
30	1000	0.1	RMS	977.498	-55.66	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.81	-13	Pass	830
1830	1920	1	RMS	1908.9	23.07	60	Pass	601
1920	3000	1	RMS	2660.686	-40.34	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.81	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.92	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2985
30	1000	0.1	RMS	905.09	-55.46	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.82	-13	Pass	830
1830	1920	1	RMS	1891.05	22.16	60	Pass	601
1920	3000	1	RMS	2657.683	-40.45	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.66	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.07	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.92	-13	Pass	2985
30	1000	0.1	RMS	996.5	-55.27	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.83	-13	Pass	830
1830	1920	1	RMS	1908.9	22.06	60	Pass	601
1920	3000	1	RMS	2659.685	-40.46	-13	Pass	1080
3000	12000	1	RMS	11906.99	-48.63	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.11	-13	Pass	8000



END