


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.86 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.94 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 978.798 | -55.32 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1792.955 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.25 | 22.2 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11918.991 | -48.57 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -35.89 | -13 | Pass | 8000 |




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -53.71 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.99 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 930.893 | -55.47 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1851.15 | 22.2 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2655.681 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11898.989 | -48.71 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16604.576 | -35.99 | -13 | Pass | 8000 |




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.4 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.19 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 870.587 | -55.42 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.25 | 21.24 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11917.991 | -48.56 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.83 | -13 | Pass | 8000 |




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.89 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.36 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 885.588 | -55.52 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1851.15 | 21.22 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11933.993 | -48.7 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16600.575 | -36.02 | -13 | Pass | 8000 |




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.77 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.65 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 891.189 | -55.44 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1805.971 | -44.89 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1879.5 | 22.27 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11911.99 | -48.55 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16604.576 | -36.07 | -13 | Pass | 8000 |




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.5 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.89 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 914.591 | -55.43 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1808.975 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1880.4 | 22.25 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11902.989 | -48.62 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -35.94 | -13 | Pass | 8000 |




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -54.29 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.37 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 972.897 | -55.37 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1802.967 | -44.91 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1879.5 | 21.28 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2657.683 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11902.989 | -48.7 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -35.99 | -13 | Pass | 8000 |




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -54.12 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.52 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 933.293 | -55.38 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1880.4 | 21.27 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11993.999 | -48.67 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -36.03 | -13 | Pass | 8000 |




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.72 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.27 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 907.59 | -55.35 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1908.9 | 22.25 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2651.677 | -40.04 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11913.99 | -48.61 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -36.03 | -13 | Pass | 8000 |




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.92 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.95 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 918.492 | -55.27 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.8 | 22.23 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.04 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11914.991 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16600.575 | -35.86 | -13 | Pass | 8000 |




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.54 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.05 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 980.898 | -55.55 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1753.908 | -44.79 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1908.9 | 21.3 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11914.991 | -48.41 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.95 | -13 | Pass | 8000 |




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.75 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.47 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 895.689 | -55.65 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.8 | 21.33 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.96 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11907.99 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.97 | -13 | Pass | 8000 |




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.37 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.65 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 910.291 | -55.45 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1814.982 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.25 | 22.22 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2654.68 | -40.04 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11917.991 | -48.71 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.96 | -13 | Pass | 8000 |




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.27 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.6 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 894.989 | -55.56 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1812.979 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1852.8 | 22.16 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.91 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11930.992 | -48.66 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16587.573 | -35.98 | -13 | Pass | 8000 |




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.29 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -50.36 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 950.995 | -55.41 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1808.975 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.25 | 21.43 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2657.683 | -40.02 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11985.998 | -48.79 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16593.574 | -36.02 | -13 | Pass | 8000 |




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.81 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.56 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 913.791 | -55.49 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1790.953 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1852.8 | 21.37 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2661.687 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11925.992 | -48.66 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 19965.996 | -36.08 | -13 | Pass | 8000 |




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -54.34 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.94 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 907.09 | -55.24 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1808.975 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1878.75 | 22.34 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.9 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11919.991 | -48.57 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -36.01 | -13 | Pass | 8000 |




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.31 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.49 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 931.093 | -55.35 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.89 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1881.3 | 22.34 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11932.993 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.89 | -13 | Pass | 8000 |




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.15 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.95 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 999.1 | -55.46 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1878.75 | 21.34 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -39.9 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11903.989 | -48.66 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16597.575 | -36 | -13 | Pass | 8000 |




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.74 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 997.4 | -55.57 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1789.952 | -44.83 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1881.3 | 21.31 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2655.681 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11957.995 | -48.72 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16583.573 | -35.98 | -13 | Pass | 8000 |




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.57 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.76 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 925.392 | -55.56 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1808.975 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1907.25 | 22.3 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2656.682 | -39.94 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11918.991 | -48.75 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -36.02 | -13 | Pass | 8000 |




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.74 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.75 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 997.5 | -55.54 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1789.952 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.8 | 22.32 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -39.91 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11907.99 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16590.574 | -36 | -13 | Pass | 8000 |




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.29 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.42 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 901.89 | -55.21 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1803.969 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1907.25 | 21.38 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11917.991 | -48.67 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -35.99 | -13 | Pass | 8000 |




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.47 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.25 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 983.198 | -55.35 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1821.99 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.8 | 21.37 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11913.99 | -48.73 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -36.03 | -13 | Pass | 8000 |




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.83 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.95 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 918.592 | -55.31 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.4 | 22.13 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.96 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11921.991 | -48.66 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16595.574 | -36.07 | -13 | Pass | 8000 |




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.51 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 899.69 | -55.48 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1854.6 | 22.07 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11911.99 | -48.67 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16602.575 | -36.04 | -13 | Pass | 8000 |




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.98 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.73 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 896.989 | -55.49 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1789.952 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.4 | 21.22 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.96 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11915.991 | -48.62 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -35.95 | -13 | Pass | 8000 |




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.22 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.99 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 889.089 | -55.67 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1854.75 | 21.13 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11907.99 | -48.57 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -36.03 | -13 | Pass | 8000 |




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -54.19 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.51 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 939.194 | -55.5 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1808.975 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1877.85 | 22.21 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11926.992 | -48.73 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -35.96 | -13 | Pass | 8000 |




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.85 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.09 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 972.797 | -55.49 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.83 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1882.2 | 22.27 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2657.683 | -39.94 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11907.99 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.99 | -13 | Pass | 8000 |




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.22 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -51.64 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 943.994 | -55.41 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1877.85 | 21.36 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2656.682 | -40.02 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11927.992 | -48.71 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 19942.993 | -35.93 | -13 | Pass | 8000 |




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.44 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.16 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 899.19 | -55.26 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1882.2 | 21.38 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -40.04 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11905.99 | -48.68 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.99 | -13 | Pass | 8000 |




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.88 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.46 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 897.689 | -55.19 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1905.3 | 22.15 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.95 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11910.99 | -48.74 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16595.574 | -36.05 | -13 | Pass | 8000 |




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -54.41 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.7 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 905.39 | -55.54 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.65 | 22.15 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11910.99 | -48.7 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16586.573 | -36.01 | -13 | Pass | 8000 |




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.37 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.12 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 901.19 | -55.35 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1905.3 | 21.37 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.95 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11961.996 | -48.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16600.575 | -36.01 | -13 | Pass | 8000 |




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -54.02 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.01 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 913.091 | -55.42 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1825.995 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.65 | 21.37 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11909.99 | -48.58 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16592.574 | -35.97 | -13 | Pass | 8000 |




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -54.25 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -50.59 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 891.289 | -55.26 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1801.966 | -44.89 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.55 | 22.25 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2661.687 | -40.02 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11916.991 | -48.6 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16607.576 | -36.02 | -13 | Pass | 8000 |




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.74 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.39 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 997.8 | -55.44 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.83 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1859.4 | 22.21 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2654.68 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11925.992 | -48.59 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16588.574 | -36.04 | -13 | Pass | 8000 |




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -53.51 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.24 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 934.793 | -55.54 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1821.99 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.55 | 21.43 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2630.658 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11903.989 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.9 | -13 | Pass | 8000 |




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.53 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.13 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 984.198 | -55.41 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1812.979 | -44.85 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1859.4 | 21.38 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11913.99 | -48.6 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16594.574 | -35.88 | -13 | Pass | 8000 |




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.86 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.2 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 951.695 | -55.47 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1875.6 | 22.32 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2657.683 | -39.95 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11917.991 | -48.58 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16592.574 | -36.07 | -13 | Pass | 8000 |




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.93 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.21 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 922.292 | -54.94 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.83 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1884.45 | 22.35 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2655.681 | -40.02 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11913.99 | -48.62 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -35.98 | -13 | Pass | 8000 |




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.72 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.95 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 907.49 | -55.41 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1806.972 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1875.6 | 21.32 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2839.852 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11900.989 | -48.58 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -36.02 | -13 | Pass | 8000 |




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.87 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.48 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 959.796 | -55.44 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.81 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1884.45 | 21.35 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2839.852 | -40.02 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11984.998 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -36.02 | -13 | Pass | 8000 |




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.44 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.78 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 999.5 | -55.22 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1812.979 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1900.65 | 22.36 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.96 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11910.99 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -36.06 | -13 | Pass | 8000 |




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -53.9 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 999.4 | -55.2 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1806.972 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.35 | 22.24 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.96 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11926.992 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16600.575 | -35.89 | -13 | Pass | 8000 |




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.28 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 815.981 | -55.31 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1794.958 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1900.65 | 21.41 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11905.99 | -48.55 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16597.575 | -36.13 | -13 | Pass | 8000 |




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.65 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -50.89 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 939.294 | -55.51 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1801.966 | -44.91 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.35 | 21.31 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11914.991 | -48.57 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16597.575 | -36.06 | -13 | Pass | 8000 |




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -54.35 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.26 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 886.988 | -55.15 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1823.993 | -44.7 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.85 | 22.24 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2661.687 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11903.989 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -35.87 | -13 | Pass | 8000 |




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.92 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -50.78 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 903.89 | -55.64 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1818.987 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1864.2 | 22.19 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2656.682 | -40.04 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11916.991 | -48.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16607.576 | -36.08 | -13 | Pass | 8000 |




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -54.06 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.57 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 905.09 | -55.45 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1823.993 | -44.76 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1850.85 | 21.35 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2661.687 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11900.989 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.99 | -13 | Pass | 8000 |




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.86 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.4 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 938.894 | -55.44 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1828.999 | -44.92 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1864.2 | 21.33 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.07 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11912.99 | -48.5 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -35.96 | -13 | Pass | 8000 |




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.12 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.61 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 896.089 | -55.54 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1873.35 | 22.26 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.98 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11897.989 | -48.58 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16590.574 | -35.9 | -13 | Pass | 8000 |




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.54 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.94 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 904.29 | -55.56 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1802.967 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1886.7 | 22.31 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11927.992 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.98 | -13 | Pass | 8000 |




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.74 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.15 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 920.692 | -55.5 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.92 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1873.35 | 21.23 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11904.989 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.9 | -13 | Pass | 8000 |




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -53.19 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.71 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 972.797 | -55.55 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1805.971 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1886.7 | 21.31 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11917.991 | -48.62 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -35.97 | -13 | Pass | 8000 |




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.12 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.93 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 900.09 | -55.54 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1807.973 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1895.85 | 22.33 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.06 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11913.99 | -48.61 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -36.02 | -13 | Pass | 8000 |




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.08 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.79 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 893.289 | -55.34 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1793.957 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.2 | 22.2 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.93 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11920.991 | -48.6 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16602.575 | -35.92 | -13 | Pass | 8000 |




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -54.04 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.14 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 962.796 | -55.45 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1789.952 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1895.85 | 21.46 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11908.99 | -48.61 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16581.573 | -36 | -13 | Pass | 8000 |




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -52.34 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.47 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 895.789 | -55.19 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1818.987 | -44.89 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1909.2 | 21.28 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.05 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11910.99 | -48.59 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -35.72 | -13 | Pass | 8000 |




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.97 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -53.54 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 901.19 | -55.16 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1830 | -44.84 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1851.15 | 21.97 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11940.993 | -48.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16603.575 | -36.03 | -13 | Pass | 8000 |




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.06 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.88 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 981.298 | -55.42 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1868.85 | 22.02 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2656.682 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11907.99 | -48.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16596.575 | -35.97 | -13 | Pass | 8000 |




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.18 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.02 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 999.1 | -55.6 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1792.955 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1851.15 | 21.16 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2630.658 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11915.991 | -48.57 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -35.98 | -13 | Pass | 8000 |




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.75 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -50.86 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 883.888 | -55.46 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1797.961 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1868.85 | 21.16 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11937.993 | -48.54 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16594.574 | -36.03 | -13 | Pass | 8000 |




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.32 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.98 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 894.389 | -55.56 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1790.953 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1871.1 | 22.07 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11901.989 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16597.575 | -35.9 | -13 | Pass | 8000 |




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -53.34 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.02 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 996.6 | -55.45 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.88 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1888.95 | 22.08 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2658.684 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11941.994 | -48.63 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16602.575 | -35.96 | -13 | Pass | 8000 |




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -52.9 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.73 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 893.389 | -55.28 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1811.978 | -44.89 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1871.1 | 21.05 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11912.99 | -48.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16601.575 | -36.02 | -13 | Pass | 8000 |




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -54.52 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -52.87 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 983.198 | -55.1 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1742.895 | -43.31 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1888.95 | 21.12 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -40.01 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11948.994 | -48.56 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16600.575 | -36.02 | -13 | Pass | 8000 |




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -53.76 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.33 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 924.492 | -55.55 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1828.999 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1891.05 | 22.06 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -40.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11910.99 | -48.46 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16599.575 | -36.02 | -13 | Pass | 8000 |




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.29 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -51.34 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 999.2 | -55.32 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1809.976 | -44.9 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1908.9 | 21.99 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2659.685 | -39.99 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11968.997 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -35.97 | -13 | Pass | 8000 |




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -53.47 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -53.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 900.09 | -55.55 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1824.994 | -44.86 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1891.05 | 21.16 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.97 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11963.996 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16598.575 | -36.05 | -13 | Pass | 8000 |



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -53.95 | -13 | Pass | 601 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -52.8 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 975.597 | -55.56 | -13 | Pass | 9700 |
| 1000 | 1830 | 1 | RMS | 1810.977 | -44.87 | -13 | Pass | 830 |
| 1830 | 1920 | 1 | RMS | 1908.9 | 21.01 | 60 | Pass | 601 |
| 1920 | 3000 | 1 | RMS | 2660.686 | -39.94 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | RMS | 11903.989 | -48.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 16604.576 | -35.96 | -13 | Pass | 8000 |



END