


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.39	-13	Pass	2985
30	1000	0.1	RMS	963.996	-55.65	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.84	-13	Pass	830
1830	1920	1	RMS	1850.25	22.93	60	Pass	601
1920	3000	1	RMS	2657.683	-39.95	-13	Pass	1080
3000	12000	1	RMS	3700.078	-44.17	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.97	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2985
30	1000	0.1	RMS	929.793	-55.51	-13	Pass	9700
1000	1830	1	RMS	1795.959	-44.86	-13	Pass	830
1830	1920	1	RMS	1851.15	22.69	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	3702.078	-43.34	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.03	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2985
30	1000	0.1	RMS	936.493	-55.43	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.25	21.91	60	Pass	601
1920	3000	1	RMS	2658.684	-39.99	-13	Pass	1080
3000	12000	1	RMS	3700.078	-45.08	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.02	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2985
30	1000	0.1	RMS	962.196	-55.29	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.87	-13	Pass	830
1830	1920	1	RMS	1851.15	21.91	60	Pass	601
1920	3000	1	RMS	2661.687	-40.03	-13	Pass	1080
3000	12000	1	RMS	3702.078	-43.59	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.99	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2985
30	1000	0.1	RMS	898.29	-55.45	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.83	-13	Pass	830
1830	1920	1	RMS	1879.65	22.83	60	Pass	601
1920	3000	1	RMS	2656.682	-39.99	-13	Pass	1080
3000	12000	1	RMS	3759.084	-45.89	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.1	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2985
30	1000	0.1	RMS	907.49	-55.42	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1880.4	22.83	60	Pass	601
1920	3000	1	RMS	2661.687	-40.04	-13	Pass	1080
3000	12000	1	RMS	3761.085	-46.13	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.06	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2985
30	1000	0.1	RMS	904.39	-55.55	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.84	-13	Pass	830
1830	1920	1	RMS	1879.5	21.99	60	Pass	601
1920	3000	1	RMS	2661.687	-39.97	-13	Pass	1080
3000	12000	1	RMS	3759.084	-46.53	-13	Pass	9000
12000	20000	1	RMS	16584.573	-36	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.44	-13	Pass	2985
30	1000	0.1	RMS	924.892	-55.18	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.91	-13	Pass	830
1830	1920	1	RMS	1880.4	22.06	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	3761.085	-46.76	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.02	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2985
30	1000	0.1	RMS	983.998	-55.15	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.86	-13	Pass	830
1830	1920	1	RMS	1908.9	22.53	60	Pass	601
1920	3000	1	RMS	2662.688	-40.04	-13	Pass	1080
3000	12000	1	RMS	3818.091	-47.1	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.04	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2985
30	1000	0.1	RMS	926.692	-55.74	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.84	-13	Pass	830
1830	1920	1	RMS	1909.8	22.57	60	Pass	601
1920	3000	1	RMS	2662.688	-40.02	-13	Pass	1080
3000	12000	1	RMS	3819.091	-47.84	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.1	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.69	-13	Pass	2985
30	1000	0.1	RMS	976.298	-55.28	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.86	-13	Pass	830
1830	1920	1	RMS	1908.9	21.48	60	Pass	601
1920	3000	1	RMS	2662.688	-39.98	-13	Pass	1080
3000	12000	1	RMS	3818.091	-47.67	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.95	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2985
30	1000	0.1	RMS	962.996	-55.65	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.83	-13	Pass	830
1830	1920	1	RMS	1909.65	21.55	60	Pass	601
1920	3000	1	RMS	2659.685	-40.01	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.1	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2985
30	1000	0.1	RMS	983.098	-55.47	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.25	22.62	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	3700.078	-44.3	-13	Pass	9000
12000	20000	1	RMS	16614.577	-35.98	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.49	-13	Pass	2985
30	1000	0.1	RMS	987.199	-55.68	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.84	-13	Pass	830
1830	1920	1	RMS	1852.8	22.53	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	3705.078	-44.74	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.11	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2985
30	1000	0.1	RMS	942.294	-55.66	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.88	-13	Pass	830
1830	1920	1	RMS	1850.25	21.65	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	3700.078	-45.19	-13	Pass	9000
12000	20000	1	RMS	16587.573	-36	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2985
30	1000	0.1	RMS	982.798	-55.02	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.86	-13	Pass	830
1830	1920	1	RMS	1852.65	21.81	60	Pass	601
1920	3000	1	RMS	2658.684	-40	-13	Pass	1080
3000	12000	1	RMS	3705.078	-45.46	-13	Pass	9000
12000	20000	1	RMS	16611.576	-36.06	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2985
30	1000	0.1	RMS	905.69	-55.59	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.85	-13	Pass	830
1830	1920	1	RMS	1878.75	22.85	60	Pass	601
1920	3000	1	RMS	2658.684	-40.05	-13	Pass	1080
3000	12000	1	RMS	3757.084	-46.56	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.11	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2985
30	1000	0.1	RMS	818.681	-55.53	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1881.3	22.79	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	3762.085	-46.9	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.05	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.81	-13	Pass	2985
30	1000	0.1	RMS	902.09	-55.1	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.85	-13	Pass	830
1830	1920	1	RMS	1878.75	22.12	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	3757.084	-47.97	-13	Pass	9000
12000	20000	1	RMS	16590.574	-35.94	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.17	-13	Pass	2985
30	1000	0.1	RMS	914.291	-55.28	-13	Pass	9700
1000	1830	1	RMS	1800.965	-44.86	-13	Pass	830
1830	1920	1	RMS	1881.3	22.12	60	Pass	601
1920	3000	1	RMS	2658.684	-40.01	-13	Pass	1080
3000	12000	1	RMS	3762.085	-47.93	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.99	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2985
30	1000	0.1	RMS	850.385	-55.48	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.86	-13	Pass	830
1830	1920	1	RMS	1907.25	22.6	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3814.09	-46.34	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.07	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.68	-13	Pass	2985
30	1000	0.1	RMS	890.389	-55.22	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.84	-13	Pass	830
1830	1920	1	RMS	1909.8	22.57	60	Pass	601
1920	3000	1	RMS	2661.687	-40.02	-13	Pass	1080
3000	12000	1	RMS	3819.091	-48.11	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.06	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2985
30	1000	0.1	RMS	956.996	-55.47	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.9	-13	Pass	830
1830	1920	1	RMS	1907.25	21.58	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3814.09	-47.25	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.9	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.5	-13	Pass	2985
30	1000	0.1	RMS	941.494	-55.51	-13	Pass	9700
1000	1830	1	RMS	1788.951	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.65	21.55	60	Pass	601
1920	3000	1	RMS	2657.683	-39.99	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.58	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.02	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.93	-13	Pass	2985
30	1000	0.1	RMS	992.099	-55.43	-13	Pass	9700
1000	1830	1	RMS	1797.961	-44.85	-13	Pass	830
1830	1920	1	RMS	1850.4	22.79	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3701.078	-44.15	-13	Pass	9000
12000	20000	1	RMS	16606.576	-36.05	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	1000	0.1	RMS	927.693	-55.44	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.89	-13	Pass	830
1830	1920	1	RMS	1854.6	22.36	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	3709.079	-44.43	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.9	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2985
30	1000	0.1	RMS	998.7	-55.28	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.25	21.82	60	Pass	601
1920	3000	1	RMS	2655.681	-40.02	-13	Pass	1080
3000	12000	1	RMS	3701.078	-44.86	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.96	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	1000	0.1	RMS	927.493	-55.36	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.86	-13	Pass	830
1830	1920	1	RMS	1854.75	21.76	60	Pass	601
1920	3000	1	RMS	2658.684	-39.99	-13	Pass	1080
3000	12000	1	RMS	3709.079	-44.07	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.02	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2985
30	1000	0.1	RMS	924.992	-55.44	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.87	-13	Pass	830
1830	1920	1	RMS	1877.85	22.8	60	Pass	601
1920	3000	1	RMS	2657.683	-40	-13	Pass	1080
3000	12000	1	RMS	3756.084	-46.59	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.03	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.39	-13	Pass	2985
30	1000	0.1	RMS	975.597	-55.43	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.89	-13	Pass	830
1830	1920	1	RMS	1882.2	22.59	60	Pass	601
1920	3000	1	RMS	2661.687	-39.97	-13	Pass	1080
3000	12000	1	RMS	3764.085	-46.08	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.01	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2985
30	1000	0.1	RMS	996.2	-54.99	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.88	-13	Pass	830
1830	1920	1	RMS	1877.85	22.08	60	Pass	601
1920	3000	1	RMS	2657.683	-40.01	-13	Pass	1080
3000	12000	1	RMS	3756.084	-47.85	-13	Pass	9000
12000	20000	1	RMS	16606.576	-35.92	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.26	-13	Pass	2985
30	1000	0.1	RMS	891.089	-55.3	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.87	-13	Pass	830
1830	1920	1	RMS	1882.2	22.05	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	3764.085	-46.51	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2985
30	1000	0.1	RMS	892.889	-55.48	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.83	-13	Pass	830
1830	1920	1	RMS	1905.3	22.48	60	Pass	601
1920	3000	1	RMS	2660.686	-40.03	-13	Pass	1080
3000	12000	1	RMS	3811.09	-47.14	-13	Pass	9000
12000	20000	1	RMS	16605.576	-35.98	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.02	-13	Pass	2985
30	1000	0.1	RMS	893.289	-55.41	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.83	-13	Pass	830
1830	1920	1	RMS	1909.65	22.46	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3819.091	-47.06	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.78	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-13	Pass	2985
30	1000	0.1	RMS	961.396	-55.32	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.88	-13	Pass	830
1830	1920	1	RMS	1905.3	21.76	60	Pass	601
1920	3000	1	RMS	2657.683	-40.04	-13	Pass	1080
3000	12000	1	RMS	3811.09	-47.88	-13	Pass	9000
12000	20000	1	RMS	16577.572	-36.02	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.97	-13	Pass	2985
30	1000	0.1	RMS	906.39	-55.14	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.65	21.74	60	Pass	601
1920	3000	1	RMS	2661.687	-39.99	-13	Pass	1080
3000	12000	1	RMS	3819.091	-47.76	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.03	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.81	-13	Pass	2985
30	1000	0.1	RMS	962.996	-55.45	-13	Pass	9700
1000	1830	1	RMS	1798.963	-44.85	-13	Pass	830
1830	1920	1	RMS	1850.55	22.7	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3701.078	-43.27	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.03	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2985
30	1000	0.1	RMS	928.193	-55.44	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.86	-13	Pass	830
1830	1920	1	RMS	1859.4	22.56	60	Pass	601
1920	3000	1	RMS	2840.853	-40	-13	Pass	1080
3000	12000	1	RMS	3719.08	-46.08	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.07	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.28	-13	Pass	2985
30	1000	0.1	RMS	904.79	-55.4	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.87	-13	Pass	830
1830	1920	1	RMS	1850.55	21.92	60	Pass	601
1920	3000	1	RMS	2657.683	-40.03	-13	Pass	1080
3000	12000	1	RMS	3701.078	-44.17	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.84	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2985
30	1000	0.1	RMS	924.892	-55.19	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.85	-13	Pass	830
1830	1920	1	RMS	1859.4	22.09	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	3719.08	-46.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.82	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2985
30	1000	0.1	RMS	939.594	-55.51	-13	Pass	9700
1000	1830	1	RMS	1796.96	-44.86	-13	Pass	830
1830	1920	1	RMS	1875.6	23.11	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3751.083	-45.74	-13	Pass	9000
12000	20000	1	RMS	16583.573	-35.96	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2985
30	1000	0.1	RMS	972.197	-55.33	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.86	-13	Pass	830
1830	1920	1	RMS	1884.45	22.65	60	Pass	601
1920	3000	1	RMS	2658.684	-40.05	-13	Pass	1080
3000	12000	1	RMS	3769.085	-46.43	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.84	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.59	-13	Pass	2985
30	1000	0.1	RMS	940.194	-55.52	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.83	-13	Pass	830
1830	1920	1	RMS	1875.6	22	60	Pass	601
1920	3000	1	RMS	2657.683	-40.05	-13	Pass	1080
3000	12000	1	RMS	3751.083	-47.12	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.04	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.54	-13	Pass	2985
30	1000	0.1	RMS	896.289	-55.54	-13	Pass	9700
1000	1830	1	RMS	1794.958	-44.85	-13	Pass	830
1830	1920	1	RMS	1884.45	21.99	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3769.085	-46.76	-13	Pass	9000
12000	20000	1	RMS	16609.576	-36	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53	-13	Pass	2985
30	1000	0.1	RMS	910.791	-55.22	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.85	-13	Pass	830
1830	1920	1	RMS	1900.65	22.96	60	Pass	601
1920	3000	1	RMS	2659.685	-40.07	-13	Pass	1080
3000	12000	1	RMS	3801.089	-47.28	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.97	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.13	-13	Pass	2985
30	1000	0.1	RMS	996.4	-55.39	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.82	-13	Pass	830
1830	1920	1	RMS	1909.35	22.5	60	Pass	601
1920	3000	1	RMS	2655.681	-39.99	-13	Pass	1080
3000	12000	1	RMS	3819.091	-46.9	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.84	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2985
30	1000	0.1	RMS	892.989	-55.16	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.82	-13	Pass	830
1830	1920	1	RMS	1900.65	21.98	60	Pass	601
1920	3000	1	RMS	2661.687	-39.99	-13	Pass	1080
3000	12000	1	RMS	3801.089	-47.93	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.09	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2985
30	1000	0.1	RMS	897.589	-55.27	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.5	21.68	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3819.091	-47.56	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.96	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2985
30	1000	0.1	RMS	922.192	-55.2	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.85	22.65	60	Pass	601
1920	3000	1	RMS	2659.685	-39.98	-13	Pass	1080
3000	12000	1	RMS	3702.078	-44.33	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.04	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.17	-52.8	-13	Pass	2985
30	1000	0.1	RMS	888.889	-55.5	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.85	-13	Pass	830
1830	1920	1	RMS	1864.05	22.86	60	Pass	601
1920	3000	1	RMS	2661.687	-39.99	-13	Pass	1080
3000	12000	1	RMS	3728.081	-46.41	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2985
30	1000	0.1	RMS	870.787	-55.6	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.88	-13	Pass	830
1830	1920	1	RMS	1850.85	21.99	60	Pass	601
1920	3000	1	RMS	2659.685	-40.01	-13	Pass	1080
3000	12000	1	RMS	3702.078	-44.41	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.88	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2985
30	1000	0.1	RMS	906.99	-55.2	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.86	-13	Pass	830
1830	1920	1	RMS	1864.2	22.03	60	Pass	601
1920	3000	1	RMS	2656.682	-40.02	-13	Pass	1080
3000	12000	1	RMS	3728.081	-47.06	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.96	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.7	-13	Pass	2985
30	1000	0.1	RMS	982.398	-55.36	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.8	-13	Pass	830
1830	1920	1	RMS	1873.35	23	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3747.083	-46.76	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.1	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2985
30	1000	0.1	RMS	947.595	-55.62	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.81	-13	Pass	830
1830	1920	1	RMS	1886.7	22.7	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	3773.086	-46.25	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.85	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.62	-13	Pass	2985
30	1000	0.1	RMS	901.09	-55.34	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.89	-13	Pass	830
1830	1920	1	RMS	1873.35	21.94	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3747.083	-47.74	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.88	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.17	-13	Pass	2985
30	1000	0.1	RMS	895.889	-55.57	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.85	-13	Pass	830
1830	1920	1	RMS	1886.7	22.02	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	3773.086	-46.82	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.02	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.18	-13	Pass	2985
30	1000	0.1	RMS	1000	-55.25	-13	Pass	9700
1000	1830	1	RMS	1798.963	-44.87	-13	Pass	830
1830	1920	1	RMS	1895.85	22.99	60	Pass	601
1920	3000	1	RMS	2660.686	-39.93	-13	Pass	1080
3000	12000	1	RMS	11924.992	-48.66	-13	Pass	9000
12000	20000	1	RMS	19949.994	-36.01	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.28	-13	Pass	2985
30	1000	0.1	RMS	956.095	-55.44	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.82	-13	Pass	830
1830	1920	1	RMS	1909.2	22.44	60	Pass	601
1920	3000	1	RMS	2629.657	-40.05	-13	Pass	1080
3000	12000	1	RMS	3818.091	-46.93	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.07	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.34	-13	Pass	2985
30	1000	0.1	RMS	961.696	-55.42	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.86	-13	Pass	830
1830	1920	1	RMS	1895.85	21.98	60	Pass	601
1920	3000	1	RMS	2657.683	-40.05	-13	Pass	1080
3000	12000	1	RMS	11966.996	-48.63	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.09	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-13	Pass	2985
30	1000	0.1	RMS	992.299	-55.28	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.2	21.54	60	Pass	601
1920	3000	1	RMS	2840.853	-40.04	-13	Pass	1080
3000	12000	1	RMS	3818.091	-47.13	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.96	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2985
30	1000	0.1	RMS	923.592	-55.7	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.9	-13	Pass	830
1830	1920	1	RMS	1851.15	22.35	60	Pass	601
1920	3000	1	RMS	2630.658	-40.01	-13	Pass	1080
3000	12000	1	RMS	3702.078	-43.32	-13	Pass	9000
12000	20000	1	RMS	16605.576	-35.94	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.58	-13	Pass	2985
30	1000	0.1	RMS	995.9	-55.47	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.85	-13	Pass	830
1830	1920	1	RMS	1869	22.66	60	Pass	601
1920	3000	1	RMS	2661.687	-39.96	-13	Pass	1080
3000	12000	1	RMS	3738.082	-47.03	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.04	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.78	-13	Pass	2985
30	1000	0.1	RMS	896.889	-55.46	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.87	-13	Pass	830
1830	1920	1	RMS	1851.15	21.52	60	Pass	601
1920	3000	1	RMS	2662.688	-40.03	-13	Pass	1080
3000	12000	1	RMS	3702.078	-44.02	-13	Pass	9000
12000	20000	1	RMS	16584.573	-36	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.59	-13	Pass	2985
30	1000	0.1	RMS	837.083	-55.47	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.85	-13	Pass	830
1830	1920	1	RMS	1868.85	21.84	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3738.082	-46.97	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.86	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2985
30	1000	0.1	RMS	934.293	-55.53	-13	Pass	9700
1000	1830	1	RMS	1788.951	-44.88	-13	Pass	830
1830	1920	1	RMS	1871.1	22.78	60	Pass	601
1920	3000	1	RMS	2661.687	-40.05	-13	Pass	1080
3000	12000	1	RMS	3742.082	-45.82	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.88	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.07	-13	Pass	2985
30	1000	0.1	RMS	969.997	-55.61	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.88	-13	Pass	830
1830	1920	1	RMS	1888.95	22.39	60	Pass	601
1920	3000	1	RMS	2658.684	-39.99	-13	Pass	1080
3000	12000	1	RMS	3778.086	-46.82	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.94	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.02	-13	Pass	2985
30	1000	0.1	RMS	962.896	-55.58	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.89	-13	Pass	830
1830	1920	1	RMS	1871.1	21.78	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	3742.082	-46.76	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2985
30	1000	0.1	RMS	928.593	-55.54	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.86	-13	Pass	830
1830	1920	1	RMS	1888.95	21.83	60	Pass	601
1920	3000	1	RMS	2660.686	-39.95	-13	Pass	1080
3000	12000	1	RMS	3778.086	-47.33	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.95	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	1000	0.1	RMS	977.298	-55.57	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.83	-13	Pass	830
1830	1920	1	RMS	1891.05	22.83	60	Pass	601
1920	3000	1	RMS	2661.687	-40.01	-13	Pass	1080
3000	12000	1	RMS	3782.087	-46.62	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-13	Pass	2985
30	1000	0.1	RMS	993.399	-55.27	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.86	-13	Pass	830
1830	1920	1	RMS	1908.9	22.28	60	Pass	601
1920	3000	1	RMS	2657.683	-39.95	-13	Pass	1080
3000	12000	1	RMS	3818.091	-46.9	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2985
30	1000	0.1	RMS	874.787	-55.55	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.86	-13	Pass	830
1830	1920	1	RMS	1891.05	21.38	60	Pass	601
1920	3000	1	RMS	2657.683	-39.97	-13	Pass	1080
3000	12000	1	RMS	3782.087	-47.47	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.02	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2985
30	1000	0.1	RMS	910.591	-55.28	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.84	-13	Pass	830
1830	1920	1	RMS	1908.9	21.31	60	Pass	601
1920	3000	1	RMS	2659.685	-39.89	-13	Pass	1080
3000	12000	1	RMS	3818.091	-47.83	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.98	-13	Pass	8000



END