



IEEE 802.11n20 / Channel 165 / 5825MHz


26dB Bandwidth




IEEE 802.11n40 / Channel 151 / 5755MHz




IEEE 802.11n40 / Channel 159 / 5795MHz




IEEE 802.11ac20 / Channel 149 / 5745MHz




IEEE 802.11ac20 / Channel 157/ 5785MHz



IEEE 802.11ac20 / Channel 165 / 5825MHz



IEEE 802.11ac40 / Channel 151 / 5755MHz




IEEE 802.11ac40 / Channel 159 / 5795MHz

D.5 Undesirable Emissions Measurement


Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-47.05	2.00	-47.05	Peak	-27.0	Pass
		5650.0	-60.27	2.00	-60.27	Average	-27.0	Pass
		5700.0	-48.25	2.00	-48.25	Peak	10	Pass
		5700.0	-59.73	2.00	-59.73	Average	10	Pass
		5720.0	-39.87	2.00	-39.87	Peak	15.6	Pass
		5720.0	-56.98	2.00	-56.98	Average	15.6	Pass
		5725.0	-29.73	2.00	-29.73	Peak	27.0	Pass
	5725.0	-51.80	2.00	-51.80	Average	27.0	Pass	
	165	5850.0	-29.77	2.00	-29.77	Peak	27.0	Pass
		5850.0	-52.22	2.00	-52.22	Average	27.0	Pass
		5855.0	-39.59	2.00	-39.59	Peak	15.6	Pass
		5855.0	-55.76	2.00	-55.76	Average	15.6	Pass
		5875.0	-46.62	2.00	-46.62	Peak	10	Pass
		5875.0	-58.54	2.00	-58.54	Average	10	Pass
5925.0		-48.28	2.00	-48.28	Peak	-27.0	Pass	
5925.0	-59.56	2.00	-59.56	Average	-27.0	Pass		
11N20 SISO	149	5650.0	-48.39	2.00	-48.39	Peak	-27.0	Pass
		5650.0	-60.35	2.00	-60.35	Average	-27.0	Pass
		5700.0	-47.28	2.00	-47.28	Peak	10	Pass
		5700.0	-56.07	2.00	-56.07	Average	10	Pass
		5720.0	-38.77	2.00	-38.77	Peak	15.6	Pass
		5720.0	-59.79	2.00	-59.79	Average	15.6	Pass
		5725.0	-28.46	2.00	-28.46	Peak	27.0	Pass
	5725.0	-50.24	2.00	-50.24	Average	27.0	Pass	
	165	5850.0	-29.66	2.00	-29.66	Peak	27.0	Pass
		5850.0	-51.56	2.00	-51.56	Average	27.0	Pass
		5855.0	-37.99	2.00	-37.99	Peak	15.6	Pass
		5855.0	-56.05	2.00	-56.05	Average	15.6	Pass
		5875.0	-47.61	2.00	-47.61	Peak	10	Pass
		5875.0	-58.95	2.00	-58.95	Average	10	Pass
5925.0		-48.80	2.00	-48.80	Peak	-27.0	Pass	
5925.0	-59.82	2.00	-59.82	Average	-27.0	Pass		

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40 SISO	151	5650.0	-49.28	2.00	-47.28	Peak	-27.0	Pass
		5650.0	-60.38	2.00	-58.38	Average	-27.0	Pass
		5700.0	-43.12	2.00	-41.12	Peak	10	Pass
		5700.0	-57.45	2.00	-55.45	Average	10	Pass
		5720.0	-28.31	2.00	-26.31	Peak	15.6	Pass
		5720.0	-45.44	2.00	-43.44	Average	15.6	Pass
		5725.0	-27.84	2.00	-25.84	Peak	27.0	Pass
	159	5725.0	-42.45	2.00	-40.45	Average	27.0	Pass
		5850.0	-42.12	2.00	-40.12	Peak	27.0	Pass
		5850.0	-55.87	2.00	-53.87	Average	27.0	Pass
		5855.0	-44.04	2.00	-44.04	Peak	15.6	Pass
		5855.0	-56.97	2.00	-54.97	Average	15.6	Pass
		5875.0	-46.79	2.00	-46.79	Peak	10	Pass
		5875.0	-59.04	2.00	-57.04	Average	10	Pass
11AC2 0 SISO	149	5925.0	-49.01	2.00	-47.01	Peak	-27.0	Pass
		5925.0	-59.93	2.00	-57.93	Average	-27.0	Pass
		5650.0	-48.82	2.00	-46.82	Peak	-27.0	Pass
		5650.0	-60.34	2.00	-58.34	Average	-27.0	Pass
		5700.0	-48.33	2.00	-46.33	Peak	10	Pass
		5700.0	-56.79	2.00	-54.79	Average	10	Pass
		5720.0	-40.61	2.00	-38.61	Peak	15.6	Pass
	165	5720.0	-59.77	2.00	-57.77	Average	15.6	Pass
		5725.0	-31.74	2.00	-29.74	Peak	27.0	Pass
		5725.0	-51.82	2.00	-49.82	Average	27.0	Pass
		5850.0	-37.22	2.00	-35.22	Peak	27.0	Pass
		5850.0	-53.93	2.00	-51.93	Average	27.0	Pass
		5855.0	-43.45	2.00	-41.45	Peak	15.6	Pass
		5855.0	-57.02	2.00	-55.02	Average	15.6	Pass
11AC4 0 SISO	151	5875.0	-46.44	2.00	-44.44	Peak	10	Pass
		5875.0	-58.96	2.00	-56.96	Average	10	Pass
		5925.0	-48.01	2.00	-46.01	Peak	-27.0	Pass
		5925.0	-59.78	2.00	-55.78	Average	-27.0	Pass
		5650.0	-48.48	2.00	-44.48	Peak	-27.0	Pass
		5650.0	-60.54	2.00	-58.54	Average	-27.0	Pass
		5700.0	-47.32	2.00	-45.32	Peak	10	Pass
	159	5700.0	-59.42	2.00	-57.42	Average	10	Pass
		5720.0	-33.31	2.00	-31.31	Peak	15.6	Pass
		5720.0	-52.66	2.00	-50.66	Average	15.6	Pass
		5725.0	-30.50	2.00	-28.50	Peak	27.0	Pass
		5725.0	-50.11	2.00	-48.11	Average	27.0	Pass
		5850.0	-42.40	2.00	-40.40	Peak	27.0	Pass
		5850.0	-56.24	2.00	-54.24	Average	27.0	Pass
159	5855.0	-41.90	2.00	-39.90	Peak	15.6	Pass	
	5855.0	-57.26	2.00	-55.26	Average	15.6	Pass	
	5875.0	-48.73	2.00	-46.73	Peak	10	Pass	
	5875.0	-59.18	2.00	-57.18	Average	10	Pass	
	5925.0	-48.30	2.00	-46.30	Peak	-27.0	Pass	
	5925.0	-60.10	2.00	-58.10	Average	-27.0	Pass	

Undesirable Emissions Measurement




IEEE 802.11a / Channel 149 / 5745MHz / Peak




IEEE 802.11a / Channel 148 / 5745MHz / Average

Undesirable Emissions Measurement




IEEE 802.11a / Channel 165 / 5825MHz / Peak




IEEE 802.11a / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 149 / 5745MHz / Peak




IEEE 802.11n20 / Channel 149 / 5745MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 165 / 5825MHz / Peak




IEEE 802.11n20 / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 151 / 5755MHz / Peak




IEEE 802.11n40 / Channel 151 / 5755MHz / Average


Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 159 / 5795MHz / Peak




IEEE 802.11n40 / Channel 159 / 5795MHz / Average




IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak




IEEE 802.11ac20 / Channel 149 / 5745MHz / Average




IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak




IEEE 802.11ac20 / Channel 165 / 5825MHz / Average




IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak



IEEE 802.11ac40 / Channel 151 / 5755MHz / Average



IEEE 802.11ac40 / Channel 159 / 5795MHz / Peak



IEEE 802.11ac40 / Channel 159 / 5795MHz / Average