

APPENDIX REPORT




Project No.	SHT2104085601EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT21040856003	Model No.	ALPHA
Start test date	2021-05-06	Finish date	2021-05-06
Temperature	24.9°C	Humidity	37%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Peak Output Power

Test rate	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
1Mbps	00	5.23	5.20	≤ 30.00	Pass
	19	4.87	4.84		
	39	4.80	4.77		
2Mbps	00	5.25	5.21	≤ 30.00	Pass
	19	4.92	4.86		
	39	4.82	4.76		




Test rate:		1Mbps
CH00	<p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 4.23 dBm 2.40195008 GHz CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 6 MAY 2021 18:02:22</p>	
CH19	<p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 4.87 dBm 2.43995500 GHz CF 2.44 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 6 MAY 2021 18:06:29</p>	
CH39	<p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 2 MHz Att 20 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 4.80 dBm 2.47998500 GHz CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 6 MAY 2021 18:10:16</p>	

Test rate: 2Mbps	
CH00	 <p>Date: 6 MAY 2021 18:22:50</p>
CH19	 <p>Date: 6 MAY 2021 18:28:16</p>
CH39	 <p>Date: 6 MAY 2021 18:16:42</p>

Appendix B: Power Spectral Density

Test rate	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
1Mbps	00	-10.21	≤8.00	Pass
	19	-10.36		
	39	-10.42		
2Mbps	00	-12.68	≤8.00	Pass
	19	-12.95		
	39	-13.17		

Test rate:		1Mbps
CH00		
CH19		
CH39		


Test rate: 2Mbps	
CH00	 <p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWI 1.4 ms (-13 ms) VBW 10 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] -12.68 dBm 2.402700 GHz CF 2.402 GHz 1001 pts 300.0 kHz/ Span 3.0 MHz Date: 6 MAY 2021 18:23:57</p>
CH19	 <p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWI 1.4 ms (-13 ms) VBW 10 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] -12.95 dBm 2.44002700 GHz CF 2.44 GHz 1001 pts 300.0 kHz/ Span 3.0 MHz Date: 6 MAY 2021 18:29:00</p>
CH39	 <p>MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 3 kHz Att 20 dB SWI 1.4 ms (-13 ms) VBW 10 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] -13.17 dBm 2.48002400 GHz CF 2.48 GHz 1001 pts 300.0 kHz/ Span 3.0 MHz Date: 6 MAY 2021 18:17:48</p>

Appendix C: 6dB bandwidth

Test rate	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
1Mbps	00	788.00	≥500	Pass
	19	788.00		
	39	778.00		
2Mbps	00	1470.00	≥500	Pass
	19	1485.00		
	39	1450.00		


Test rate: 1Mbps

CH00




Date: 6 MAY 2021 18:01:53

CH19



Date: 6 MAY 2021 18:06:00

CH39



Date: 6 MAY 2021 18:09:48

Test rate:		2Mbps																												
CH00	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401255 GHz</td> <td>-3.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.401935 GHz</td> <td>2.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.47 MHz</td> <td>-0.18 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:22:22</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.401255 GHz	-3.86 dBm			M2	1		2.401935 GHz	2.19 dBm			D3	M1	1	1.47 MHz	-0.18 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.401255 GHz	-3.86 dBm																										
M2	1		2.401935 GHz	2.19 dBm																										
D3	M1	1	1.47 MHz	-0.18 dB																										
CH19	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43924 GHz</td> <td>-4.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43999 GHz</td> <td>1.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.485 MHz</td> <td>-0.12 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:27:47</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43924 GHz	-4.54 dBm			M2	1		2.43999 GHz	1.50 dBm			D3	M1	1	1.485 MHz	-0.12 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.43924 GHz	-4.54 dBm																										
M2	1		2.43999 GHz	1.50 dBm																										
D3	M1	1	1.485 MHz	-0.12 dB																										
CH39	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.47927 GHz</td> <td>-4.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.479935 GHz</td> <td>1.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.45 MHz</td> <td>-0.10 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:15:29</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.47927 GHz	-4.19 dBm			M2	1		2.479935 GHz	1.83 dBm			D3	M1	1	1.45 MHz	-0.10 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.47927 GHz	-4.19 dBm																										
M2	1		2.479935 GHz	1.83 dBm																										
D3	M1	1	1.45 MHz	-0.10 dB																										

Appendix D: 99% Occupied Bandwidth


Test rate	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
1Mbps	00	1.04	-	Pass
	19	1.04		
	39	1.03		
2Mbps	00	2.05	-	Pass
	19	2.04		
	39	2.04		

Test rate:		1Mbps																												
CH00	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Count 500/500 Att 20 dB SWF 140 μs (~7.2 ms) VBW 100 kHz Mode Auto FFT 1 Occupied Bandwidth M1[1] 1.65 dBm 2.4020000 GHz</p> <p>CF 2.402 GHz 1001 pts 200.0 kHz/ Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.402 GHz</td> <td>1.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4014965 GHz</td> <td>-13.76 dBm</td> <td>Occ Bw</td> <td>1.038961039 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.40253546 GHz</td> <td>-12.75 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:02:07</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402 GHz	1.65 dBm			T1	1		2.4014965 GHz	-13.76 dBm	Occ Bw	1.038961039 MHz	T2	1		2.40253546 GHz	-12.75 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.402 GHz	1.65 dBm																										
T1	1		2.4014965 GHz	-13.76 dBm	Occ Bw	1.038961039 MHz																								
T2	1		2.40253546 GHz	-12.75 dBm																										
CH19	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Count 500/500 Att 20 dB SWF 140 μs (~7.2 ms) VBW 100 kHz Mode Auto FFT 1 Occupied Bandwidth M1[1] 1.32 dBm 2.4399980 GHz</p> <p>CF 2.44 GHz 1001 pts 200.0 kHz/ Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.439998 GHz</td> <td>1.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4394985 GHz</td> <td>-13.65 dBm</td> <td>Occ Bw</td> <td>1.036963037 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.44053546 GHz</td> <td>-13.20 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:04:14</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.439998 GHz	1.32 dBm			T1	1		2.4394985 GHz	-13.65 dBm	Occ Bw	1.036963037 MHz	T2	1		2.44053546 GHz	-13.20 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.439998 GHz	1.32 dBm																										
T1	1		2.4394985 GHz	-13.65 dBm	Occ Bw	1.036963037 MHz																								
T2	1		2.44053546 GHz	-13.20 dBm																										
CH39	<p>Ref Level 10.50 dBm Offset 1.00 dB RBW 30 kHz Count 500/500 Att 20 dB SWF 140 μs (~7.2 ms) VBW 100 kHz Mode Auto FFT 1 Occupied Bandwidth M1[1] 1.26 dBm 2.4799980 GHz</p> <p>CF 2.48 GHz 1001 pts 200.0 kHz/ Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.479998 GHz</td> <td>1.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4794985 GHz</td> <td>-13.04 dBm</td> <td>Occ Bw</td> <td>1.034965035 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.48053347 GHz</td> <td>-13.36 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:10:02</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.479998 GHz	1.26 dBm			T1	1		2.4794985 GHz	-13.04 dBm	Occ Bw	1.034965035 MHz	T2	1		2.48053347 GHz	-13.36 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.479998 GHz	1.26 dBm																										
T1	1		2.4794985 GHz	-13.04 dBm	Occ Bw	1.034965035 MHz																								
T2	1		2.48053347 GHz	-13.36 dBm																										


Test rate:		2Mbps																												
CH00	<p>1 Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 10.50 dBm Offset 20 dB SWI 140 μs (\approx7.5 ms) \approx VBW 100 kHz Mode Auto FFT</p> <p>1.66 dBm</p> <p>M1[1] 2.40201000 GHz</p> <p>CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40201000 GHz</td> <td>1.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.40100395 GHz</td> <td>-16.20 dBm</td> <td>Occ Bw</td> <td>2.047952048 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.40305395 GHz</td> <td>-15.23 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:22:35</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40201000 GHz	1.66 dBm			T1	1		2.40100395 GHz	-16.20 dBm	Occ Bw	2.047952048 MHz	T2	1		2.40305395 GHz	-15.23 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.40201000 GHz	1.66 dBm																										
T1	1		2.40100395 GHz	-16.20 dBm	Occ Bw	2.047952048 MHz																								
T2	1		2.40305395 GHz	-15.23 dBm																										
CH19	<p>1 Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 10.50 dBm Offset 20 dB SWI 140 μs (\approx7.5 ms) \approx VBW 100 kHz Mode Auto FFT</p> <p>1.24 dBm</p> <p>M1[1] 2.44000500 GHz</p> <p>CF 2.44 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.44000500 GHz</td> <td>1.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.43901099 GHz</td> <td>-15.89 dBm</td> <td>Occ Bw</td> <td>2.042957043 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.44105395 GHz</td> <td>-15.64 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:28:01</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.44000500 GHz	1.24 dBm			T1	1		2.43901099 GHz	-15.89 dBm	Occ Bw	2.042957043 MHz	T2	1		2.44105395 GHz	-15.64 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.44000500 GHz	1.24 dBm																										
T1	1		2.43901099 GHz	-15.89 dBm	Occ Bw	2.042957043 MHz																								
T2	1		2.44105395 GHz	-15.64 dBm																										
CH39	<p>1 Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 10.50 dBm Offset 20 dB SWI 140 μs (\approx7.5 ms) \approx VBW 100 kHz Mode Auto FFT</p> <p>1.29 dBm</p> <p>M1[1] 2.48000500 GHz</p> <p>CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.48000500 GHz</td> <td>1.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.47901099 GHz</td> <td>-16.06 dBm</td> <td>Occ Bw</td> <td>2.042957043 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.48105395 GHz</td> <td>-15.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:15:56</p>		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.48000500 GHz	1.29 dBm			T1	1		2.47901099 GHz	-16.06 dBm	Occ Bw	2.042957043 MHz	T2	1		2.48105395 GHz	-15.86 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.48000500 GHz	1.29 dBm																										
T1	1		2.47901099 GHz	-16.06 dBm	Occ Bw	2.042957043 MHz																								
T2	1		2.48105395 GHz	-15.86 dBm																										

Appendix E: Duty cycle

Test Rate:		1Mbps		
Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
2440	0.39	0.62	62.9%	2.6





Test Rate:		2Mbps		
Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
2440	0.21	0.62	33.9%	4.8




Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Test Rate:	1Mbps																																										
CH00	<table border="1"> <caption>2 Marker Table</caption> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40201 GHz</td> <td>4.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-49.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-66.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-72.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.394075 GHz</td> <td>-50.07 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:03:29</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40201 GHz	4.95 dBm			M2	1		2.4 GHz	-49.74 dBm			M3	1		2.39 GHz	-66.21 dBm			M4	1		2.31 GHz	-72.72 dBm			M5	1		2.394075 GHz	-50.07 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40201 GHz	4.95 dBm																																									
M2	1		2.4 GHz	-49.74 dBm																																									
M3	1		2.39 GHz	-66.21 dBm																																									
M4	1		2.31 GHz	-72.72 dBm																																									
M5	1		2.394075 GHz	-50.07 dBm																																									
CH39	<table border="1"> <caption>2 Marker Table</caption> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.480011 GHz</td> <td>4.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4833 GHz</td> <td>-56.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-68.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.487988 GHz</td> <td>-50.31 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:11:14</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480011 GHz	4.47 dBm			M2	1		2.4833 GHz	-56.43 dBm			M3	1		2.5 GHz	-68.89 dBm			M4	1		2.487988 GHz	-50.31 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480011 GHz	4.47 dBm																																									
M2	1		2.4833 GHz	-56.43 dBm																																									
M3	1		2.5 GHz	-68.89 dBm																																									
M4	1		2.487988 GHz	-50.31 dBm																																									


Test Item:	Band edge	Test Rate:	2Mbps																																										
CH00	 <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWI 1.05 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>MS[1] -49.6 dBm M1[1] 2.394081 GHz M1[1] 4.59 dBm M1[1] 2.402010 GHz</p> <p>2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40201 GHz</td> <td>4.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-26.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-65.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-71.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.394081 GHz</td> <td>-49.64 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:26:07</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40201 GHz	4.98 dBm			M2	1		2.4 GHz	-26.66 dBm			M3	1		2.39 GHz	-65.03 dBm			M4	1		2.31 GHz	-71.43 dBm			M5	1		2.394081 GHz	-49.64 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40201 GHz	4.98 dBm																																									
M2	1		2.4 GHz	-26.66 dBm																																									
M3	1		2.39 GHz	-65.03 dBm																																									
M4	1		2.31 GHz	-71.43 dBm																																									
M5	1		2.394081 GHz	-49.64 dBm																																									
CH39	 <p>Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWI 1.02 ms VBW 300 kHz Mode Auto Sweep Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] 4.45 dBm M1[1] 2.4800110 GHz M2[1] -53.82 dBm M2[1] 2.4835000 GHz</p> <p>2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.480011 GHz</td> <td>4.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-68.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48801 GHz</td> <td>-50.54 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6 MAY 2021 18:18:04</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480011 GHz	4.45 dBm			M2	1		2.4835 GHz	-53.82 dBm			M3	1		2.5 GHz	-68.53 dBm			M4	1		2.48801 GHz	-50.54 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480011 GHz	4.45 dBm																																									
M2	1		2.4835 GHz	-53.82 dBm																																									
M3	1		2.5 GHz	-68.53 dBm																																									
M4	1		2.48801 GHz	-50.54 dBm																																									

Test Item:	SE	Test Rate:	1Mbps
<p>CH00 Reference level</p>	<p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 5.12 dBm 2.402000 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 6 MAY 2021 18:03:41</p>		
<p>CH00 30MHz~1000MHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.70 dBm 431.8650 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 6 MAY 2021 18:04:03</p>		
<p>CH00 1GHz~26GHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -33.26 dBm 7.206667 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 6 MAY 2021 18:04:25</p>		


CH19
Reference level






CH19
30MHz~1000MHz





CH19
1GHz~26GHz



<p>CH39 Reference level</p>	<p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -4.69 dBm 2.480000 GHz CF 2.48 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 6 MAY 2021 18:12:49</p>
<p>CH39 30MHz~1000MHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.50 dBm 533.8170 MHz HL -15.310 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 6 MAY 2021 18:13:11</p>
<p>CH39 1GHz~26GHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -32.87 dBm 7.440833 GHz HL -15.310 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 6 MAY 2021 18:13:23</p>

Test Item:	SE	Test Rate:	2Mbps
<p>CH00 Reference level</p>	 <p>Date: 6 MAY 2021 18:24:25</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 6 MAY 2021 18:24:46</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 6 MAY 2021 18:25:08</p>		





-----End of Report-----