


1. Duty Cycle

1.1 Ant1


1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
GFSK	SISO	2401	100.000	100.000	100.00	0.00	0.00
		2440	100.000	100.000	100.00	0.00	0.00
		2480	100.000	100.000	100.00	0.00	0.00


1.1.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV




2. Bandwidth

2.1 OBW


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)	Verdict
				Result	
GFSK	SISO	2401	1	1.083	Pass
		2440	1	1.082	Pass
		2480	1	1.080	Pass


2.1.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV




2.2 6dB BW


2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
GFSK	SISO	2401	1	0.757	≥ 0.5	Pass
		2440	1	0.760	≥ 0.5	Pass
		2480	1	0.760	≥ 0.5	Pass


2.2.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV



3. Maximum Conducted Output Power


3.1 Power

3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
GFSK	SISO	2401	6.88	<=30	Pass
		2440	6.23	<=30	Pass
		2480	5.65	<=30	Pass

Note1: Antenna Gain: Ant1: 1.50dBi;


3.1.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV



4. Maximum Power Spectral Density


4.1 PSD

4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
GFSK	SISO	2401	-10.28	<=8	Pass
		2440	-10.92	<=8	Pass
		2480	-11.45	<=8	Pass

Note1: Antenna Gain: Ant1: 1.50dBi;


4.1.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands


5.1 Ref

5.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
GFSK	SISO	2401	1	6.00
		2440	1	5.35
		2480	1	4.78

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 Test Graph



GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV




5.2 CSE

5.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2401	1	6.00	-14.00	Pass
		2440	1	6.00	-14.00	Pass
		2480	1	6.00	-14.00	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


5.2.2 Test Graph




GFSK_LCH_2401MHz_Ant1_NTNV




GFSK_MCH_2440MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV



GFSK_HCH_2480MHz_Ant1_NTNV



-----End-----