



### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS


**EUT Housing and Board View 1**




**EUT Housing and Board View 2**





**Solder  
Board-Component  
View 1**





**Solder  
Board-Component  
View 2**





<p><b>Solder Board-Component View 3</b></p>	 <p>A photograph showing a green printed circuit board (PCB) with various electronic components. A copper ring component is attached to the board with two thin wires. The board is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows measurements from 0 to 100 mm.</p>
<p><b>Solder Board-Component View 4</b></p>	 <p>A photograph showing the same green PCB from a different perspective. The copper ring component is still visible, attached to the board. The board is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows measurements from 0 to 100 mm.</p>

<p><b>Solder Board-Component View 5</b></p>	 <p>A photograph showing a square solder board component with a central lens and four mounting holes. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's width being approximately 25 mm. The component has a central lens and four mounting holes, each with a blue solder pad. The text '2.5T' and 'RoHS' is visible on the component.</p>
<p><b>Solder Board-Component View 6</b></p>	 <p>A photograph showing the same square solder board component as in View 5, but from a different angle. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's width being approximately 25 mm. The component has a central lens and four mounting holes, each with a blue solder pad. The text '2.5T' and 'RoHS' is visible on the component.</p>