Search

CATEGORIES

Getting started

Logmore Web

Logmore QR Tags ›

Logmore Shop

Logmore App / Scanner

For Media

One-minute Start Guide

The one-minute guide for logger set-up

1. Press the multi-function button to activate the QR Tag
2. Scan the QR Tag to link it to your team (Account)
3. Attach the QR Tag to the item you want to monitor using the adhesive sticker provided with the QR Tag
4. Scan the QR Tag to upload the saved measurement data to Logmore Web, where you can read and analyze it

Tag already linked?

In many cases, the tag is already linked to a Logmore Account before activation to ensure ease-of-use for large scale tag shipments.

What's in the tag?

The Logmore QR Tags consist of

- an e-ink screen that updates the QR code every time a new measurement is saved
- memory for 20 000 measurements
- accurate sensors that vary by the model (see the articles for models One, Two and Three)
- a multi-use button that can be pressed to cycle through history or held for Tag Configuration mode

Where does the uploaded data go?

The data is uploaded directly to Logmore Web when the QR Tag is scanned.

Intuitive user interface

Logmore Web works with any smart device with browser. Easy-to-use and intuitive.

History

Easily and securely stores the measurements. Graphs, lists and reports are always available.

Scan locations

Tag scan locations are saved and are drawn on a map.

FCC Caution.

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful

interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

 -Increase the separation between the equipment and receiver.

 -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.