
Report No.: RA221118-55124E-RF



Date: 20.DEC.2022 12:02:40

Spect	rum										
	evel	20.00			e RBW :						
👄 Att		25	5 dB SWT	94.8 µs	🔵 VBW 🔅	300 kHz	Mode Au	ito FFT			
😑 1Pk Ma	ах										
	D	1 16.2	00 dBm				Ma	1	T2		-10.19 dBm
10 dBm-							Y		Y		041600 GHz
10 000								BW	1	4.550	898204 MHz
0 dBm-							D1	1]	1		0.86 dB
							ML		1		5.2800 MHz
-10 dBm	-	D2	-9.800 dBm-		_				[1		
									T		
-20 dBm							- M				
						P	www		1010	My .	
-30 dBm	r—————————————————————————————————————		~	mon	m	- N			_		
mo	man	non	mon		howing	rul				hu	
-40 dBm											my l
-50 dBm											L.
-30 ubii	' T										Wy have
-60 dBm											~
	°										
-70 dBm	r——			_		-+					
CF 1.9	GHz					501 pts	5			Spa	n 40.0 MHz
Marker											
Type	Ref	Trc	X-valu	ie	Y-va	alue	Function	on	Fur	nction Resul	lt
M1		1	1.90	416 GHz	-10	1.19 dBm					
T1		1		711 GHz		.33 dBm	Occ	BW		4.5508	898204 MHz
T2		1		022 GHz	12	.79 dBm					
D1	M1	1	5	.28 MHz		0.86 dB					
							Measu	uring		144	20.12.2022

Band 2_20 MHz_High_16QAM_RB27#0

Date: 20.DEC.2022 12:03:10

Page 36 of 86

Report No.: RA221118-55124E-RF

Ref Level 20.00 dBm Offset 7.00 dB RBW 30 kHz Att 25 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT In dBm 11 17.450 dBm The second				В	and 4_	1.4 MHz_L	ow_QPS	SK_RI	36#0		
Att 25 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT • IPk Max • 01 17.450 dBm • 01 17.450 dBm • 0.2 4 dB 1.01796407 MI • 0.73 G 1.101796407 MI • 0.73 G 1.30200 MI • 0.73 G • 0.11 1.30200 MI • 0.2 -8.550 dBm • 0.2 -8.550	Spectr	um									
Att 25 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT • IPk Max • 01 17.450 dBm • 01 17.450 dBm • 0.2 4 dB 1.01796407 MI • 0.73 G 1.101796407 MI • 0.73 G 1.30200 MI • 0.73 G • 0.11 1.30200 MI • 0.2 -8.550 dBm • 0.2 -8.550	Ref Lev	vel 2	20.00 d	Bm Offset	7.00 dB 🧉	RBW 30 kHz	2				
• 1Pk Max • 11 7.450 dBm • 0 dBm • 0 dBm • 0 cc Bw • 1.71006400 GI 0 dBm 0 dBm 0 cc Bw • 0 cc Bw • 1.101796407 MI -10 dBm • 0 cc Bw • 0 cc Bw • 1.30200 MI -10 dBm • 0 cc Bw • 0 cc Bw • 1.30200 MI -20 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw -30 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw -30 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw -50 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw -70 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw -70 dBm • 0 cc Bw • 0 cc Bw • 0 cc Bw 1 1.7105509 GHz • 11.57 dBm • 0 cc Bw 1 1.101796407 MH <							-	uto FFT			
01 17.450 dBm Type MUFU -8.24 dB 10 dBm 0cc Bw 1.101796407 MI -0.73 d 0 dBm 01 0cc Bw 011 1.101796407 MI 0 dBm 02 -8.550 dBm 01 1 1.30200 MI -20 dBm 02 -8.550 dBm 01 01 1 1.30200 MI -20 dBm 02 -8.550 dBm 0 0 0 0 0 -30 dBm 0 0 0 0 0 0 0 -30 dBm 0 0 0 0 0 0 0 0 -40 dBm 0 0 0 0 0 0 0 0 -50 dBm 0 <td>1Pk Max</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	1Pk Max	x									
10 dBm 0 dBm 0 cc Bw 1.71006400 Gi 0 dBm 01[1] -0.73 ci -10 dBm 02 -8.550 dBm 1.30200 Mi -20 dBm -10 dBm -10 dBm -30 dBm -10 dBm -10 dBm -20 dBm -10 dBm -10 dBm -30 dBm -10 dBm -10 dBm -50 dBm -10 dBm -10 dBm -70 dBm -10 dBm -10 dBm -70 dBm -10 dBm -10 dBm M1 1 1.7100540 dHz M1 1 1.71125689 GHz M1 1 1.71125689 GHz T2 1 1.71125689 GHz			1 17.45	0 dBm	710 /		ma M	141			8.24 dBm
O dBm Mile Occc Bw 1.101796407 MH -10 dBm D2 -8.550 dBm -0.73 d -0.73 d -20 dBm -20 dBm -0.73 d -0.73 d -20 dBm -0.73 d -0.73 d -30 dBm -0.73 d -0.73 d -40 dBm -0.73 d -0.73 d -50 dBm -0.73 d -0.73 d -60 dBm -0.73 d -0.73 d -70 dBm -0.73 d -0.73 d -70 dBm -0.73 d -0.73 d -70 dBm -0.73 d -0.73 d Marker -0.71 d -0.71 d Type Ref Trc X-value Yype Ref Trc X-value Yupe 1.101796407 MH T1 1.71015509 GHz 11.57 dBm T2 1 1.71125689 GHz 10.15 dBm				Composition (¥ ~				L2	1.710	06400 GHz
0 dBm D2 -8.550 dBm 1.30200 Mi -10 dBm D2 -8.550 dBm 1 -20 dBm -30 dBm -30 dBm -30 dBm -30 dBm -30 dBm -40 dBm -30 dBm -30 dBm -50 dBm -30 dBm -30 dBm -50 dBm -30 dBm -30 dBm -60 dBm -30 dBm -30 dBm -70 dBm -30 dBm -30 dBm	10 dBm-	+			1		0	C Bw	1 I	1.1017	96407 MHz
0 dBm 02 8.550 dBm 1.30200 Mi -10 dBm D2 8.550 dBm 01 01 -20 dBm -30 dBm -40	0.40				/		D	[1]			-0.73 dE
-10 dBm D2 -8.550 dBm -0 01 -20 dBm -30 dBm <td>u asm—</td> <td></td> <td></td> <td>M</td> <td>v l</td> <td></td> <td></td> <td></td> <td></td> <td>1.</td> <td>30200 MHz</td>	u asm—			M	v l					1.	30200 MHz
-20 dBm -30 dBm	-10 dBm-		D2 -						Q 1		
-30 dBm -40 dBm -40 dBm -50 dBm -50 dBm -50 dBm -60 dBm -70	-10 0800-								4		
-30 dBm -40 dBm -40 dBm -50 dBm -50 dBm -50 dBm -60 dBm -70	-20 dBm-			2 2-1					1		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	~~~~		~~							- m	m
-50 dBm -60 dBm -70	-30 dBm-	1	~								
-50 dBm -60 dBm -70											
-60 dBm -70	-40 dBm-	+				_			_		
-60 dBm -70											
-70 dBm Image: Second sec	-50 dBm-	+							_		
-70 dBm Image: Second sec											
CF 1.7107 GHz S01 pts Span 3.0 MH Marker Type Ref Trc X-value Y-value Function Function Result M1 1 1.710064 GHz -8.24 dBm - - - T1 1 1.71015509 GHz 11.57 dBm Occ Bw 1.101796407 MH T2 1 1.71125689 GHz 10.15 dBm - -	-60 dBm-	+									
CF 1.7107 GHz S01 pts Span 3.0 MH Marker Type Ref Trc X-value Y-value Function Function Result M1 1 1.710064 GHz -8.24 dBm - - - T1 1 1.71015509 GHz 11.57 dBm Occ Bw 1.101796407 MH T2 1 1.71125689 GHz 10.15 dBm - -	70 10										
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 1.710064 GHz -8.24 dBm -	-70 aBm-										
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 1.710064 GHz -8.24 dBm -											
Type Ref Trc X-value Y-value Function Function Result M1 1 1.710064 GHz -8.24 dBm -	CF 1.71	07 G	Hz			501	pts			Spa	n 3.0 MHz
M1 1 1.710064 GHz -8.24 dBm T1 1 1.71015509 GHz 11.57 dBm Occ Bw 1.101796407 MH T2 1 1.71125689 GHz 10.15 dBm Occ Bw 1.101796407 MH											
T1 1 1.71015509 GHz 11.57 dBm Occ Bw 1.101796407 MH T2 1 1.71125689 GHz 10.15 dBm	Туре	Ref	Trc	X-valu	e	Y-value	Func	ion	Fu	nction Result	t
T2 1 1.71125689 GHz 10.15 dBm											
								CC BW		1.1017	96407 MHz
D1 M1 1 1.302 MH2 -0.73 dB											
	01	M1	1	1.3	u2 MHz ∣	-U.73 d	в				
Measuring 20.12.2022							Mea	suring		1444	20.12.2022

Date: 20.DEC.2022 12:03:35

Spect	rum							
Ref L	evel	20.00 dB	m Offset	7.00 dB 👄	RBW 30 kHz			
🔵 Att		25 c	B SWT	63.3 µs 👄	VBW 100 kHz	Mode Auto	FFT	
😑 1Pk M	lax							
10 dBm		1 16.740) dBm	Tur			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	-9.40 dBm 1.71007000 GHz 1.095808383 MHz
0 dBm-	+		м	/		D1[1]		0.17 dB 1.27800 MHz
-10 dBn	n	D2 -9	.260 dBm				Q1 4	
-20 dBn	n		-		++		<u> </u>	
-30 dBn	~~~~	\sim						
-40 dBn	n+							
-50 dBn	n-+							
-60 dBn	n-+-							
-70 dBn	n-+							
CF 1.7	107 0	Hz			501 p	its		Span 3.0 MHz
Marker								
Туре	Ref	Trc	X-valu	e	Y-value	Function	F	Function Result
M1		1		07 GHz	-9.40 dBm	· ·		
T1		1	1.710155		11.36 dBm		N	1.095808383 MHz
T2 D1	M1	1		78 MHz	9.87 dBm 0.17 dB			
)[Measurin		20.12.2022


Band 4_1.4 MHz_Low_16QAM_RB6#0

Date: 20.DEC.2022 12:03:51

Shenzhen Accurate Technology Co., Ltd. Band 4_1.4 MHz_Middle_QPSK_RB6#0 Spectrum Ref Level 20.00 dBm Offset 7.00 dB RBW 30 kHz Att 25 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT 1Pk Max D1 18.450 dBm Terror MALLING T2 -7.84 dBm

10 dBm	-	1 18.450	dBm			0	L[1]	12	-7.84 1.7318640 1.10778443	O GH
0 dBm—	+		M¥			0.		101	1.28400	
-10 dBm		— D2 -7	.550 dBm					1		
-20 dBm		m	hand						min	~~
-30 dBm	1-									
-40 dBm	-									
-50 dBrr	-									
60 dBm	-									
70 dBm	-									
CF 1.7	325 G	Hz			501 p	ts			Span 3.0	мн
/larker										
Type	Ref	Trc	X-value		Y-value	Func	tion	Fu	nction Result	
M1		1	1.73186		-7.84 dBm					
T1		1	1.731949	1 GHz	11.76 dBm	0	cc Bw		1.107784431	MHa
T2		1	1.7330568		11.43 dBm					
D1	M1	1	1.28	4 MHz	0.42 dB					

Date: 20.DEC.2022 12:04:05



Band 4_1.4 MHz_Middle_16QAM_RB6#0

Date: 20.DEC.2022 12:04:18

Page 38 of 86

Shenzhen Accurate Technology Co., Ltd. Report No.: RA221118-55124E-RF Band 4_1.4 MHz_High_QPSK_RB6#0

Spect	um							
	evel :	20.00 dBr		7.00 dB 👄				
Att		25 d	B SWT	63.3 µs 👄	VBW 100 kHz	Mode Auto FFT		
1Pk Ma	зx							
10 dBm-	D	1 17.210	dBm	Time		Occ Bw	12	-9.03 dB 1.75366400 GF 1.095808383 MF
0 dBm—	+		M			D1[1]		0.35 d 1.29000 MH
-10 dBm	+	D2 -8	.790 dBm	-			<u><u> </u></u>	
-20 dBm -30 dBm	m	\sim						
-40 dBm	+							
-50 dBm	+							
-60 dBm	+							
-70 dBm	+							
CF 1.75	543 G	Hz	I		501 pt	ts		Span 3.0 MH
larker								
	Ref		X-valu		Y-value	Function	Func	tion Result
M1		1		664 GHz	-9.03 dBm			
T1		1		491 GHz	11.09 dBm	Occ Bw		1.095808383 MHz
T2 D1	M1	1	1.75484	491 GHz .29 MHz	10.69 dBm 0.35 dB			
						Measuring		20.12.2022

Date: 20.DEC.2022 12:04:38

Spect	rum	- 1									∇
Ref Le	evel	20.00	Bm Offs	et 7.00 dB	RBW	30 kHz					
👄 Att		25	dB SWT	63.3 µs	VBW	100 kHz	Mode	Auto FF	т		
😑 1Pk Ma	эх										
		1 16.5	40 dBm		20 -0		- ~!	41[1]	70		-9.78 dBm
10 dBm-				Ţ	- more	~ un	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~	- Ar		64600 GHz
10 0011				1				DCC BW	5	1.0958	08383 MHz
0 dBm—	-+						[01[1]	1		0.07 dB
				MI				1	in .	1.	29600 MHz
-10 dBm	-	D2	-9.460 dBm	7					01		
-20 dBm	-	0	m					+	`	St.	
\sim	~	m	64 (MAC)							m	mm
-30 dBm	-+-			_		-+					
10.10											
-40 dBm											
-50 dBm											
-50 0011	' I										
-60 dBm	-							_			
-70 dBm			_	_							
CF 1.7	543 0	Hz				501 p	nts			Sna	n 3.0 MHz
Marker											
Type	Ref	Trc	X-va	alue	Y-	value	Fun	ction	l F	unction Result	
M1		1		53646 GHz		-9.78 dBm					
T1		1	1.75	37491 GHz		8.67 dBm	n	Occ Bw		1.09580	08383 MHz
T2		1		84491 GHz	t	10.14 dBm					
D1	M1	1		1.296 MHz		0.07 dE	3				
][Me	asuring.		444	0.12.2022


Band 4_1.4 MHz_High_16QAM_RB6#0

Date: 20.DEC.2022 12:04:51

Report No.: RA221118-55124E-RF

			В	and 4_	3 MHz_Lo	w_	QPSK_RE	815#0)		
Spectr	um										
Ref Le	vel	20.00 0	Bm Offset	7.00 dB 🧉	RBW 30 kHz	z					
🖷 Att		25	dB SWT (53.2 µs 🦷	VBW 100 kHz	z r	Mode Auto FF	т			
⊖1Pk Ma	X										
	_						M1[1]		T2	5	-10.78 dBm
10 dBm-		1 15.2	40 dBm T1	m	mon	m	-month	m	7	1.7	100480 GHz
10 aBm-			1				Occ Bw		1	2.6946	10778 MHz
0 dBm—							D1[1]		1		-0.75 dB
o ubili									1		2.9160 MHz
-10 dBm-			-10.760 dBm						d1		
			-10.760 dBm						4		
-20 dBm-	\rightarrow								\rightarrow		
									h	the s	
-30 dam	-	2.0-	when						100	hourson	
0.000											<u>^</u>
-40 dBm-	+			<u> </u>							
-50 dBm-	+			<u> </u>							
-60 dBm-	+										
-70 dBm-											
CF 1.71	15 G	Hz			501	pts				Spa	an 6.0 MHz
Marker											
Туре	Ref	Trc	X-value		Y-value		Function		Fun	ction Resul	t
M1		1	1.7100		-10.78 dBr	m					
T1		1	1.71015		10.05 dBr		Occ Bw			2.6946	10778 MHz
T2		1	1.71285		11.59 dBr						
D1	M1	1	2.9:	16 MHz	-0.75 d	В					
							Measuring.			14,40	20.12.2022
								_			


Date: 20.DEC.2022 12:05:15



Band 4_3 MHz_Low_16QAM_RB15#0


Date: 20.DEC.2022 12:05:28

Page 40 of 86



CF 1.7	325 G	Hz			501	pts			Spa	n 6.0 MHz
Marker										
Туре	Ref	Trc	X-value		Y-value	Func	tion	Func	tion Result	
M1		1	1.731048 G	Hz	-10.74 dB	m				
T1		1	1.7311587 G	Hz	11.51 dB	m 0	CC BW		2.68263	34731 MHz
T2		1	1.7338413 G	Hz	12.46 dB	m				
D1	M1	1	2.904 M	Hz	-0.06 c	1B				
][]				Mea	suring		4/4	20.12.2022

Date: 20.DEC.2022 12:05:42



Band 4_3 MHz_Middle_16QAM_RB15#0

Date: 20.DEC.2022 12:05:55

Page 41 of 86

Report No.: RA221118-55124E-RF Shenzhen Accurate Technology Co., Ltd. Band 4_3 MHz_High_QPSK_RB15#0 Spectrum Ref Level 20.00 dBm Offset 7.00 dB - RBW 30 kHz Att 25 dB SWT 63.2 µs 👄 **VBW** 100 kHz Mode Auto FFT ●1Pk Max M1[1] -9.71 dBn D1 15.460 dBm-In 1.7520480 GHz w 10 dBm-Occ Bw 2.694610778 MHz D1[1] -1.06 dB 0 dBm 2.9040 MHz M) 10 dBm -D2 -10.540 dB -20 dBm--30 dBmm -40 dBm--50 dBm-

CF 1.7535 GHz 501 pts Span 6.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1.752048 GHz -9.71 dBm 1 2.694610778 MHz Τ1 1 1.7521587 GHz 9.79 dBm Occ Bw T2 1 1.7548533 GHz 9.50 dBm D1 M1 1 2.904 MHz -1.06 dB

Date: 20.DEC.2022 12:06:09

-60 dBm--70 dBm-

₽ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 30 kHz 25 dB SWT 63.2 µs 👄 **VBW** 100 kHz Att Mode Auto FFT ⊖1Pk Max M1[1] -11.78 dBm D1 13.460 dBm 1.7520480 GHz **T1** ArA ANV 10 dBm-Occ Bw 2.682634731 MHz D1[1] -1.15 dB 0 dBm 2.9160 MHz м -10 dBm--D2 -12.540 dBn -20 dBm -30 d8m--40 dBm--50 dBm--60 dBm--70 dBm-Span 6.0 MHz CF 1.7535 GHz 501 pts Marker Function Function Result Type Ref Trc X-value Y-value 1.752048 GHz -11.78 dBm Μ1 1 Τ1 1.7521587 GHz 8.82 dBm Occ Bw 2.682634731 MHz 1 9.61 dBm 1.7548413 GHz Τ2 1 M1 2.916 MHz -1.15 dB D1 1

Band 4_3 MHz_High_16QAM_RB15#0

Date: 20.DEC.2022 12:06:22

Report No.: RA221118-55124E-RF Shenzhen Accurate Technology Co., Ltd. Band 4_5 MHz_Low_QPSK_RB25#0 Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz Att 25 dB SWT 38 µs 👄 **VBW** 300 kHz Mode Auto FFT ●1Pk Max D1 17.190 dBm MILL -8.68 dBn A 1.7100200 GH; 10 dBm-Occ Bw 4.510978044 MH; D1[1] -0.24 dB 0 dBm =D2 -8.810 dBm 4.9800 MHz -10 dBm--20 dBm -30 dBm--40 dBm -50 dBm-

CF 1.7125 GHz 501 pts Span 10.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1.71002 GHz -8.68 dBm 1 4.510978044 MHz Τ1 1 1.7102445 GHz 12.10 dBm Occ Bw T2 1 1.7147555 GHz 12.58 dBm D1 M1 1 4.98 MHz -0.24 dB **H**

Date: 20.DEC.2022 12:06:49

-60 dBm--70 dBm-

₽ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz 38 µs 👄 **VBW** 300 kHz 25 dB SWT Att Mode Auto FFT ⊖1Pk Max M1[1] 10.79 dBm D1 15.880 dBm ~~~ 0.000 1.7100000 GHz 10 dBm-Occ Bw 4.530938124 MHz D1[1] 0.22 dB 0 dBm 5.0000 MHz -10 dBm -D2 -10.120 dBm -20 dBmmon -30 dBm--40 dBm--50 dBm--60 dBm--70 dBm-CF 1.7125 GHz Span 10.0 MHz 501 pts Marker Function Function Result Type Ref Trc X-value Y-value 1.71 GHz -10.79 dBm Μ1 1 1.7102445 GHz Τ1 10.65 dBm 4.530938124 MHz Occ Bw 1 1.7147754 GHz 10.92 dBm Τ2 1 M1 5.0 MHz 0.22 dB D1 1 ----

Band 4_5 MHz_Low_16QAM_RB25#0

Date: 20.DEC.2022 12:07:09

Report No.: RA221118-55124E-RF

			Ba	nd 4_5	MHz_Mid	ldle	e_QPS	K_RI	B25#0		
Spect	trum										
Ref L	evel	20.00 di	3m Offset 7	7.00 dB 🧉	RBW 100 kH	z					
👄 Att		25	dB SWT	38 µs 🧉	• VBW 300 kH	z	Mode A	uto FF	т		
⊖1Pk M	lax										
	D	1 17.90	0 dBm 11_	m.	1 mm -		M1	[hh	1 AT2		-8.18 dBm
10 dBm		C3 13149-910-04	Y						Y	1.73	300200 GHz
TO UBIII	'						Oc	c Bw	1	4.5109	78044 MHz
0 dBm-							D1	[1]	1		0.14 dB
o aom			MŹ								4.9600 MHz
-10 dBn	n—	D2 -	8.100 dBm						-	_	
-20 dBn	n					<u> </u>				200	
m	m	\sim	m -							Jum	m
-30 dBn	n-+-					<u> </u>					
-40 dBn	n+					<u> </u>					
-50 dBn	n- -										
-60 dBn											
-00 UBI	"										
-70 dBn	n										
=70 abi	"										
CF 1.7		Hz			501	pts				Spar	10.0 MHz
Marker											
Туре	Ref	Trc	X-value		Y-value	_	Functi	on	Fu	nction Result	t
M1		1		02 GHz	-8.18 dB		0.0	- D		4 5100	70044 MUS
T1 T2		1	1.73024		12.23 dB 13.06 dB		UC	сBw		4.5109	78044 MHz
D1	M1	1		96 MHz	0.14						
) <u> </u>			0.111)	-		B - 110	20 12 2022
		Л				Ξ.,	Meas			1,000	

Date: 20.DEC.2022 12:07:32

Spect	rum							
	evel 3	20.00 di		_	RBW 100 kHz			
Att		25	dB SWT	38 µs 👄	VBW 300 kHz	Mode Auto FR	Т	
●1Pk M	зx							
		1 15.83				M1[1]		-9.38 dBm
10 dBm			The second secon		and when the	<u></u>	A	1.7300000 GHz
10 00.00						Occ Bw	1	4.510978044 MHz
0 dBm—						D1[1]	1	-0.94 dE
			MT					5.0000 MHz
10 dBm	-	D2 -	10.170 dBm				<u>Q</u> 1	
			1				1	
-20 dBm		A	m					
m	\sim		-					munder
-30 dBm	r——							
-40 dBm					+			
-50 dBm	`+−				+			
-60 dBm	<u>+</u>							
-70 dBm								
CF 1.7	325 G	Hz		-	501 pt	s		Span 10.0 MHz
Marker								
Type	Ref	Trc	X-valu	e	Y-value	Function	Fi	unction Result
M1		1	1	73 GHz	-9.38 dBm			
T1		1	1.73024	45 GHz	10.69 dBm	Occ Bw		4.510978044 MHz
T2		1		55 GHz	11.08 dBm			
D1	M1	1	ŝ	5.0 MHz	-0.94 dB			
		1				Measuring.		20.12.2022

Band 4_5 MHz_Middle_16QAM_RB25#0

Date: 20.DEC.2022 12:07:51

Page 44 of 86

Shenzhen Accurate Technology Co., Ltd. Report No.: RA221118-55124E-RF Band 4_5 MHz_High_QPSK_RB25#0 ₽ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz Att 25 dB SWT 38 µs 👄 **VBW** 300 kHz Mode Auto FFT ●1Pk Max D1 17.190 dBm--M1[1] -9.47 dBn 11 ~ / 1.7500000 GHz 10 dBm-4.510978044 MHz Occ Bw D1[1] 0.17 dB 0 dBm 5.0000 MHz MI -10 dBm-=D2 -8.810 dBn

								1		
-20 dBm	-		~~					1		
-30 dBm	m								m	m
-40 dBm	-		_					_		
-50 dBm										
-30 ubii	·									
-60 dBm										
-70 dBm										
CF 1.7	525 G	Hz			501	pts			Span	10.0 MHz
Marker										
Туре	Ref	Trc	X-value		Y-value	Func	tion	Fund	ction Result	
M1		1	1.	75 GHz	-9.47 dBr	m				
T1		1	1.75024	45 GHz	13.05 dBr	m O	cc Bw		4.5109	78044 MHz
T2		1	1.75475	55 GHz	11.96 dBr	m				
D1	M1	1	5	.0 MHz	0.17 d	В				
)[]				Mea	suring		4,40	20.12.2022

Date: 20.DEC.2022 12:08:12

₽ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz 38 µs 👄 **VBW** 300 kHz Att 25 dB SWT Mode Auto FFT ⊖1Pk Max M1[1] -9.25 dBm D1 16.960 dBmwh ~~ n 1.7500200 GHz 10 dBm-Occ Bw 4.510978044 MHz D1[1] -0.56 dB 0 dBm 4.9600 MHz M =D2 -9.040 dBn -10 dBm--20 dBm--30 dBm--40 dBm--50 dBm--60 dBm--70 dBm-Span 10.0 MHz CF 1.7525 GHz 501 pts Marker Type Ref Trc Function Function Result X-value Y-value 1.75002 GHz -9.25 dBm Μ1 1 Τ1 1.7502445 GHz 9.99 dBm 4.510978044 MHz Occ Bw 1 1.7547555 GHz 10.00 dBm Τ2 1 D1 M1 4.96 MHz -0.56 dB 1 4/4

Date: 20.DEC.2022 12:08:31


Page 45 of 86

Band 4_5 MHz_High_16QAM_RB25#0

Shenzhen Accurate Technology Co., Ltd. Report No.: RA221118-55124E-RF Band 4_10 MHz_Low_QPSK_RB50#0

Att		25 0	iB SWT 56.9 μs	VBW 300 kHz	Mode Auto FF	г	
1Pk M	ах					-	
	_		71		M1[1]	- T2	-10.31 dB
- 12		1 15.160	J dBm Vinver	mon	manna	my	1.7102000 G
.0 dBm	-				Occ Bw	~ }	8.942115768 M
					D1[1]	1	0.07
dBm–					1000	1	9.6000 M
LO dBrr			MI			01	
и авп			10.840 dBm			4	
20 dBm							
о авп	'					A	
0-den		m	m			h	mannen
-01011	· •						
+O dBm							
ro ubii	'						
50 dBrr	<u> </u>						
,o ab	·						
50 dBm							
	°						
70 dBm	-						
	15 011	_					
F 1.7	15 GH	z		501 pt	s		Span 20.0 MH
arker		- 1		1	1 1		
Гуре	Ref		X-value	Y-value	Function	Fun	ction Result
M1		1	1.7102 GHz	-10.31 dBm	0.000		0.040115760.14
T1 T2		1	1.7105289 GHz		Occ Bw		8.942115768 MH
D1	M1	1	1.7194711 GHz 9.6 MHz				
- 01	IMI T	1	9.0 MHZ	0.07 08			


Date: 20.DEC.2022 12:08:58



Band 4_10 MHz_Low_16QAM_RB27#0


Date: 20.DEC.2022 12:09:21

Page 46 of 86



CF 1.7	325 G	Hz			pts			Span	20.0 MH	
Marker										
Туре	Ref	Trc	X-value		Y-value	Fun	ction	Fund	tion Result	
M1		1	1.7277	7 GHz	-9.44 dB	m				
T1		1	1.7280289	GHz	12.49 dB	m	Occ Bw		8.9421	15768 MH
T2		1	1.7369711	l GHz	10.33 dB	m				
D1	M1	1	9.6	MHz	-1.46 0	1B				
)[) M	asuring		4/4	20.12.2022

Date: 20.DEC.2022 12:09:41



Band 4_10 MHz_Middle_16QAM_RB27#0

Date: 20.DEC.2022 12:10:07

Report No.: RA221118-55124E-RF Shenzhen Accurate Technology Co., Ltd. Band 4_10 MHz_High_QPSK_RB50#0 Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz Att 25 dB SWT 56.9 µs 👄 **VBW** 300 kHz Mode Auto FFT ●1Pk Max M1[1] -13.07 dBn Τ1 D1 13.780 dBm 1.7451200 GHz 10 dBm-Occ Bw 8.942115768 MHz D1[1] 0.67 dB 0 dBm 9.7200 MHz -10 dBm--D2 -12.220 dam -20 dBm -30 dBm--40 dBm--50 dBm-

CF 1.75 GHz 501 pts Span 20.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1.74512 GHz -13.07 dBm 1 8.942115768 MHz Τ1 1 1.7455289 GHz 10.15 dBm Occ Bw T2 1 1.7544711 GHz 11.26 dBm D1 M1 1 9.72 MHz 0.67 dB **11**

Date: 20.DEC.2022 12:10:27

-60 dBm--70 dBm-

Ð Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz 56.9 µs 👄 **VBW** 300 kHz 25 dB SWT Mode Auto FFT Att ⊖1Pk Max -9.60 dBm mille mit D1 16.520 dBm-1.7496400 GHz 10 dBm-Occ Bw 4.550898204 MHz D1[1] -0.40 dB 0 dBm 5.2000 MHz М -10 dBm--D2 -9.480 dBm -20 dBm -30 dBm Da I -40 d8m -50 dBm--60 dBm--70 dBm-CF 1.75 GHz 501 pts Span 20.0 MHz Marker Function Function Result Type Ref Trc X-value Y-value 1.74964 GHz -9.60 dBm M1 1 Τ1 1.7499601 GHz 4.550898204 MHz 9.80 dBm Occ Bw 1 1.754511 GHz 11.49 dBm Τ2 1 D1 M1 5.2 MHz -0.40 dB 1 4,00

Band 4_10 MHz_High_16QAM_RB27#0

Date: 20.DEC.2022 12:10:50

Page 48 of 86

Shenzhen Accurate Technology Co., Ltd. Report No.: RA221118-55124E-RF Band 4_15 MHz_Low_QPSK_RB75#0 ₩ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 300 kHz Att 25 dB SWT 25.3 µs 👄 VBW 1 MHz Mode Auto FFT ●1Pk Max -7.87 dBm 1.7103000 GHz D1 17.090 dBm -MILLI-1 10 dBm-Occ Bw 13.473053892 MHz -0.88 dB D1[1] 0 dBm-14.4600 MHz =D2 -8.910 dBm -10 dBm-

-50 001	'												
-40 dBm							_						
-50 dBm	\												
-60 dBm													
-70 dBm	ا ا י												
CF 1.7	175 G	Hz			501	pts				Span	30.0 MHz		
Marker													
Туре	Ref	Trc	X-value		Y-value	Fu	nction		Fund	tion Result			
M1		1	1.710	03 GHz	-7.87 dB	lm							
T1		1	1.710793	34 GHz	12.34 dB	lm	Occ Bw			53892 MHz			
T2 1 1.7242665 GHz				55 GHz	12.68 dBm								
D1	D1 M1 1 14.46 MHz -0.88 dB												
	Measuring 🚺 🚧 20.12.2022												

Date: 20.DEC.2022 12:11:27

-20 dBm-

30 dBr

m

m

Spect	rum											
Ref L	evel	20.00 0	dBm Offset	7.00 dB	RBW 100	kHz					```	
Att		25	dB SWT	75.8 µs 🧉	• VBW 300	kHz	Mode A	uto FF1	г			
😑 1Pk M	ax											
10 dBm		1 17.4	70 dBm	Jump	T2		21043	[1]		1	-8.21 dBm	
10 40.00			1 1				Occ Bw			4.550898204 MH		
0 dBm—	+		м			+	D1	0.61 dB 5.2200 MHz				
-10 dBm	ا -	D2	-8.530 dBm		-	+						
-20 dBm	-		+ 1			+			_	_		
-30 dBm		pro	mand		~~~~	Nh	myn	-	m			
mor	me	v							he	m	mon	
-40 dBm	۱					+						
-50 dBm	`+					+			_			
-60 dBm	-					_						
-70 dBm												
CF 1.7	175 G	Hz			50)1 pts				S	pan 30.0 MHz	
Marker												
Туре	Ref	ef Trc X-value		Y-value		Funct	ion	F	unction Re	sult		
M1		1 1.71036 GHz		-8.21		-	-					
T1 T2		1 1.7107335 GHz 1 1.7152844 GHz		14.53 dBm 13.97 dBm		00	CBW		4.5	50898204 MHz		
D1	M1			.22 MHz		1 dB						
)(Meas	uring		4/4	20.12.2022	

Band 4_15 MHz_Low_16QAM_RB27#0


Date: 20.DEC.2022 12:11:50

Page 49 of 86

an Accurate	Technology	Co., Ltd.					Repo	rt No.: RA	221110-3
		Banc	14_15 M	IHz_Mid	ldle_QPS	K_RB7	75#0		
Spec	rum								
	evel 20.00 dBm	Offset 7.	00 dB 👄 RE	3W 300 kHz					(v
Att	25 dB	SWT 25	5.3 µs 👄 VI	3W 1 MHz	Mode Au	uto FFT			
⊖1Pk M									
	D1 17.600 d		m	my	mm	Ethorn	~ T2	1.72	9.63 dBm 51800 GHz
10 dBm					Oct	BW	110		53892 MHz
0 dBm-					D1[[1]	1		2.14 dE
		ML					1 d1	14	1.5800 MHz
-10 dBr	D2 -8.4	+00 dBm					Î		
-20 dBr	n								
~~~~	m	~~					m		m
-30 dBr	n								
-40 dBr	n								
-50 dBr	n								
-60 dBr	n								
-70 dBr	n								

CF 1.7325 GHz 501 pts									Span 30.0 MHz		
Marker											
Туре	Ref	Trc	X-value		Y-value	Func	tion	Func	tion Result		
M1		1	1.72518 G	iHz	-9.63 dB	m					
Τ1		1	1.7257335 G	Hz	12.76 dB	m 0	cc Bw		13.47305	53892 MHz	
T2		1	1.7392066 G	iHz	13.67 dB	m					
D1	M1	1	14.58 M	IHz	2.14 0	1B					
		)[				Mea	suring		4/0	0.12.2022	

Date: 20.DEC.2022 12:12:21



Band 4_15 MHz_Middle_16QAM_RB27#0

Date: 20.DEC.2022 12:12:48

Report No.: RA221118-55124E-RF

			В	and 4_	15 MF	Iz_Hig	h_QPS	SK_RE	375#0			
Spectru	m											
Ref Lev	el 2	0.00 de	Bm Offset	7.00 dB	RBW	300 kHz						
👄 Att		25	dB SWT	25.3 µs (	VBW	1 MHz	Mode	Auto FF	т			
●1Pk Max												
	-D1	17.48	0 dBm		mon	~~~~ (	m. I	uki -				-7.86 dBm
10 dBm-			Y						Y		1.74	01800 GHz
10 dBill OCC BW 13.473053892 MH												
0 dBm D1[1]1.98 dE												
			MA					1	<b>L</b>		14	.6400 MHz
-10 dBm-	+	D2 -	8.520 dBm		_				<u> </u>	_		
									1 T			
-20 dBm-	+							+		_		
mm	h	m	m							m		man
-30 dBm-	+								_			
-40 dBm—	+											
-50 dBm—												
-30 ubiii-												
-60 dBm—												
00 000												
-70 dBm—	_											
CF 1.747	5 CF	17				501 p	ts				Snan	30.0 MHz
Marker	o di	12				001 p					opun	00.0 0012
	ef	Trc	X-valı	ie	Y-1	alue	1 Eun	ction		Function	Result	1
M1		1		018 GHz		7.86 dBm				unction	Result	
T1		1		335 GHz		1.94 dBm		Doc Bw		13	3.4730	53892 MHz
T2		1		066 GHz		3.03 dBm						
D1	M1	1	14	.64 MHz		-1.98 dB						
							) Me	asuring		4/4	-	20.12.2022

Date: 20.DEC.2022 12:13:21

Spect	trum									
	evel	20.00 d			RBW 100 kH	-				
Att		25	db SWT	75.8 µs 🧉	VBW 300 kH	z Mode	Auto FF1	1		
⊖1Pk M	lax									
	D	1 16.70	00 dBm			TI	Mahn	MMT2		-10.00 dBm
10 dBm						<b>V</b>	1	N N		193000 GHz
10 0.0011	' T						DCC BW		4.5508	98204 MHz
0 dBm-						[	)1[1]	1		0.98 dB
						M	1	1 4.		5.3400 MHz
-10 dBn	m——	D2	-9.300 dBm-				_	<b>Q1</b>	_	
					-					
-20 dBn	n		_							
						1 mil			A	
-30 dBn	n-+-	24	^	- www.	paner and	4.V		brin	my	
m	my	man	mon N						~ ~	ham
-40 dBn	n+		×	-					+	
-50 dBn	n-+-									
-60 dBn										
-60 aBh	n —									
-70 dBn	<u></u>									
- / 0 abi	"									
CF 1.7		Hz			501	pts			Span	30.0 MHz
Marker										
Туре	Ref		X-valu		Y-value		ction	Fur	iction Result	t
M1		1 1.7493 GHz			-10.00 dB					
	T1 1 1.7497156 GHz			11.92 dB		DCC BW		4.5508	98204 MHz	
T2	6.01	1		565 GHz	12.27 dB					
D1	M1		5	.34 MHz	0.98 c	18				
		П				Me	asuring		4,40	20.12.2022

Band 4_15 MHz_High_16QAM_RB27#0

Date: 20.DEC.2022 12:13:48

Report No.: RA221118-55124E-RF

			Ba	nd 4_2	0 MHz_Lo	w_	_QPSK_	_RB	100#0				
Spect	trum												
Ref L	evel	20.00 0	Bm Offset 7	7.00 dB 🧃	• RBW 300 kH	z							
👄 Att		25	dB SWT 3	37.9 µs 🧃	<b>VBW</b> 1 MH	z	Mode Au	to FF	т				
😑 1Pk M	lax												
		1 16.6	60 dBm T1				MI	1	- X2		-	10.18 dBm	
10 dBm			A M	~~~~~		~~~			v vy		1.71	04800 GHz	
OCC BW 17.964071856 MHz													
0 dBm D1[1] -0.25 dB													
			MA								19	.1200 MHz	
-10 dBn	<del>n –</del>	D2	-9.340 dBm						<u>d1</u>				
									1 T				
-20 dBn	n-+-					<u> </u>					-		
m	ma	n	mpm							~~~~	m	mon	
-30 dBn	n-+-					$\vdash$			_				
10.10													
-40 dBn	n												
-50 dBn													
-30 ubi	"												
-60 dBn	n												
00 001	<u> </u>												
-70 dBn	n—												
CF 1.7	2 GHz				501	pts					Span	40.0 MHz	
Marker													
Type		Trc	X-value	e	Y-value	1	Functio	on l		Functi	on Result		
M1		1		48 GHz	-10.18 dB	m		-		- dilettori Rosak			
Τ1		1	1.71105	79 GHz	11.77 dB	m	Occ	BW		17.964071856 MHz			
T2		1	1.7290		13.12 dB								
D1	M1	1	19.3	12 MHz	-0.25 0	ЗB							
		)[					Measu	ring			NA	0.12.2022	

Date: 20.DEC.2022 12:14:32

₽ Spectrum Ref Level 20.00 dBm Offset 7.00 dB 👄 RBW 100 kHz 94.8 µs 👄 VBW 300 kHz Att 25 dB SWT Mode Auto FFT ⊖1Pk Max -M1[1]--9.36 dBm D1 17.540 dBm-T1 mont 1.7106400 GHz 10 dBm-Occ Bw 4.550898204 MHz 1.36 dB D1[1] 0 dBm-5.2000 MHz D2 -8.460 dBm -10 dBm--20 dBm in -30 dBm moun many -40 dBmm -50 dBm--60 dBm--70 dBm-501 pts Span 40.0 MHz CF 1.72 GHz Marker Type Ref Trc Function Function Result X-value Y-value 1.71064 GHz 1.710978 GHz -9.36 dBm 12.82 dBm M1 T1 1 4.550898204 MHz Occ Bw 1 1.7155289 GHz 5.2 MHz 12.69 dBm Τ2 1 D1 M1 1.36 dB 1 III 4/0

Band 4_20 MHz_Low_16QAM_RB27#0

Date: 20.DEC.2022 12:14:59

Page 52 of 86