









EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS


| | |
|---|--|
| <p>EUT Housing and Board View 1</p> |  A photograph showing the disassembled EUT housing and internal board. The black plastic housing is split into two halves, with the internal board and components visible. A yellow measuring tape is placed horizontally below the housing to provide scale. The board is green and populated with various electronic components, including capacitors and integrated circuits. |
| <p>Solder Board-Component View 1</p> |  A close-up photograph of the green printed circuit board (PCB) showing various electronic components. The board is populated with several electrolytic capacitors, integrated circuits, and other surface-mounted components. A black ruler with white markings is placed vertically and horizontally to the left of the board to provide scale. The ruler shows measurements in millimeters and centimeters. |




| | |
|---|---|
| <p style="text-align: center;">Solder Board-Component View 3</p> |  <p>A photograph of a green printed circuit board (PCB) with four large, rectangular silver solder joints. The board is positioned next to a black ruler with white markings, showing dimensions in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom. The board is oriented horizontally.</p> |
| <p style="text-align: center;">Solder Board-Component View 4</p> |  <p>A photograph of a black PCB with four yellow LED displays. The board is positioned next to a black ruler with white markings, showing dimensions in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom. The board is oriented horizontally. The text "FS600X Ver.1.1 2019-7-26" is visible on the board.</p> |

| | |
|---|--|
| <p style="text-align: center;">Solder Board-Component View 5</p> |  <p>A photograph of a small, black rectangular solder board component. The board has several gold-colored solder points and a small white label with the text "RI 94V-0 E330731 ROHS". The component is placed on a black background with a white ruler for scale. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm and its width approximately 20 mm.</p> |
| <p style="text-align: center;">Solder Board-Component View 6</p> |  <p>A photograph of a green printed circuit board (PCB) component. The board is populated with various electronic components, including a large black integrated circuit (IC) in the center, several smaller ICs, and various passive components like resistors and capacitors. The board has a gold-colored edge connector. The component is placed on a black background with a white ruler for scale. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm and its width approximately 60 mm.</p> |








**Solder
Board-Component View
8**







**Solder
Board-Component View
9**



Solder
Board-Component View
10



| | |
|--|---|
| <p style="text-align: center;">Solder Board-Component View 11</p> |  <p>A photograph of a green printed circuit board (PCB) with various electronic components. The board is rectangular and features several gold-colored circular pads and components. It is placed on a black background with a white ruler for scale. The ruler shows measurements in millimeters, with the board's width being approximately 100 mm and its height approximately 80 mm. The board is oriented vertically in the image.</p> |
| <p style="text-align: center;">Solder Board-Component View 12</p> |  <p>A photograph of a black printed circuit board (PCB) with four gold-colored circular pads. The board is rectangular and is placed on a black background with a white ruler for scale. The ruler shows measurements in millimeters, with the board's width being approximately 100 mm and its height approximately 40 mm. The board is oriented vertically in the image. The text "FS800X Ver1.1 2009-8-15" is visible on the board.</p> |

| | |
|--|---|
| <p style="text-align: center;">Solder Board-Component View 13</p> |  <p>A photograph of a yellow solder board component with four curved traces. The component is placed on a blue background with a black ruler for scale. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm.</p> |
| <p style="text-align: center;">Antenna View</p> |  <p>A photograph showing the BT antenna component mounted on a green PCB. A red box highlights the antenna component, and a red line points to a label "BT Antenna" above it. The antenna is a green PCB with a black cable attached. The PCB also features various electronic components like capacitors and a microcontroller.</p> |