




Band2-20MHz-16QAM-18700-27RB#0




Band2-20MHz-16QAM-18900-27RB#0




Band2-20MHz-16QAM-19100-27RB#0




Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20175-6RB#0




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-50RB#0



Band4-10MHz-QPSK-20175-50RB#0



Band4-10MHz-QPSK-20350-50RB#0



Band4-10MHz-16QAM-20000-27RB#0

CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1715.0 MHz Ref. Level: 40.60 dBm BW: 10.0 MHz CP: Normal Meas Subtr/Slot: 2 / All

IQ Constellation

Statistic Count: --- / 10

Out of Tolerance: ---

Detected Modulation: ---

Detected Channel Type: ---

View Filter Throughput: ---

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

Multi Evaluation: RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling: ON

Band4-10MHz-16QAM-20175-27RB#0

CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1732.5 MHz Ref. Level: 41.00 dBm BW: 10.0 MHz CP: Normal Meas Subtr/Slot: 2 / All

IQ Constellation

Statistic Count: --- / 10

Out of Tolerance: ---

Detected Modulation: ---

Detected Channel Type: ---

View Filter Throughput: ---

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

Multi Evaluation: RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling: ON

Band4-10MHz-16QAM-20350-27RB#0

CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1750.0 MHz Ref. Level: 40.90 dBm BW: 10.0 MHz CP: Normal Meas Subtr/Slot: 2 / All

IQ Constellation

Statistic Count: --- / 10

Out of Tolerance: ---

Detected Modulation: ---

Detected Channel Type: ---

View Filter Throughput: ---

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

Multi Evaluation: RDY

RF Settings


Trigger

Display


Signaling Parameter

LTE Signaling: ON

Band4-15MHz-QPSK-20025-75RB#0



Band4-15MHz-QPSK-20175-75RB#0



Band4-15MHz-QPSK-20325-75RB#0

