



## Band40-5MHz-QPSK-39175-25RB#0 | Commettion | PRACH | SRS | State | St




## Band40-5MHz-QPSK-39225-25RB#0










## Band40-5MHz-16QAM-38775-25RB#0









## Band40-10MHz-QPSK-38750-50RB#0 CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS TDD Freq: 2310.0 MHz Ref Level 18.20 dBm BW-10.0 MHz CP Normal Meas Subfr/Slot 3 / All IO Constellation Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation Trigger Q -Detected Modulation OPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Trigger Signaling Parameter LTE Signaling PS: Connection Established RRC State: Connecte Go To Local Show Remote Screen Band40-10MHz-QPSK-39200-50RB#0 CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS TDD Freq: 2355.0 MHz Ref Levet: 40.10 dBm BW/10.0 MHz CP:Normal Meas Subfr/Slot 3 / All IQ Constellation Statistic Count | 10 / 10 | RF Out of Tolerance Settings Q Out of Iolerance 0.00 % Detected Modulation OPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Trigger Display LTE Signaling ON PS: Connection Established RRC State: Connected Band40-10MHz-16QAM-38750-27RB#0 ♦ CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS TDD Freq.2310.0MHz Ref. Level: 18.20 dBm BW/:10.0 MHz CP:Normal Meas Subfr/Slot 3 / All ... / 10 RF Out of Tolerance Settings Detected Modulation Detected Channel Type View Filter Throughput Display

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE Signaling ON

