

FCC Part 22H, RSS-132**Frequency stability_error****n5 , Normal**

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-6	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-6.4	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-7.8	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-8.1	-2091.25 ~ 2091.25	Pass

n5 , T1/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-4.7	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-5.9	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-8.3	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-7.5	-2091.25 ~ 2091.25	Pass

n5 , T2/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-5.4	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-6.5	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-8.3	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-6.4	-2091.25 ~ 2091.25	Pass

n5 , T3/VN

Mode	Value (Hz)	Limit (Hz)	Result
-------------	-------------------	-------------------	---------------

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-5.7	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-8.1	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-5.3	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-7.9	-2091.25 ~ 2091.25	Pass

n5 , T4/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-4.2	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-5.9	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-5.1	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-6.4	-2091.25 ~ 2091.25	Pass

n5 , T5/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-7	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-6.8	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-5.7	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-6.7	-2091.25 ~ 2091.25	Pass

n5 , T6/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-4.4	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-7.8	-2091.25 ~ 2091.25	Pass

Mode	Value (Hz)	Limit (Hz)	Result
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-5.1	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-6	-2091.25 ~ 2091.25	Pass

n5 , T7/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-4.7	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-7.1	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-7.6	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-7.8	-2091.25 ~ 2091.25	Pass

n5 , T8/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-3	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-5	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-7.1	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-6	-2091.25 ~ 2091.25	Pass

n5 , TN/VL

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-4.1	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-6	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-7.2	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-5.5	-2091.25 ~ 2091.25	Pass

n5 , TN/VH

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-6.2	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-8.5	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-2.1	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-5	-2091.25 ~ 2091.25	Pass

n5 , T9/VN

Mode	Value (Hz)	Limit (Hz)	Result
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	-3.5	-2091.25 ~ 2091.25	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	-8.3	-2091.25 ~ 2091.25	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	-6.76	-2091.25 ~ 2091.25	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	-10.75	-2091.25 ~ 2091.25	Pass

FCC Part 22H, RSS-132**Frequency stability_error****DC_2A_n5A , Normal**

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-8.2	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-5.3	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-7.7	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-7.3	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , T1/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-6.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-3.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-7.6	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-7.7	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , T2/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-4.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-6.8	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-7.6	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-6.3	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , T3/VN

Mode	Value (Hz)	Limit (Hz)	Result
------	------------	------------	--------

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-9.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-6.8	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-8	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-5.9	-2091.25 ~ 2091.25	Pass

DC 2A n5A , T4/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-5.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-4.8	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-6.7	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-5.5	-2091.25 ~ 2091.25	Pass

DC 2A n5A , T5/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-5.6	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-7.2	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-3.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-6.7	-2091.25 ~ 2091.25	Pass

DC 2A n5A , T6/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-3.7	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-9.3	-2091.25 ~ 2091.25	Pass

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-8.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-8.5	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , T7/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-6.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-7.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-6.4	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-7	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , T8/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-4	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-4.5	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-8.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-5.2	-2091.25 ~ 2091.25	Pass

DC_2A_n5A , TN/VL

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-8.4	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-5.9	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-7.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-10.1	-2091.25 ~ 2091.25	Pass

DC 2A_n5A , TN/VH

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-8.1	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-5.5	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-6.4	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-6.4	-2091.25 ~ 2091.25	Pass

DC 2A_n5A , T9/VN

Mode	Value (Hz)	Limit (Hz)	Result
DC_2A_n5A_10MHz 5MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB25@0	-2.33	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 10MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB50@0	-1.85	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 15MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB75@0	-5.68	-2091.25 ~ 2091.25	Pass
DC_2A_n5A_10MHz 20MHz_15kHz_1880MHz 836.5MHz_DFT-s-OFDM QPSK_RB0 RB100@0	-2.97	-2091.25 ~ 2091.25	Pass