

FCC Part 27

RF power output

n66 , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	22.15	0.164	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.27	22.15	0.164	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.24	22.12	0.163	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.78	21.66	0.147	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	22.19	22.07	0.161	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	22.31	22.19	0.166	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	22.06	21.94	0.156	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	21.29	21.17	0.131	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.3	20.18	0.104	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.71	19.59	0.091	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.69	17.57	0.057	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	20.65	20.53	0.113	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	20.74	20.62	0.115	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	20.63	20.51	0.112	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	19.26	19.14	0.082	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	19.19	19.07	0.081	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	18.78	18.66	0.073	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	15.74	15.62	0.036	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	19.82	19.7	0.093	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.63	21.51	0.142	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.66	21.54	0.143	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.13	21.01	0.126	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.6	21.48	0.141	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	21.65	21.53	0.142	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	21.58	21.46	0.14	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	20.67	20.55	0.114	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	19.64	19.52	0.09	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	19.1	18.98	0.079	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	17.07	16.95	0.05	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.17	20.05	0.101	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	20.14	20.02	0.1	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	20.06	19.94	0.099	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	18.68	18.56	0.072	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	18.55	18.43	0.07	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	18.11	17.99	0.063	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	15.14	15.02	0.032	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.52	21.4	0.138	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.55	21.43	0.139	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.51	21.39	0.138	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.99	20.87	0.122	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	21.46	21.34	0.136	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	21.54	21.42	0.139	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	21.4	21.28	0.134	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	20.6	20.48	0.112	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.49	19.37	0.086	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.03	18.91	0.078	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.97	16.85	0.048	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	20.02	19.9	0.098	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	20.05	19.93	0.098	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	19.94	19.82	0.096	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	18.53	18.41	0.069	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	18.47	18.35	0.068	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	18.1	17.98	0.063	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	14.87	14.75	0.03	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.27	22.15	0.164	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.26	22.14	0.164	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.13	22.01	0.159	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.71	21.59	0.144	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	22.19	22.07	0.161	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	22.32	22.2	0.166	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	22.06	21.94	0.156	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	21.24	21.12	0.129	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	20.22	20.1	0.102	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	19.81	19.69	0.093	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	17.64	17.52	0.056	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	20.61	20.49	0.112	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	20.71	20.59	0.115	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	20.49	20.37	0.109	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	19.19	19.07	0.081	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	19.22	19.1	0.081	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	18.65	18.53	0.071	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	15.57	15.45	0.035	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	19.77	19.65	0.092	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.7	21.58	0.144	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.58	21.46	0.14	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.14	21.02	0.126	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.6	21.48	0.141	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	21.8	21.68	0.147	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	21.47	21.35	0.136	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	20.69	20.57	0.114	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	19.71	19.59	0.091	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	19.2	19.08	0.081	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	17.13	17.01	0.05	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.05	19.93	0.098	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	20.18	20.06	0.101	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	19.96	19.84	0.096	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	18.63	18.51	0.071	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	18.63	18.51	0.071	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	18.13	18.01	0.063	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	15.04	14.92	0.031	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.47	21.35	0.136	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.58	21.46	0.14	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.47	21.35	0.136	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.03	20.91	0.123	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	21.39	21.27	0.134	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	21.6	21.48	0.141	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	21.35	21.23	0.133	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	20.51	20.39	0.109	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	19.53	19.41	0.087	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	19.03	18.91	0.078	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	16.99	16.87	0.049	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	19.9	19.78	0.095	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	20.07	19.95	0.099	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	19.93	19.81	0.096	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	18.55	18.43	0.07	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	18.49	18.37	0.069	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	18.01	17.89	0.062	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	14.86	14.74	0.03	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.23	22.11	0.163	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.18	22.06	0.161	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.95	21.83	0.152	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.69	21.57	0.144	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	22.11	21.99	0.158	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	22.28	22.16	0.164	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	21.9	21.78	0.151	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	21.22	21.1	0.129	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.25	20.13	0.103	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.74	19.62	0.092	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.61	17.49	0.056	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	20.74	20.62	0.115	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	20.74	20.62	0.115	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	20.49	20.37	0.109	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	19.16	19.04	0.08	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	19.21	19.09	0.081	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	18.69	18.57	0.072	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	15.63	15.51	0.036	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.77	21.65	0.146	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.71	21.59	0.144	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.46	21.34	0.136	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.22	21.1	0.129	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.63	21.51	0.142	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	21.7	21.58	0.144	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	21.36	21.24	0.133	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	20.75	20.63	0.116	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	19.73	19.61	0.091	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	19.2	19.08	0.081	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	17.22	17.1	0.051	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.07	19.95	0.099	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	20.19	20.07	0.102	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	19.96	19.84	0.096	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	18.66	18.54	0.071	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	18.7	18.58	0.072	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	18.13	18.01	0.063	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	15.13	15.01	0.032	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.39	21.27	0.134	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.57	21.45	0.14	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.48	21.36	0.137	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21	20.88	0.122	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	21.36	21.24	0.133	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	21.52	21.4	0.138	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	21.4	21.28	0.134	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	20.51	20.39	0.109	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.48	19.36	0.086	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.03	18.91	0.078	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.01	16.89	0.049	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	19.7	19.58	0.091	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	20.04	19.92	0.098	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	19.82	19.7	0.093	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	18.45	18.33	0.068	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	18.53	18.41	0.069	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	17.94	17.82	0.061	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	14.95	14.83	0.03	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	23.3	0.214	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.21	22.09	0.162	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.89	21.77	0.15	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.68	21.56	0.143	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	22.17	22.05	0.16	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	22.18	22.06	0.161	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	21.8	21.68	0.147	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	21.23	21.11	0.129	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	20.18	20.06	0.101	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	19.69	19.57	0.091	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	17.69	17.57	0.057	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	20.62	20.5	0.112	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	20.66	20.54	0.113	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	20.36	20.24	0.106	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	19.22	19.1	0.081	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	19.23	19.11	0.081	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	18.79	18.67	0.074	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	15.6	15.48	0.035	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.83	21.71	0.148	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.71	21.59	0.144	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.58	21.46	0.14	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.24	21.12	0.129	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.74	21.62	0.145	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	21.77	21.65	0.146	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	21.49	21.37	0.137	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	20.76	20.64	0.116	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	19.75	19.63	0.092	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	19.3	19.18	0.083	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	17.13	17.01	0.05	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.37	20.25	0.106	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	20.22	20.1	0.102	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	20.02	19.9	0.098	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	18.72	18.6	0.072	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	18.72	18.6	0.072	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	18.17	18.05	0.064	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	15.11	14.99	0.032	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.52	21.4	0.138	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.51	21.39	0.138	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.46	21.34	0.136	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.84	20.72	0.118	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	21.38	21.26	0.134	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	21.55	21.43	0.139	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	21.37	21.25	0.133	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	20.42	20.3	0.107	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	19.44	19.32	0.086	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	18.9	18.78	0.076	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	16.87	16.75	0.047	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	19.93	19.81	0.096	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	20.01	19.89	0.097	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	19.86	19.74	0.094	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	18.32	18.2	0.066	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	18.34	18.22	0.066	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	17.82	17.7	0.059	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	14.71	14.59	0.029	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.58	21.46	0.14	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.06	21.94	0.156	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.13	21.01	0.126	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.34	21.22	0.132	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	21.54	21.42	0.139	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	22.02	21.9	0.155	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	21.11	20.99	0.126	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	20.92	20.8	0.12	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.92	19.8	0.095	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.4	19.28	0.085	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.38	17.26	0.053	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	20.02	19.9	0.098	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	20.51	20.39	0.109	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	19.6	19.48	0.089	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	18.93	18.81	0.076	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	18.9	18.78	0.076	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	18.41	18.29	0.067	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	15.24	15.12	0.033	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.66	22.54	0.179	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.7	21.58	0.144	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	20.8	20.68	0.117	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.96	20.84	0.121	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.13	21.01	0.126	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	21.67	21.55	0.143	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	20.73	20.61	0.115	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	20.5	20.38	0.109	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	19.47	19.35	0.086	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	18.95	18.83	0.076	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	16.95	16.83	0.048	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.61	19.49	0.089	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	20.03	19.91	0.098	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	19.34	19.22	0.084	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	18.4	18.28	0.067	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	18.33	18.21	0.066	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	17.86	17.74	0.059	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	14.74	14.62	0.029	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.58	22.46	0.176	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.43	21.31	0.135	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	20.85	20.73	0.118	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.36	20.24	0.106	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	20.83	20.71	0.118	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	21.41	21.29	0.135	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	20.73	20.61	0.115	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	19.91	19.79	0.095	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	18.96	18.84	0.077	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	18.35	18.23	0.067	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	16.38	16.26	0.042	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	19.35	19.23	0.084	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	19.85	19.73	0.094	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	19.32	19.2	0.083	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	17.84	17.72	0.059	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	17.83	17.71	0.059	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	17.26	17.14	0.052	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	14.25	14.13	0.026	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.33	22.21	0.166	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.15	22.03	0.16	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.73	21.61	0.145	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.64	21.52	0.142	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	22.2	22.08	0.161	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	22.07	21.95	0.157	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	21.64	21.52	0.142	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	21.05	20.93	0.124	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	20.04	19.92	0.098	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	19.56	19.44	0.088	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	17.61	17.49	0.056	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	20.62	20.5	0.112	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	20.56	20.44	0.111	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	20.15	20.03	0.101	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	19.05	18.93	0.078	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	19.04	18.92	0.078	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	18.55	18.43	0.07	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	15.52	15.4	0.035	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.96	21.84	0.153	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.78	21.66	0.147	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.57	21.45	0.14	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.2	21.08	0.128	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.85	21.73	0.149	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	21.74	21.62	0.145	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	21.47	21.35	0.136	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	20.71	20.59	0.115	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	19.72	19.6	0.091	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	19.22	19.1	0.081	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	17.21	17.09	0.051	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.31	20.19	0.104	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	20.28	20.16	0.104	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	19.93	19.81	0.096	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	18.71	18.59	0.072	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	18.71	18.59	0.072	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	18.17	18.05	0.064	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	15.21	15.09	0.032	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.58	21.46	0.14	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.56	21.44	0.139	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.53	21.41	0.138	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.85	20.73	0.118	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	21.51	21.39	0.138	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	21.64	21.52	0.142	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	21.39	21.27	0.134	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	20.48	20.36	0.109	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	19.42	19.3	0.085	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	18.92	18.8	0.076	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	16.95	16.83	0.048	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	19.97	19.85	0.097	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	20.03	19.91	0.098	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	19.88	19.76	0.095	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	18.43	18.31	0.068	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	18.4	18.28	0.067	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	17.9	17.78	0.06	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	14.85	14.73	0.03	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	23.23	0.21	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.98	21.86	0.153	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.61	21.49	0.141	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.37	21.25	0.133	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	22.25	22.13	0.163	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	21.95	21.83	0.152	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	21.51	21.39	0.138	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	20.84	20.72	0.118	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	19.82	19.7	0.093	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	19.34	19.22	0.084	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	17.34	17.22	0.053	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	20.88	20.76	0.119	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	20.46	20.34	0.108	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	20.16	20.04	0.101	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	18.8	18.68	0.074	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	18.85	18.73	0.075	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	18.35	18.23	0.067	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	15.34	15.22	0.033	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	23.25	0.211	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.69	21.57	0.144	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.44	21.32	0.136	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.26	21.14	0.13	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.01	21.89	0.155	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	21.76	21.64	0.146	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	21.45	21.33	0.136	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	20.78	20.66	0.116	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	19.82	19.7	0.093	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	19.22	19.1	0.081	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	17.24	17.12	0.052	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.43	20.31	0.107	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	20.19	20.07	0.102	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	19.84	19.72	0.094	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	18.77	18.65	0.073	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	18.77	18.65	0.073	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	18.21	18.09	0.064	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	15.17	15.05	0.032	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.73	21.61	0.145	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.61	21.49	0.141	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.56	21.44	0.139	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21	20.88	0.122	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	21.68	21.56	0.143	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	21.62	21.5	0.141	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	21.44	21.32	0.136	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	20.56	20.44	0.111	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	19.56	19.44	0.088	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	19	18.88	0.077	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	17.05	16.93	0.049	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	20.2	20.08	0.102	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	20.09	19.97	0.099	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	20	19.88	0.097	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	18.54	18.42	0.07	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	18.55	18.43	0.07	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	18.02	17.9	0.062	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	15.02	14.9	0.031	1	Pass

Note:

EIRP = Value + Ant Gain – CL;

ERP = EIRP -2.15;


n66:

1.Ant Gain =1.08 dBi;


2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 1.2dB;

n66 , Normal


n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2
BPSK_RB12@6




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2
BPSK_RB1@23




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2
BPSK_RB25@0




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM
QPSK_RB12@6



n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM
QPSK_RB1@23




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM
QPSK_RB25@0




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16
QAM_RB25@0




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64
QAM_RB25@0




n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256
QAM_RB25@0




n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1




n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6




n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23



n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0




n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0




n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0




n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB12@6




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB1@23




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB25@0




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1




n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6




n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23




n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0




n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0




n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2
BPSK_RB12@6




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2
BPSK_RB1@23




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2
BPSK_RB25@0




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1



n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM
QPSK_RB12@6




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM
QPSK_RB1@23




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM
QPSK_RB25@0




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16
QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64
QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256
QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1




n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6




n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23




n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0




n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0




n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2
BPSK_RB25@12




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2
BPSK_RB1@50




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2
BPSK_RB50@0




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM
QPSK_RB25@12




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50



n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0




n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0




n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1



n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13



n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50




n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0




n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0




n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0




n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB25@12




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB1@50




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2
BPSK_RB50@0




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1



n66_10MHz_15kHz_1745MHz_DFT-s-OFDM
QPSK_RB25@12




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0




n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0




n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1



n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13



n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50




n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0




n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0




n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0




n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2
BPSK_RB1@1




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2
BPSK_RB25@12




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2
BPSK_RB1@50




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2
BPSK_RB50@0




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1



n66_10MHz_15kHz_1775MHz_DFT-s-OFDM
QPSK_RB25@12



n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0




n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0




n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1



n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13




n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50




n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0



n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0



n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0



n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0

