

FCC Part 27**RF power output**

SA : n66 , Normal

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.86	23.42	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.96	23.52	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.92	23.48	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.01	22.57	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	22.90	23.46	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	23.02	23.58	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	22.96	23.52	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	22.03	22.59	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.99	21.55	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.54	21.10	30	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.51	19.07	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	21.40	21.96	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	21.39	21.95	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	21.42	21.98	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	20.00	20.56	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	19.97	20.53	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	19.47	20.03	30	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	16.58	17.14	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.83	23.39	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.86	23.42	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.78	23.34	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.93	22.49	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.82	23.38	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	22.91	23.47	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	22.85	23.41	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	21.88	22.44	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	20.87	21.43	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	20.37	20.93	30	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	18.40	18.96	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.37	21.93	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	21.33	21.89	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	21.36	21.92	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	19.89	20.45	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	19.87	20.43	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	19.28	19.84	30	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	16.31	16.87	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.70	23.26	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.81	23.37	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.57	23.13	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.78	22.34	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	22.69	23.25	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	22.75	23.31	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	22.71	23.27	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	21.78	22.34	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.71	21.27	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.26	20.82	30	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.29	18.85	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	21.24	21.80	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	21.19	21.75	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	21.09	21.65	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	19.78	20.34	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	19.79	20.35	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	19.23	19.79	30	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	16.29	16.85	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.66	23.22	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.87	23.43	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.75	23.31	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.83	22.39	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	22.64	23.20	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	22.97	23.53	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	22.76	23.32	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	21.93	22.49	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	20.86	21.42	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	20.40	20.96	30	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	18.30	18.86	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	21.13	21.69	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	21.36	21.92	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	21.28	21.84	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	19.84	20.40	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	19.75	20.31	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	19.40	19.96	30	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	16.37	16.93	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.60	23.16	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.76	23.32	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.66	23.22	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.78	22.34	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.59	23.15	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	22.76	23.32	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	22.64	23.20	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	21.76	22.32	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	20.78	21.34	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	20.29	20.85	30	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	18.26	18.82	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.12	21.68	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	21.20	21.76	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	21.13	21.69	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	19.76	20.32	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	19.70	20.26	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	19.27	19.83	30	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	16.27	16.83	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.55	23.11	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.62	23.18	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.46	23.02	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.60	22.16	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	22.57	23.13	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	22.66	23.22	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	22.44	23.00	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	21.61	22.17	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	20.56	21.12	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	20.11	20.67	30	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	18.10	18.66	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	20.90	21.46	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	21.08	21.64	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	20.93	21.49	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	19.54	20.10	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	19.65	20.21	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	19.14	19.70	30	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	16.08	16.64	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.64	23.20	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.04	23.60	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.83	23.39	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.08	22.64	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	22.81	23.37	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	23.05	23.61	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	22.86	23.42	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	22.05	22.61	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.05	21.61	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.54	21.10	30	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.54	19.10	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	21.23	21.79	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	21.58	22.14	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	21.27	21.83	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	20.05	20.61	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	20.02	20.58	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	19.59	20.15	30	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	16.71	17.27	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	23.31	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.92	23.48	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.76	23.32	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.01	22.57	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.70	23.26	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	22.97	23.53	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	22.77	23.33	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	21.99	22.55	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	20.95	21.51	30	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	20.54	21.10	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	18.46	19.02	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.25	21.81	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	21.43	21.99	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	21.27	21.83	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	19.96	20.52	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	19.93	20.49	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	19.38	19.94	30	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	16.47	17.03	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.57	23.13	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.78	23.34	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.56	23.12	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.78	22.34	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	22.67	23.23	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	22.81	23.37	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	22.54	23.10	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	21.77	22.33	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.81	21.37	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.30	20.86	30	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.28	18.84	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	21.13	21.69	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	21.33	21.89	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	21.09	21.65	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	19.81	20.37	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	19.73	20.29	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	19.27	19.83	30	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	16.29	16.85	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.72	23.28	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.04	23.60	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.71	23.27	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.07	22.63	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	22.78	23.34	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	23.12	23.68	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	22.80	23.36	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	22.00	22.56	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.07	21.63	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.48	21.04	30	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.50	19.06	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	21.18	21.74	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	21.53	22.09	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	21.15	21.71	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	19.94	20.50	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	20.09	20.65	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	19.45	20.01	30	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	16.47	17.03	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	23.29	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.93	23.49	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.63	23.19	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.05	22.61	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.68	23.24	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	22.92	23.48	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	22.74	23.30	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	21.98	22.54	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	21.00	21.56	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	20.51	21.07	30	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	18.46	19.02	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.12	20.68	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	21.41	21.97	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	21.21	21.77	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	19.89	20.45	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	20.01	20.57	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	19.40	19.96	30	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	16.42	16.98	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.88	23.44	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.51	23.07	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.79	22.35	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	22.68	23.24	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	22.89	23.45	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	22.59	23.15	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	21.76	22.32	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	20.79	21.35	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	20.22	20.78	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	18.17	18.73	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	21.11	21.67	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	21.33	21.89	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	20.98	21.54	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	19.81	20.37	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	19.78	20.34	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	19.19	19.75	30	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	16.27	16.83	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	23.31	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.01	23.57	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.65	23.21	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.98	22.54	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	22.77	23.33	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	23.04	23.60	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	22.63	23.19	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	21.95	22.51	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	20.94	21.50	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	20.41	20.97	30	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	18.38	18.94	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	21.19	21.75	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	21.44	22.00	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	21.14	21.70	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	19.90	20.46	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	19.94	20.50	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	19.42	19.98	30	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	16.47	17.03	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	23.31	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.92	23.48	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.50	23.06	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.87	22.43	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.64	23.20	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	22.94	23.50	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	22.69	23.25	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	21.88	22.44	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	20.93	21.49	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	20.34	20.90	30	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	18.42	18.98	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.17	21.73	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	21.36	21.92	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	21.24	21.80	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	19.81	20.37	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	19.92	20.48	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	19.31	19.87	30	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	16.32	16.88	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	23.15	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.86	23.42	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.44	23.00	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.85	22.41	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	22.63	23.19	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	22.86	23.42	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	22.51	23.07	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	21.74	22.30	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	20.78	21.34	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	20.27	20.83	30	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	18.24	18.80	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	21.09	21.65	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	21.22	21.78	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	20.84	21.40	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	19.67	20.23	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	19.70	20.26	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	19.23	19.79	30	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	16.26	16.82	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.56	23.12	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.95	23.51	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.46	23.02	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.78	22.34	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	22.61	23.17	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	22.96	23.52	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	22.60	23.16	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	21.80	22.36	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	20.88	21.44	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	20.37	20.93	30	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	18.35	18.91	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	21.11	21.67	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	21.47	22.03	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	21.01	21.57	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	19.77	20.33	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	19.78	20.34	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	19.33	19.89	30	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	16.27	16.83	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.47	23.03	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.89	23.45	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.39	22.95	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.89	22.45	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.49	23.05	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	22.84	23.40	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	22.51	23.07	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	21.91	22.47	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	20.85	21.41	30	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	20.41	20.97	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	18.33	18.89	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.03	21.59	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	21.29	21.85	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	21.02	21.58	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	19.84	20.40	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	19.97	20.53	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	19.38	19.94	30	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	16.40	16.96	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.43	22.99	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.85	23.41	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.30	22.86	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.78	22.34	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	22.48	23.04	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	22.80	23.36	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	22.35	22.91	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	21.79	22.35	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	20.78	21.34	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	20.21	20.77	30	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	18.20	18.76	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	20.96	21.52	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	21.26	21.82	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	20.92	21.48	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	19.71	20.27	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	19.71	20.27	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	19.25	19.81	30	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	16.20	16.76	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.34	22.90	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.87	23.43	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.29	22.85	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.68	22.24	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	22.42	22.98	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	22.95	23.51	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	22.31	22.87	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	21.63	22.19	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	20.67	21.23	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	20.18	20.74	30	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	18.15	18.71	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	20.91	21.47	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	21.44	22.00	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	20.77	21.33	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	19.61	20.17	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	19.63	20.19	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	19.08	19.64	30	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	16.18	16.74	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.35	22.91	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.91	23.47	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.11	22.67	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.89	22.45	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.33	22.89	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	22.85	23.41	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	22.22	22.78	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	21.95	22.51	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	20.85	21.41	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	20.43	20.99	30	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	18.43	18.99	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.88	21.44	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	21.31	21.87	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	20.73	21.29	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	19.89	20.45	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	19.87	20.43	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	19.40	19.96	30	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	16.41	16.97	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.19	22.75	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.84	23.40	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.05	22.61	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.78	22.34	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	22.33	22.89	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	22.82	23.38	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	22.11	22.67	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	21.86	22.42	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	20.82	21.38	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	20.36	20.92	30	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	18.35	18.91	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	20.69	21.25	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	21.26	21.82	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	20.66	21.22	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	19.79	20.35	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	19.80	20.36	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	19.34	19.90	30	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	16.31	16.87	30	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.64	23.20	30	Pass

Note:

1. Gant = Antenna gain, 0.56 dBi @ n66;
2. Pc: RF conducted power at antenna port;
3. EIRP = Gant + Pc;

FCC Part 27**RF power output**

NSA_InterBand : DC_12A_n66A , Normal

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.46 (18.67 21.71)	24.02	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.94 (20.16 19.68)	23.50	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	24.17 (22.19 19.80)	24.73	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.50 (18.98 19.94)	23.06	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.82 (17.15 20.01)	22.38	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.97 (17.61 19.98)	22.53	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.10 (17.60 18.53)	21.66	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.23 (17.01 19.16)	21.79	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.02 (17.85 19.92)	22.58	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	21.91 (17.41 20.01)	22.47	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	21.42 (16.80 19.58)	21.98	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	19.80 (16.98 16.58)	20.36	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.58 (19.12 19.97)	23.14	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.51 (18.99 19.96)	23.07	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.44 (18.83 19.96)	23.00	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.69 (19.21 20.11)	23.25	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.62 (18.66 18.57)	22.18	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.33 (18.55 19.98)	22.89	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.61 (19.11 20.03)	23.17	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.28 (18.99 19.53)	22.84	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	20.72 (18.58 16.62)	21.28	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	22.34 (18.54 20.00)	22.90	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	22.37 (18.57 20.03)	22.93	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.96 (17.53 20.02)	22.52	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	22.59 (19.04 20.06)	23.15	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	22.71 (19.27 20.09)	23.27	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.00 (19.35 18.59)	22.56	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	22.03 (18.73 19.30)	22.59	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	21.93 (17.40 20.04)	22.49	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	22.42 (18.54 20.14)	22.98	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.29 (18.90 19.62)	22.85	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	20.68 (18.50 16.65)	21.24	30	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	22.58 (18.99 20.09)	23.14	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.41 (19.11 19.68)	22.97	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.63 (19.43 19.80)	23.19	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.19 (18.66 19.65)	22.75	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.47 (19.10 19.79)	23.03	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.63 (19.30 19.92)	23.19	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.34 (18.72 19.86)	22.90	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.70 (18.96 18.39)	22.26	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.93 (19.00 18.83)	22.49	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.54 (19.18 19.85)	23.10	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.28 (18.44 19.97)	22.84	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.16 (18.87 19.41)	22.72	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	20.96 (19.04 16.49)	21.52	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.56 (19.26 19.82)	23.12	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.57 (19.26 19.84)	23.13	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.41 (18.96 19.81)	22.97	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.09 (18.15 19.84)	22.65	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.74 (19.01 18.43)	22.30	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.59 (19.37 19.79)	23.15	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.69 (19.47 19.87)	23.25	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.35 (19.31 19.38)	22.91	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	20.31 (18.04 16.41)	20.87	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	22.04 (18.20 19.72)	22.60	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	22.22 (18.40 19.89)	22.78	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.98 (18.06 19.72)	22.54	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.50 (19.07 19.87)	23.06	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.94 (17.72 19.88)	22.50	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	22.32 (18.64 19.90)	22.88	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.70 (18.93 18.44)	22.26	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.52 (18.04 18.93)	22.08	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	22.37 (18.90 19.77)	22.93	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	22.56 (19.06 20.00)	23.12	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	22.40 (19.33 19.45)	22.96	30	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.17 (19.33 16.54)	21.73	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.13 (18.40 19.74)	22.69	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.69 (19.26 20.06)	23.25	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.55 (19.36 19.72)	23.11	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.59 (19.13 19.99)	23.15	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.41 (18.75 19.98)	22.97	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.77 (19.49 20.02)	23.33	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.90 (19.14 18.62)	22.46	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.92 (18.95 18.88)	22.48	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.49 (18.96 19.95)	23.05	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.62 (19.08 20.08)	23.18	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.32 (19.07 19.53)	22.88	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.09 (19.15 16.67)	21.65	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.49 (18.82 20.06)	23.05	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.50 (18.95 19.98)	23.06	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.59 (19.14 19.98)	23.15	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.44 (18.81 19.98)	23.00	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.02 (19.37 18.61)	22.58	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.61 (19.22 19.95)	23.17	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.64 (19.20 20.01)	23.20	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.38 (19.21 19.52)	22.94	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	20.28 (17.78 16.69)	20.84	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	22.27 (18.62 19.82)	22.83	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	22.36 (18.52 20.04)	22.92	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	22.57 (19.39 19.72)	23.13	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.62 (19.17 20.00)	23.18	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	22.64 (19.18 20.04)	23.20	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	22.15 (18.01 20.04)	22.71	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.77 (18.86 18.66)	22.33	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.43 (17.66 19.07)	21.99	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	22.37 (18.67 19.96)	22.93	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	22.74 (19.35 20.08)	23.30	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.93 (18.01 19.67)	22.49	30	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	20.58 (18.34 16.64)	21.14	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.99 (18.08 19.73)	22.55	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.38 (18.60 20.03)	22.94	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.36 (19.05 19.62)	22.92	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.59 (19.10 20.02)	23.15	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.63 (19.04 20.13)	23.19	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.73 (19.30 20.10)	23.29	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.70 (18.67 18.71)	22.26	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.09 (19.26 18.89)	22.65	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.66 (19.23 20.03)	23.22	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.84 (19.60 20.05)	23.40	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.40 (19.15 19.62)	22.96	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	20.96 (18.90 16.73)	21.52	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.68 (19.23 20.07)	23.24	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.38 (18.60 20.01)	22.94	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.76 (19.44 20.04)	23.32	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.40 (18.58 20.07)	22.96	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.46 (18.22 18.67)	22.02	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.45 (18.85 19.95)	23.01	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.25 (18.29 20.01)	22.81	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.87 (17.93 19.63)	22.43	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.33 (19.57 16.57)	21.89	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	22.35 (18.77 19.84)	22.91	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	22.16 (18.03 20.05)	22.72	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	22.16 (18.49 19.72)	22.72	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	22.52 (18.91 20.04)	23.08	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	22.45 (18.72 20.06)	23.01	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22.58 (19.06 20.04)	23.14	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.52 (18.32 18.70)	22.08	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.96 (18.96 18.95)	22.52	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	22.37 (18.58 20.02)	22.93	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	22.62 (19.08 20.07)	23.18	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.25 (18.73 19.69)	22.81	30	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	20.98 (18.95 16.70)	21.54	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.42 (19.07 19.73)	22.98	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.74 (19.34 20.08)	23.30	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.34 (18.98 19.65)	22.90	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.63 (19.11 20.08)	23.19	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.53 (18.90 20.07)	23.09	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.50 (18.81 20.08)	23.06	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.99 (19.21 18.74)	22.55	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.73 (18.48 18.94)	22.29	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.43 (18.70 20.03)	22.99	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.53 (18.98 20.00)	23.09	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.05 (18.42 19.58)	22.61	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.08 (19.15 16.64)	21.64	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.09 (17.89 20.01)	22.65	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.52 (18.95 20.00)	23.08	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.17 (18.08 20.03)	22.73	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.70 (19.29 20.05)	23.26	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.50 (18.33 18.64)	22.06	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.32 (18.48 20.00)	22.88	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.22 (18.33 19.95)	22.78	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.56 (19.51 19.58)	23.12	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.15 (19.29 16.58)	21.71	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	22.36 (18.83 19.82)	22.92	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	22.53 (18.96 20.01)	23.09	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	22.33 (18.87 19.74)	22.89	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	22.35 (18.54 20.03)	22.91	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	22.48 (18.80 20.05)	23.04	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	22.39 (18.57 20.06)	22.95	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	21.80 (18.94 18.64)	22.36	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	22.07 (18.99 19.12)	22.63	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	22.14 (18.09 19.97)	22.70	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	22.47 (18.88 19.98)	23.03	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	21.87 (17.98 19.59)	22.43	30	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	20.33 (17.89 16.67)	20.89	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.22 (18.81 19.58)	22.78	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	22.64 (19.17 20.05)	23.20	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.43 (19.33 19.51)	22.99	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	22.66 (19.30 19.97)	23.22	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	22.66 (19.18 20.07)	23.22	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	22.50 (18.82 20.07)	23.06	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.99 (19.32 18.62)	22.55	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.91 (19.06 18.74)	22.47	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	22.61 (19.15 20.00)	23.17	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	22.66 (19.35 19.94)	23.22	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.25 (18.83 19.62)	22.81	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	20.65 (18.47 16.61)	21.21	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	22.09 (17.96 19.97)	22.65	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	22.29 (18.54 19.91)	22.85	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	21.98 (17.75 19.93)	22.54	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	22.77 (19.54 19.96)	23.33	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.60 (18.59 18.59)	22.16	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	22.64 (19.34 19.91)	23.20	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	22.63 (19.39 19.84)	23.19	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.28 (19.05 19.48)	22.84	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.30 (19.51 16.58)	21.86	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159	22.30 (18.93 19.62)	22.86	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40	22.23 (18.36 19.93)	22.79	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	21.92 (18.11 19.59)	22.48	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	22.30 (18.48 19.96)	22.86	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	22.40 (18.80 19.92)	22.96	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	22.17 (18.19 19.96)	22.73	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	21.35 (18.08 18.59)	21.91	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	21.76 (18.52 18.97)	22.32	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	22.17 (18.20 19.94)	22.73	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	22.05 (17.99 19.89)	22.61	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	22.20 (18.79 19.56)	22.76	30	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	20.47 (18.22 16.54)	21.03	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.13 (18.87 19.36)	22.69	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	22.29 (18.42 20.00)	22.85	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.15 (18.93 19.35)	22.71	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.35 (18.57 19.99)	22.91	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.47 (18.84 20.01)	23.03	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.82 (19.52 20.07)	23.38	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.60 (18.53 18.66)	22.16	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.78 (18.91 18.62)	22.34	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	22.42 (18.72 19.99)	22.98	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	22.40 (18.79 19.93)	22.96	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.49 (19.39 19.57)	23.05	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.11 (19.17 16.68)	21.67	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	22.61 (19.12 20.04)	23.17	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.33 (18.47 20.03)	22.89	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.31 (18.48 19.99)	22.87	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.14 (18.08 19.97)	22.70	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.11 (19.50 18.65)	22.67	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	22.28 (18.47 19.94)	22.84	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	22.16 (18.24 19.90)	22.72	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.31 (19.04 19.56)	22.87	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	20.84 (18.80 16.59)	21.40	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215	21.89 (18.21 19.46)	22.45	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	22.15 (18.19 19.92)	22.71	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	21.60 (17.63 19.37)	22.16	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	22.53 (19.07 19.93)	23.09	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	22.61 (19.20 19.97)	23.17	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	22.63 (19.21 20.00)	23.19	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.78 (18.95 18.58)	22.34	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	21.94 (19.10 18.75)	22.50	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	22.36 (18.68 19.94)	22.92	30	Pass

Mode	Pc (dBm)	EIRP (dBm)	Limit (dBm)	Result
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	22.64 (19.35 19.89)	23.20	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	22.46 (19.40 19.51)	23.02	30	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	21.11 (19.23 16.57)	21.67	30	Pass

Note:

1. Gant = Antenna gain, 0.56 dBi @ n66;
2. Pc: RF conducted power at antenna port;
3. EIRP = Gant + Pc;
4. P_Total (P_LTE|P_NR)