

FCC Part 27

RF power output

DC_2A_n41A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 23.87(20.01 21.57) | 23.169 | 0.207 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.16(20.03 18.05) | 22.068 | 0.161 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.57(20.02 21.04) | 22.967 | 0.198 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.56(20.08 20.98) | 22.982 | 0.199 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 23.85(20.03 21.53) | 23.165 | 0.207 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.86(20.02 21.55) | 23.167 | 0.207 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 23.06(20.02 20.07) | 22.625 | 0.183 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.77(20.02 21.39) | 23.103 | 0.204 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.71(20.07 21.25) | 23.078 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.84(20.04 21.49) | 23.155 | 0.207 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.72(20.04 21.29) | 23.076 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1855MHz 2 546.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.82(20.04 21.47) | 23.147 | 0.206 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 23.78(19.8 21.56) | 23.042 | 0.201 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 21.99(19.84 17.91) | 21.889 | 0.155 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.52(19.88 21.06) | 22.561 | 0.180 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 23.68(19.83 21.38) | 22.985 | 0.199 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.72(19.84 21.43) | 23.012 | 0.200 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 22.9(19.88 19.89) | 22.472 | 0.177 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.8(19.83 21.58) | 23.068 | 0.203 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB12@0 RB135@67 | 23.78(19.85 21.53) | 23.059 | 0.202 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1880MHz 2 592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.77(19.82 21.54) | 23.046 | 0.202 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK CP-OFDM_16 QAM_RB12@38 RB137@68 | 23.86(19.74 21.74) | 23.085 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK CP-OFDM_256 QAM_RB12@38 RB137@68 | 22.08(19.76 18.24) | 21.910 | 0.155 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK CP-OFDM_64 QAM_RB12@38 RB137@68 | 23.53(19.75 21.17) | 22.853 | 0.193 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272 | 23.99(19.7 21.96) | 23.159 | 0.207 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68 | 23.84(19.76 21.69) | 23.074 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM_16 QAM_RB12@38 RB135@67 | 23.83(19.75 21.68) | 23.064 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM_256 QAM_RB12@38 RB135@67 | 23.03(19.77 20.25) | 22.520 | 0.179 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB135@67 | 23.85(19.74 21.72) | 23.076 | 0.203 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@272 | 24.07(19.79 22.04) | 23.245 | 0.211 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB135@67 | 23.8(19.75 21.62) | 23.039 | 0.201 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272 | 24.15(19.79 22.17) | 23.303 | 0.214 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_1905MHz 2 640MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 23.79(19.73 21.63) | 23.032 | 0.201 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB26@13 | 22.59(16.97 21.2) | 21.423 | 0.139 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB26@13 | 18.17(17.11 17.82) | 19.942 | 0.099 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB26@13 | 22.29(16.97 20.78) | 21.192 | 0.132 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.45(16.78 21.08) | 21.272 | 0.134 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 22.59(16.76 21.27) | 20.341 | 0.108 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB25@12 | 21.79(11.81 21.33) | 19.945 | 0.099 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB25@12 | 21.54(16.77 19.78) | 20.581 | 0.114 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 22.65(16.74 21.36) | 21.416 | 0.139 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.48(16.9 21.07) | 21.319 | 0.135 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 22.56(16.78 21.23) | 21.357 | 0.137 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.45(16.76 21.09) | 21.269 | 0.134 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 22.6(16.77 21.28) | 21.382 | 0.137 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 22.69(16.98 21.33) | 21.500 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 20.32(16.67 17.86) | 19.682 | 0.093 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 22.35(16.99 20.86) | 21.244 | 0.133 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 22.67(17 21.3) | 21.492 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 22.72(17.04 21.35) | 21.538 | 0.142 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 21.65(17.01 19.82) | 20.724 | 0.118 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 22.75(16.99 21.41) | 21.550 | 0.143 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 22.71(17.05 21.33) | 21.531 | 0.142 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 22.68(16.98 21.32) | 21.495 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13 | 21.58(16.85 21.58) | 21.590 | 0.144 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13 | 20.55(16.93 18.08) | 19.927 | 0.098 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13 | 22.52(16.96 21.1) | 21.362 | 0.137 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51 | 22.67(16.96 21.31) | 21.480 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13 | 21.86(17.28 21.55) | 21.755 | 0.150 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 22.87(16.98 21.57) | 21.638 | 0.146 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 21.73(16.93 19.98) | 20.761 | 0.119 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 22.9(16.93 21.64) | 21.658 | 0.146 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51 | 22.14(13.03 21.57) | 20.387 | 0.109 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 22.09(13.23 21.48) | 20.364 | 0.109 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51 | 22.95(17.15 21.63) | 21.745 | 0.149 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 21.64(16.55 21.5) | 21.421 | 0.139 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 22.68(16.94 21.33) | 21.483 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 20.5(16.92 18) | 19.890 | 0.097 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.41(20.04 20.74) | 22.869 | 0.194 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 21.22(14.93 21.12) | 20.588 | 0.114 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.6(19.99 21.11) | 22.975 | 0.198 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 22.69(16.95 21.34) | 21.493 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 20.12(16.14 19.94) | 20.357 | 0.109 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 22.72(16.73 21.46) | 21.470 | 0.140 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.56(19.92 21.1) | 22.928 | 0.196 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 22.6(16.71 21.31) | 21.374 | 0.137 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.56(16.94 21.17) | 21.393 | 0.138 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1855MHz 25 01.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 22.75(16.98 21.41) | 21.546 | 0.143 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.84(19.86 21.63) | 23.106 | 0.204 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 20.41(16.96 17.8) | 19.840 | 0.096 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 22.48(17 21.04) | 21.347 | 0.136 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 22.27(15 21.37) | 20.779 | 0.120 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB12@6 | 23.81(19.85 21.58) | 23.080 | 0.203 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB12@6 | 20.06(16.17 19.88) | 20.339 | 0.108 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM_64 QAM_RB12@0 RB12@6 | 22.75(16.72 21.5) | 21.489 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@0 RB12@6 | 22.73(16.73 21.48) | 21.482 | 0.141 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 22.82(16.99 21.5) | 21.602 | 0.145 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK CP-OFDM_16 QAM_RB12@38 RB12@6 | 23.93(19.83 21.79) | 23.157 | 0.207 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK CP-OFDM_256 QAM_RB12@38 RB12@6 | 22.14(19.82 18.31) | 21.972 | 0.157 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK CP-OFDM_64 QAM_RB12@38 RB12@6 | 23.71(19.83 21.42) | 23.002 | 0.200 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23 | 23.85(19.78 21.69) | 23.086 | 0.204 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6 | 23.84(19.81 21.65) | 23.086 | 0.204 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM_16 QAM_RB12@38 RB12@6 | 23.97(19.83 21.85) | 23.183 | 0.208 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM_256 QAM_RB12@38 RB12@6 | 23.21(19.81 20.55) | 22.653 | 0.184 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB12@6 | 23.97(19.8 21.88) | 23.179 | 0.208 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@23 | 23.93(19.79 21.82) | 23.148 | 0.206 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB12@6 | 23.94(19.82 21.81) | 23.160 | 0.207 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 23.96(19.77 21.87) | 23.158 | 0.207 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_1905MHz 26 85MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 24.01(19.82 21.93) | 23.213 | 0.210 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB39@19 | 22.74(16.95 21.41) | 21.533 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB39@19 | 20.48(16.99 17.91) | 19.899 | 0.098 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB39@19 | 22.38(16.97 20.91) | 21.262 | 0.134 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.4(16.89 20.96) | 21.254 | 0.133 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 22.72(16.97 21.38) | 21.524 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 22.73(16.97 21.39) | 21.530 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 21.66(16.98 19.86) | 20.728 | 0.118 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 22.76(16.98 21.43) | 21.557 | 0.143 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 21.49(15.42 21.21) | 20.815 | 0.121 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 22.26(15.02 21.35) | 20.772 | 0.119 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.51(16.87 21.12) | 21.334 | 0.136 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 22.58(16.64 21.3) | 21.339 | 0.136 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 22.71(16.94 21.37) | 21.506 | 0.141 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 20.51(17.03 17.92) | 19.928 | 0.098 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 22.33(16.97 20.84) | 21.224 | 0.133 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 22.1(14.09 21.35) | 20.490 | 0.112 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 21.6(17.07 21.35) | 21.551 | 0.143 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 21.66(17.01 19.83) | 20.729 | 0.118 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 22.73(16.98 21.38) | 21.529 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 22.66(16.93 21.31) | 21.467 | 0.140 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 22.39(15.71 21.34) | 21.002 | 0.126 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 22.84(16.8 21.6) | 21.581 | 0.144 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 20.5(16.78 18.1) | 19.843 | 0.096 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 21.27(16.88 21.07) | 21.310 | 0.135 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78 | 21.7(16.29 21.44) | 21.282 | 0.134 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 22.78(16.77 21.53) | 21.528 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 22.78(16.75 21.54) | 21.525 | 0.142 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 21.72(16.77 20.05) | 20.716 | 0.118 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 22.05(16.91 21.61) | 21.632 | 0.146 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78 | 22.78(16.84 21.51) | 21.545 | 0.143 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 21.69(17.37 21.53) | 21.783 | 0.151 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78 | 22.84(16.79 21.6) | 21.577 | 0.144 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_1905MHz 26 82.495MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 22.54(15.67 21.54) | 21.117 | 0.129 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.79(20.04 21.42) | 23.127 | 0.205 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.1(20.03 17.9) | 22.033 | 0.160 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.47(20.08 20.81) | 22.919 | 0.196 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.67(20.11 21.14) | 23.061 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.81(20.06 21.44) | 23.147 | 0.206 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.76(20.02 21.38) | 23.099 | 0.204 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 22.9(20.04 19.74) | 22.533 | 0.179 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.79(20 21.44) | 23.111 | 0.205 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.72(19.98 21.33) | 23.055 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.74(20.03 21.33) | 23.085 | 0.203 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.6(20.04 21.08) | 22.995 | 0.199 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1855MHz 25 03.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.65(20.04 21.17) | 23.029 | 0.201 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.85(19.75 21.71) | 23.077 | 0.203 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.1(19.77 18.28) | 21.927 | 0.156 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.53(19.75 21.17) | 22.853 | 0.193 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.81(19.77 21.63) | 23.055 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.83(19.75 21.67) | 23.060 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 22.95(19.75 20.13) | 22.466 | 0.176 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.85(19.69 21.74) | 23.056 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.79(19.75 21.61) | 23.035 | 0.201 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.79(19.76 21.61) | 23.040 | 0.201 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 23.98(19.68 21.96) | 23.148 | 0.206 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 22.08(19.66 18.38) | 21.872 | 0.154 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 23.61(19.67 21.37) | 22.887 | 0.194 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 23.84(19.67 21.75) | 23.049 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 23.98(19.68 21.96) | 23.148 | 0.206 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 23.92(19.66 21.88) | 23.101 | 0.204 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 23.11(19.66 20.49) | 22.536 | 0.179 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 23.98(19.66 21.97) | 23.142 | 0.206 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37 | 23.97(19.79 21.88) | 23.174 | 0.208 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9 | 23.91(19.66 21.86) | 23.092 | 0.204 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 23.86(19.68 21.77) | 23.064 | 0.202 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_1905MHz 26 82.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 23.78(19.66 21.66) | 23.005 | 0.200 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 22.73(17.01 21.37) | 21.536 | 0.142 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 20.42(16.94 17.84) | 19.842 | 0.096 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 22.33(16.92 20.85) | 21.207 | 0.132 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.53(17.29 20.98) | 21.448 | 0.140 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 22.71(17 21.35) | 21.520 | 0.142 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 22.72(16.92 21.4) | 21.515 | 0.142 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 21.65(16.97 19.85) | 20.718 | 0.118 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 21.66(17.32 21.4) | 21.689 | 0.148 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.59(17.04 21.17) | 21.437 | 0.139 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 22.67(16.96 21.31) | 21.480 | 0.141 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.66(16.95 21.3) | 21.470 | 0.140 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1855MHz 25 06.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 22.7(16.95 21.35) | 21.499 | 0.141 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 21.91(12.74 21.35) | 20.152 | 0.104 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 20.05(16.05 17.85) | 19.309 | 0.085 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 22.32(16.84 20.88) | 21.187 | 0.131 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 22.7(16.83 21.4) | 21.476 | 0.140 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 22.69(16.8 21.39) | 21.458 | 0.140 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 21.09(15.08 19.84) | 19.838 | 0.096 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 21.88(12.21 21.38) | 20.063 | 0.101 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 22.67(16.82 21.36) | 21.449 | 0.140 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 22.7(16.87 21.38) | 21.482 | 0.141 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 21.77(16.81 21.54) | 21.550 | 0.143 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 20.45(16.75 18.04) | 19.801 | 0.096 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 22.44(16.73 21.08) | 21.250 | 0.133 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 22.6(16.77 21.29) | 21.388 | 0.138 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 22.79(16.76 21.54) | 21.529 | 0.142 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 22.22(13.67 21.57) | 20.540 | 0.113 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 21.42(15.65 20.09) | 20.222 | 0.105 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 22.81(16.72 21.58) | 21.537 | 0.142 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 22.84(16.84 21.59) | 21.592 | 0.144 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 21.77(9.13 21.53) | 19.730 | 0.094 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 22.24(13.13 21.67) | 20.487 | 0.112 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 22.79(16.76 21.55) | 21.535 | 0.142 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.74(20.08 21.3) | 23.104 | 0.204 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.12(20.09 17.83) | 22.064 | 0.161 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.57(20.06 21.01) | 22.981 | 0.199 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.69(20.12 21.18) | 23.082 | 0.203 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.8(20.06 21.41) | 23.135 | 0.206 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.65(20.09 21.13) | 23.045 | 0.202 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.98(20.07 19.87) | 22.594 | 0.182 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.83(20.06 21.47) | 23.159 | 0.207 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.79(20.09 21.38) | 23.141 | 0.206 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.72(20.09 21.26) | 23.094 | 0.204 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.84(20.24 21.35) | 23.221 | 0.210 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1855MHz 25 06.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.79(20.09 21.37) | 23.137 | 0.206 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.82(19.77 21.64) | 23.059 | 0.202 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.03(19.77 18.11) | 21.885 | 0.154 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.64(19.77 21.34) | 22.934 | 0.196 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.77(19.79 21.55) | 23.032 | 0.201 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.85(19.78 21.69) | 23.086 | 0.204 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.88(19.79 19.95) | 22.431 | 0.175 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.82(19.77 21.64) | 23.059 | 0.202 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.83(19.76 21.67) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.84(19.8 21.66) | 23.085 | 0.203 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 23.94(19.69 21.9) | 23.127 | 0.205 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 22.11(19.71 18.39) | 21.911 | 0.155 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 23.72(19.68 21.54) | 22.965 | 0.198 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 23.92(19.71 21.85) | 23.116 | 0.205 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 23.89(19.68 21.82) | 23.086 | 0.204 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 23.86(19.7 21.75) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 23(19.7 20.27) | 22.482 | 0.177 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 23.93(19.73 21.85) | 23.127 | 0.205 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50 | 23.97(19.64 21.97) | 23.131 | 0.206 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 23.84(19.68 21.73) | 23.046 | 0.202 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 24.03(19.76 22) | 23.210 | 0.209 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_1905MHz 26 79.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 23.89(19.67 21.83) | 23.085 | 0.203 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 22.73(16.93 21.4) | 21.519 | 0.142 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 20.05(15.97 17.89) | 19.280 | 0.085 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 22.4(17 20.92) | 21.281 | 0.134 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.48(17.04 21.02) | 21.354 | 0.137 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 22.74(16.99 21.4) | 21.544 | 0.143 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 22.75(17 21.41) | 21.554 | 0.143 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 21.7(16.98 19.92) | 20.757 | 0.119 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 22.77(16.98 21.44) | 21.563 | 0.143 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.62(16.94 21.25) | 21.394 | 0.138 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40 | 22.73(16.94 21.4) | 21.523 | 0.142 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.56(16.94 21.17) | 21.393 | 0.138 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 22.7(16.92 21.37) | 21.497 | 0.141 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 22.7(16.84 21.39) | 21.475 | 0.140 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 20.43(16.86 17.91) | 19.818 | 0.096 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 22.35(16.84 20.91) | 21.204 | 0.132 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 22.68(16.74 21.4) | 21.439 | 0.139 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 22.71(16.85 21.41) | 21.491 | 0.141 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 21.6(16.74 19.88) | 20.615 | 0.115 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 22.74(16.83 21.45) | 21.506 | 0.141 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB12@0 RB80@40 | 22.61(16.64 21.35) | 21.368 | 0.137 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 22.14(14.1 21.4) | 20.529 | 0.113 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK CP-OFDM_16 QAM_RB12@38 RB80@40 | 22(12.83 21.44) | 20.242 | 0.106 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK CP-OFDM_256 QAM_RB12@38 RB80@40 | 20.2(16.24 17.97) | 19.470 | 0.089 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK CP-OFDM_64 QAM_RB12@38 RB80@40 | 20.98(16.54 20.98) | 21.112 | 0.129 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159 | 22.75(16.84 21.46) | 21.516 | 0.142 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40 | 22.69(16.72 21.42) | 21.442 | 0.139 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM_16 QAM_RB12@38 RB80@40 | 22.73(16.69 21.49) | 21.471 | 0.140 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM_256 QAM_RB12@38 RB80@40 | 21.68(16.71 20.01) | 20.666 | 0.117 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB80@40 | 22.76(16.76 21.51) | 21.512 | 0.142 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB1@49 RB1@159 | 22.78(16.8 21.52) | 21.534 | 0.142 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB12@38 RB80@40 | 22.71(16.73 21.45) | 21.464 | 0.140 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159 | 22.82(16.75 21.59) | 21.555 | 0.143 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_1905MHz 26 74.995MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40 | 22.72(16.72 21.47) | 21.472 | 0.140 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB39@19 | 23.85(20.09 21.48) | 23.181 | 0.208 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB39@19 | 22.17(20.11 17.95) | 22.106 | 0.162 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB39@19 | 23.56(20.09 20.96) | 22.981 | 0.199 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.63(20.06 21.12) | 23.022 | 0.201 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.79(20.09 21.37) | 23.137 | 0.206 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB36@18 | 23.84(20.08 21.47) | 23.171 | 0.208 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB36@18 | 22.89(20.11 19.64) | 22.551 | 0.180 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.85(20.1 21.48) | 23.187 | 0.208 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.83(20.29 21.29) | 23.229 | 0.210 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.79(20.09 21.38) | 23.141 | 0.206 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.77(20.08 21.35) | 23.123 | 0.205 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1855MHz 25 11MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.78(20.09 21.36) | 23.133 | 0.206 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.86(19.81 21.69) | 23.103 | 0.204 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.1(19.82 18.22) | 21.950 | 0.157 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.5(19.79 21.1) | 22.849 | 0.193 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.84(19.78 21.68) | 23.082 | 0.203 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.83(19.75 21.68) | 23.064 | 0.203 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.99(19.8 20.15) | 22.505 | 0.178 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.84(19.77 21.68) | 23.076 | 0.203 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.8(19.82 21.59) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.81(19.76 21.63) | 23.049 | 0.202 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 23.9(19.72 21.81) | 23.104 | 0.204 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.1(19.73 18.34) | 21.913 | 0.155 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 23.57(19.7 21.27) | 22.864 | 0.193 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77 | 23.96(19.74 21.89) | 23.150 | 0.207 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 23.9(19.71 21.82) | 23.103 | 0.204 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 23.92(19.73 21.83) | 23.118 | 0.205 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 23.01(19.7 20.28) | 22.486 | 0.177 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB36@18 | 23.9(19.71 21.82) | 23.103 | 0.204 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@77 | 23.98(19.69 21.95) | 23.149 | 0.206 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB36@18 | 23.82(19.7 21.7) | 23.045 | 0.202 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77 | 24.03(19.71 22.03) | 23.196 | 0.209 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_1905MHz 26 74.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 23.84(19.71 21.72) | 23.059 | 0.202 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB108@54 | 22.71(16.93 21.38) | 21.507 | 0.141 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB108@54 | 20.48(16.98 17.91) | 19.893 | 0.098 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB108@54 | 22.38(16.94 20.92) | 21.254 | 0.133 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.52(16.93 21.12) | 21.360 | 0.137 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 22.75(16.97 21.42) | 21.547 | 0.143 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB108@54 | 22.74(16.94 21.41) | 21.529 | 0.142 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB108@54 | 21.7(16.93 19.94) | 20.741 | 0.119 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM_64 QAM_RB12@0 RB108@54 | 22.8(17 21.47) | 21.589 | 0.144 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@0 RB1@0 | 22.68(17.23 21.22) | 21.550 | 0.143 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@0 RB108@54 | 22.73(16.92 21.41) | 21.520 | 0.142 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.69(17.01 21.32) | 21.508 | 0.142 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 21.66(8.99 21.42) | 19.617 | 0.092 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB108@54 | 22.69(16.85 21.38) | 21.473 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB108@54 | 20.43(16.84 17.93) | 19.814 | 0.096 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB108@54 | 22.06(15.72 20.91) | 20.737 | 0.118 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 22.67(16.81 21.37) | 21.451 | 0.140 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 22.68(16.81 21.38) | 21.456 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 21.64(16.83 19.9) | 20.671 | 0.117 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 22.7(16.76 21.43) | 21.465 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB12@0 RB108@54 | 22.32(15.31 21.36) | 20.875 | 0.122 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 22.02(13.53 21.36) | 20.347 | 0.108 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54 | 22.74(16.65 21.51) | 21.467 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54 | 20.44(16.78 17.99) | 19.800 | 0.095 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54 | 22.37(16.77 20.97) | 21.206 | 0.132 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215 | 22.67(16.83 21.36) | 21.453 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54 | 22.12(13.63 21.46) | 20.447 | 0.111 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 22.74(16.72 21.49) | 21.484 | 0.141 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 21.69(16.78 20) | 20.695 | 0.117 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 22.75(16.78 21.48) | 21.502 | 0.141 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215 | 22.83(16.77 21.59) | 21.563 | 0.143 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 22.73(16.79 21.45) | 21.489 | 0.141 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215 | 22.57(15.92 21.51) | 21.187 | 0.131 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 22.7(16.72 21.44) | 21.454 | 0.140 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.82(20.08 21.44) | 23.159 | 0.207 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.18(20.07 18.04) | 22.096 | 0.162 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.6(20.14 21) | 23.027 | 0.201 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.64(20.06 21.13) | 23.026 | 0.201 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.84(20.13 21.43) | 23.185 | 0.208 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.82(20.09 21.43) | 23.161 | 0.207 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.98(20.13 19.8) | 22.614 | 0.183 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.84(20.13 21.43) | 23.185 | 0.208 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.72(20.12 21.23) | 23.107 | 0.205 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.81(20.11 21.4) | 23.161 | 0.207 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.82(20.16 21.37) | 23.180 | 0.208 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1855MHz 25 16.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.73(20.08 21.28) | 23.096 | 0.204 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.85(19.83 21.66) | 23.102 | 0.204 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.08(19.8 18.19) | 21.927 | 0.156 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.55(19.82 21.16) | 22.891 | 0.195 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.74(19.81 21.49) | 23.019 | 0.200 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.85(19.82 21.66) | 23.096 | 0.204 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.99(19.83 20.13) | 22.518 | 0.179 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.83(19.8 21.65) | 23.080 | 0.203 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.79(19.82 21.57) | 23.058 | 0.202 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.82(19.81 21.62) | 23.073 | 0.203 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 23.85(19.72 21.73) | 23.069 | 0.203 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.12(19.73 18.38) | 21.924 | 0.156 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 23.55(19.71 21.24) | 22.857 | 0.193 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 23.95(19.73 21.89) | 23.145 | 0.206 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 23.82(19.73 21.67) | 23.049 | 0.202 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 23.92(19.73 21.84) | 23.123 | 0.205 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.05(19.73 20.33) | 22.523 | 0.179 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 23.82(19.7 21.7) | 23.045 | 0.202 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 24.02(19.73 22) | 23.194 | 0.209 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 23.86(19.75 21.72) | 23.082 | 0.203 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 24.04(19.66 22.07) | 23.187 | 0.208 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_1905MHz 26 70MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 23.78(19.74 21.6) | 23.025 | 0.201 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67 | 22.75(16.97 21.42) | 21.547 | 0.143 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67 | 18.71(10.65 17.97) | 17.093 | 0.051 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67 | 22.39(16.98 20.91) | 21.267 | 0.134 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 21.07(16.94 21.07) | 21.337 | 0.136 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67 | 22.75(16.92 21.44) | 21.538 | 0.142 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 22.7(16.78 21.42) | 21.467 | 0.140 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 21.72(16.97 19.95) | 20.766 | 0.119 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 22.76(16.95 21.44) | 21.550 | 0.143 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.6(16.97 21.21) | 21.428 | 0.139 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 22.67(16.68 21.41) | 21.420 | 0.139 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.55(16.7 21.24) | 21.329 | 0.136 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1855MHz 25 21.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 22.71(16.92 21.38) | 21.503 | 0.141 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67 | 21.69(16.23 21.37) | 21.216 | 0.132 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67 | 20.38(16.82 17.86) | 19.775 | 0.095 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67 | 21.68(13.96 20.88) | 20.118 | 0.103 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67 | 22.33(15.36 21.36) | 20.892 | 0.123 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 22.67(16.85 21.35) | 21.456 | 0.140 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 21.61(16.81 19.86) | 20.641 | 0.116 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 22.67(16.81 21.37) | 21.451 | 0.140 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2_BPSK_RB12@0 RB135@67 | 22.58(16.61 21.32) | 21.338 | 0.136 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1880MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 22.06(13.99 21.32) | 20.440 | 0.111 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB135@67 | 22.65(16.71 21.38) | 21.415 | 0.139 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB135@67 | 20.43(16.77 17.98) | 19.790 | 0.095 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB135@67 | 22.31(16.76 20.89) | 21.157 | 0.131 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@269 | 22.58(16.73 21.27) | 21.359 | 0.137 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB135@67 | 22.69(16.75 21.41) | 21.449 | 0.140 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67 | 22.7(16.79 21.41) | 21.466 | 0.140 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67 | 21.66(16.77 19.96) | 20.670 | 0.117 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67 | 22.65(16.56 21.43) | 21.383 | 0.137 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@269 | 22.76(16.79 21.49) | 21.512 | 0.142 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67 | 22.67(16.71 21.4) | 21.426 | 0.139 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@269 | 22.8(16.8 21.55) | 21.552 | 0.143 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 22.68(16.77 21.39) | 21.446 | 0.139 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 23.9(20.14 21.53) | 23.231 | 0.210 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 22.19(20.09 18.03) | 22.109 | 0.163 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 23.58(20.13 20.97) | 23.010 | 0.200 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.55(20.12 20.93) | 22.989 | 0.199 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 23.86(20.13 21.46) | 23.197 | 0.209 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 23.83(20.13 21.42) | 23.181 | 0.208 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.06(20.1 20) | 22.656 | 0.184 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 23.88(20.14 21.49) | 23.215 | 0.210 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.76(20.11 21.3) | 23.122 | 0.205 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 23.85(20.12 21.46) | 23.191 | 0.208 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.67(20.05 21.19) | 23.043 | 0.202 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1855MHz 25 21.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 23.87(20.14 21.48) | 23.211 | 0.209 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 23.84(19.78 21.68) | 23.082 | 0.203 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 22.1(19.82 18.2) | 21.945 | 0.156 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 23.54(19.82 21.14) | 22.883 | 0.194 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 23.79(19.79 21.59) | 23.049 | 0.202 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 23.82(19.81 21.62) | 23.073 | 0.203 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.02(19.85 20.16) | 23.176 | 0.208 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 23.84(19.81 21.66) | 23.575 | 0.228 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 23.74(19.8 21.5) | 23.521 | 0.225 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 23.75(19.8 21.51) | 23.677 | 0.233 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 23.86(19.71 21.75) | 23.072 | 0.203 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 22.08(19.71 18.32) | 21.893 | 0.155 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 23.57(19.73 21.25) | 22.873 | 0.194 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 23.93(19.71 21.86) | 23.120 | 0.205 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 23.84(19.73 21.71) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 23.85(19.74 21.71) | 23.072 | 0.203 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 23.02(19.73 20.28) | 22.505 | 0.178 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 23.78(19.75 21.59) | 23.026 | 0.201 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132 | 24.03(19.79 21.97) | 23.213 | 0.210 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32 | 23.81(19.73 21.66) | 23.044 | 0.202 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 24.07(19.81 22.03) | 23.251 | 0.211 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_1905MHz 26 64.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 23.85(19.75 21.71) | 23.077 | 0.203 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 23.87(20.17 21.45) | 23.217 | 0.210 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 22.2(20.11 18.01) | 22.120 | 0.163 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 23.59(20.11 21) | 23.008 | 0.200 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.71(20.31 21.06) | 23.157 | 0.207 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 23.75(20.1 21.29) | 23.112 | 0.205 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 23.87(20.1 21.5) | 23.616 | 0.230 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 23.09(20.12 20.04) | 23.028 | 0.201 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 23.85(20.1 21.48) | 23.513 | 0.225 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.67(20.22 21.06) | 23.521 | 0.225 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 23.87(20.15 21.47) | 23.213 | 0.210 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.83(20.31 21.27) | 23.234 | 0.211 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1855MHz 25 26MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 23.88(20.14 21.49) | 23.215 | 0.210 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 23.8(19.81 21.59) | 23.061 | 0.202 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 22.05(19.82 18.08) | 21.915 | 0.155 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 23.54(19.82 21.14) | 22.883 | 0.194 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 23.71(19.82 21.43) | 23.000 | 0.200 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 23.76(19.81 21.53) | 23.036 | 0.201 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 22.9(19.82 19.95) | 22.451 | 0.176 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 23.86(19.81 21.68) | 23.099 | 0.204 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 23.8(19.82 21.59) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 23.83(19.85 21.61) | 23.092 | 0.204 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 23.81(19.77 21.63) | 23.055 | 0.202 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 22.04(19.74 18.18) | 21.880 | 0.154 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 23.54(19.73 21.2) | 22.853 | 0.193 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 23.99(19.85 21.87) | 23.203 | 0.209 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 23.83(19.72 21.69) | 23.052 | 0.202 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 23.85(19.76 21.7) | 23.689 | 0.234 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 22.98(19.72 20.21) | 23.079 | 0.203 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 23.88(19.76 21.75) | 23.615 | 0.230 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161 | 24.03(19.7 22.03) | 23.871 | 0.244 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40 | 23.82(19.75 21.66) | 23.056 | 0.202 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 24.11(19.81 22.1) | 23.283 | 0.213 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_1905MHz 26 59.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 23.82(19.7 21.69) | 23.040 | 0.201 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 23.83(20.01 21.5) | 23.141 | 0.206 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 22.16(20 18.09) | 22.054 | 0.160 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 23.56(20.01 21.03) | 22.957 | 0.198 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.59(19.98 21.1) | 22.965 | 0.198 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 23.8(20 21.46) | 23.119 | 0.205 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.84(20.01 21.52) | 23.149 | 0.206 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.96(20.01 19.89) | 22.560 | 0.180 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.88(20.01 21.58) | 23.174 | 0.208 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.69(20.04 21.23) | 23.052 | 0.202 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.81(19.99 21.48) | 23.121 | 0.205 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.67(20.11 21.15) | 23.065 | 0.203 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1855MHz 25 36.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.78(20 21.43) | 23.107 | 0.204 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 23.81(19.85 21.58) | 23.080 | 0.203 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 22.05(19.82 18.08) | 21.915 | 0.155 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 23.53(19.86 21.1) | 23.475 | 0.223 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 23.82(19.85 21.6) | 23.552 | 0.227 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.84(19.84 21.64) | 23.573 | 0.228 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.97(19.81 20.11) | 23.225 | 0.210 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.73(19.85 21.44) | 23.022 | 0.201 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.75(19.84 21.48) | 23.032 | 0.201 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.74(19.84 21.46) | 23.024 | 0.201 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 23.88(19.74 21.76) | 23.093 | 0.204 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 22.12(19.73 18.39) | 21.926 | 0.156 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 23.59(19.75 21.27) | 22.893 | 0.195 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 24.04(19.73 22.03) | 23.207 | 0.209 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 23.89(19.74 21.78) | 23.102 | 0.204 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 23.85(19.74 21.72) | 23.076 | 0.203 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 23.06(19.76 20.32) | 22.538 | 0.179 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 23.88(19.77 21.74) | 23.102 | 0.204 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216 | 24.08(19.74 22.09) | 23.240 | 0.211 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 23.84(19.73 21.71) | 23.066 | 0.203 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 24.15(19.79 22.16) | 23.299 | 0.214 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_1905MHz 26 49.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 23.87(19.76 21.74) | 23.096 | 0.204 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 23.86(20.02 21.55) | 23.167 | 0.207 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 22.13(20.03 17.96) | 22.047 | 0.160 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 23.57(20.03 21.03) | 23.451 | 0.221 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.62(20.02 21.13) | 23.381 | 0.218 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 23.84(20.01 21.52) | 23.528 | 0.225 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 23.84(19.99 21.54) | 23.688 | 0.234 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 23.07(20.04 20.08) | 22.641 | 0.184 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 23.84(20 21.53) | 23.147 | 0.206 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.8(20.21 21.3) | 23.184 | 0.208 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 23.84(20.04 21.5) | 23.159 | 0.207 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.78(20.11 21.35) | 23.142 | 0.206 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1855MHz 25 41MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 23.75(20 21.38) | 23.087 | 0.204 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 23.77(19.82 21.54) | 23.046 | 0.202 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 22.07(19.85 18.1) | 21.943 | 0.156 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 23.51(19.84 21.08) | 22.872 | 0.194 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 23.78(19.82 21.55) | 23.050 | 0.202 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 23.79(19.84 21.55) | 23.061 | 0.202 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 22.99(19.84 20.11) | 22.518 | 0.179 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 23.76(19.84 21.5) | 23.041 | 0.201 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 23.78(19.83 21.54) | 23.051 | 0.202 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1880MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 23.77(19.84 21.51) | 23.045 | 0.202 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 23.88(19.76 21.76) | 23.105 | 0.204 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 22.1(19.73 18.34) | 21.913 | 0.155 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 23.56(19.75 21.23) | 23.520 | 0.225 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 24.09(19.9 22) | 23.707 | 0.235 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 23.76(19.7 21.59) | 23.554 | 0.227 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 23.81(19.76 21.63) | 23.720 | 0.236 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 23.03(19.77 20.26) | 22.524 | 0.179 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB120@60 | 23.87(19.75 21.75) | 23.095 | 0.204 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@244 | 24.01(19.81 21.94) | 23.211 | 0.209 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB120@60 | 23.82(19.78 21.64) | 23.065 | 0.203 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 23.98(19.76 21.91) | 23.170 | 0.207 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_1905MHz 26 44.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 23.81(19.74 21.65) | 23.046 | 0.202 | 2.00 | Pass |

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_2A_n41A:

n41:

1.Ant Gain =-1.49 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB;**

2A:

1.Ant Gain =0.88 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;**