




EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS



<p>EUT View 1</p>	 <p>A photograph showing a green cylindrical device (EUT) lying horizontally on a blue textured surface. A white cable is connected to the top of the device. The device has a white label with the following text: AMPCEL-0.6/50, PN: 62006000, DC 12V 0.84A, 0.6Nm, 50r/min, 10W, IP20, and B-DIRECTIONAL. A ruler is placed vertically to the left of the device, showing measurements in millimeters and centimeters.</p>
<p>EUT View 2</p>	 <p>A photograph showing the same green cylindrical device (EUT) from a different perspective, lying horizontally on a blue textured surface. The white cable is connected to the top of the device. A ruler is placed vertically to the left of the device, showing measurements in millimeters and centimeters. The label on the device is partially visible, showing 'MADE IN PRC'.</p>

EUT View 3



EUT View 4



<p>EUT View 5</p>	 <p>A side view of a green cylindrical battery. The battery has a white label with the text "AMPCEL-0.6/50" and "P/N: 02000000" printed on it. Below the battery, a black ruler with white markings is visible, showing measurements in millimeters and centimeters. The background is a light blue textured surface.</p>
<p>EUT View 6</p>	 <p>A close-up view of the black end cap of the battery. The end cap has a hexagonal opening. Below the end cap, a black ruler with white markings is visible, showing measurements in millimeters and centimeters. The background is a light blue textured surface.</p>