

## Appendix B

### RF Test Data for BT V5.0(BT LE) (Conducted Measurement)

Product Name: Vivi Wireless Presentation

Trade Mark: Vivi


Test Model: VWP-205-16

#### Environmental Conditions

Temperature:	20.1°C
Relative Humidity:	51.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Carl Fu
Supervised by:	Li Huan


#### B.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



### B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.611	30	PASS
BT LE	MCH	1.064	30	PASS
BT LE	HCH	2.002	30	PASS








### B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-16.047	8	PASS
BT LE	MCH	-14.343	8	PASS
BT LE	HCH	-13.386	8	PASS

#### Test Graphs



HCH



**B.4 6dB Bandwidth**

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6744	≥0.5	PASS
BT LE	MCH	0.6719	≥0.5	PASS
BT LE	HCH	0.6781	≥0.5	PASS

Test Graphs																
LCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.402000000 GHz    Center Freq: 2.402000000 GHz    Radio Std: None</p> <p>Trig: Free Run    AvgHold: 1/1    Radio Device: BTS</p> <p>#IFGain:Low    #Atten: 30 dB</p> <p>Ref Offset 8.05 dB    Ref 20.00 dBm    Mkr1 2.4022299 GHz    -1.5285 dBm</p> <p>Center 2.402 GHz    #Res BW 100 kHz    #VBW 300 kHz    Span 3 MHz    Sweep 1.067 ms</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>5.66 dBm</td> </tr> <tr> <td><b>1.0359 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-7.747 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>674.4 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p>MSG    STATUS</p>	Occupied Bandwidth	Total Power	5.66 dBm	<b>1.0359 MHz</b>			Transmit Freq Error	-7.747 kHz	OBW Power	x dB Bandwidth	674.4 kHz	x dB			-6.00 dB
	Occupied Bandwidth	Total Power	5.66 dBm													
<b>1.0359 MHz</b>																
Transmit Freq Error	-7.747 kHz	OBW Power														
x dB Bandwidth	674.4 kHz	x dB														
		-6.00 dB														
MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.440000000 GHz    Center Freq: 2.440000000 GHz    Radio Std: None</p> <p>Trig: Free Run    AvgHold: 1/1    Radio Device: BTS</p> <p>#IFGain:Low    #Atten: 30 dB</p> <p>Ref Offset 8.05 dB    Ref 20.00 dBm    Mkr1 2.4402288 GHz    0.15580 dBm</p> <p>Center 2.44 GHz    #Res BW 100 kHz    #VBW 300 kHz    Span 3 MHz    Sweep 1.067 ms</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>7.29 dBm</td> </tr> <tr> <td><b>1.0351 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-6.499 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>671.9 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p>MSG    STATUS</p>	Occupied Bandwidth	Total Power	7.29 dBm	<b>1.0351 MHz</b>			Transmit Freq Error	-6.499 kHz	OBW Power	x dB Bandwidth	671.9 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	7.29 dBm														
<b>1.0351 MHz</b>																
Transmit Freq Error	-6.499 kHz	OBW Power														
x dB Bandwidth	671.9 kHz	x dB														
		-6.00 dB														

HCH

Agilent Spectrum Analyzer - Occupied BW			
RL	RF	50 Ω	AC
SENSE:INT		ALIGN:AUTO	
09:27:39 AM May 20, 2021			
<b>Center Freq 2.480000000 GHz</b>		Center Freq: 2.480000000 GHz	Radio Std: None
		Trig: Free Run	AvgHold: 1/1
		#IFGain:Low	#Atten: 30 dB
Radio Device: BTS			
10 dB/div		<b>Mkr1 2.4802258 GHz</b>	
Log		<b>1.0850 dBm</b>	
Ref Offset 8.05 dB			
Ref 20.00 dBm			
Center 2.48 GHz		Span 3 MHz	
#Res BW 100 kHz		#VBW 300 kHz	
		Sweep 1.067 ms	
<b>Occupied Bandwidth</b>		<b>Total Power</b>	<b>8.24 dBm</b>
<b>1.0352 MHz</b>			
<b>Transmit Freq Error</b>	<b>-6.690 kHz</b>	<b>OBW Power</b>	<b>99.00 %</b>
<b>x dB Bandwidth</b>	<b>678.1 kHz</b>	<b>x dB</b>	<b>-6.00 dB</b>
MSG		STATUS	

Frequency

---

Center Freq

2.480000000 GHz

---

CF Step

300.000 kHz

Auto Man

---


Freq Offset

0 Hz

### B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.548	-37.080	-21.548	PASS
BT LE	MCH	0.147	-37.986	-19.853	PASS
BT LE	HCH	1.014	-37.561	-18.986	PASS


BT LE LCH Graphs






BT LE\_MCH\_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE\_HCH\_Graphs

Pref/BT LE/HCH





Puw/BT LE/HCH



### B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.252	-49.113	-21.25	PASS
BT LE	HCH	1.296	-49.326	-18.7	PASS


Test Graphs

LCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
HCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>


## B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.73	3.0	0	54.50	PEAK	74	PASS
		Ant1	2310.0	-53.15	3.0	0	45.08	AV	54	PASS
		Ant1	2390.0	-43.47	3.0	0	54.76	PEAK	74	PASS
		Ant1	2390.0	-52.92	3.0	0	45.31	AV	54	PASS
	2480	Ant1	2483.5	-40.89	3.0	0	57.34	PEAK	74	PASS
		Ant1	2483.5	-51.10	3.0	0	47.13	AV	54	PASS
		Ant1	2500.0	-42.16	3.0	0	56.07	PEAK	74	PASS
		Ant1	2500.0	-52.26	3.0	0	45.97	AV	54	PASS


Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

