

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM200300165602 Page: 1 of 48

# **TEST REPORT**

Application No.:	SZEM2003001656CR
Applicant:	Theragun, Inc.
Address of Applicant:	2803 Colorado Avenue, Santa Monica, California 90404, United States
Manufacturer:	Theragun, Inc.
Address of Manufacturer:	2803 Colorado Avenue, Santa Monica, California 90404, United States
Factory:	Shenzhen Xiang Zhida Technology Co., Ltd.
Address of Factory:	Room 101, 201, 301, 401, Building C, No.121 of Lianxin Road, Wulian Community, Longgang Street, Longgang District, Shenzhen, P.R.C
Equipment Under Test (EUT	):
EUT Name:	Wave Roller
Model No.:	Wave Roller
Trade Mark:	Theragun
FCC ID:	2AU6TWAVE-01
Standard(s) :	47 CFR Part 15, Subpart C 15.247
Date of Receipt:	2020-03-19
Date of Test:	2020-03-21 to 2020-04-25
Date of Issue:	2020-04-29
Test Result:	Pass*

\* In the configuration tested, the EUT complied with the standards specified above.

Keny. XN

Keny Xu EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond



Report No.: SZEM200300165602 Page: 2 of 48

Revision Record						
Version	Chapter	Date	Modifier	Remark		
01		2020-04-29		Original		

Authorized for issue by:		
	Bive chen	
	Bill Chen /Project Engineer	-
	Evic Fu	
	Eric Fu /Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.1 Workshop, M-10, Mildle Section, Science & realinology Pairk, Stienzzien, China 518057 t (66-755) 26012053 t (66-755) 26710594 www.sgsgroup.com 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



Report No.: SZEM200300165602 Page: 3 of 48

#### 2 **Test Summary**

Radio Spectrum Technical Requirement					
Item Standard Method Requirement Result					
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass	

Radio Spectrum Matter Part						
Item	Standard	Method	Requirement	Result		
Minimum 6dB	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Bandwidth	Subpart C 15.247	Section 11.8.1	C 15.247a(2)			
Conducted Peak	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Output Power	Subpart C 15.247	Section 11.9.1	C 15.247(b)(3)			
Power Spectrum	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Density	Subpart C 15.247	Section 11.10.2	C 15.247(e)			
Conducted Band	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Edges Measurement	Subpart C 15.247	Section 11.13.3.2	C 15.247(d)			
Conducted Spurious	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Emissions	Subpart C 15.247	Section 11.11	C 15.247(d)			
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious	47 CFR Part 15,	ANSI C63.10 (2013)	47 CFR Part 15, Subpart	Pass		
Emissions	Subpart C 15.247	Section 6.4,6.5,6.6	C 15.205 & 15.209			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 4 of 48

# 3 Contents

		Page							
1	1 COVER PAGE	1							
2	2 TEST SUMMARY								
3	3 CONTENTS	4							
4	4 GENERAL INFORMATION	6							
	4.1 DETAILS OF E.U.T.								
	4.2 DESCRIPTION OF SUPPORT UNITS	-							
	4.3 MEASUREMENT UNCERTAINTY								
	<ul> <li>4.4 Test Location</li> <li>4.5 Test Facility</li> </ul>								
	4.6 DEVIATION FROM STANDARDS								
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS								
5	5 EQUIPMENT LIST	9							
•									
6	6 RADIO SPECTRUM TECHNICAL REQUIREMENT	12							
	6.1 ANTENNA REQUIREMENT								
	6.1.1 Test Requirement:								
	6.1.2 Conclusion								
7	7 RADIO SPECTRUM MATTER TEST RESULTS	13							
	7.1 MINIMUM 6DB BANDWIDTH	13							
	7.1.1 E.U.T. Operation								
	7.1.2 Test Setup Diagram								
	7.1.3 Measurement Procedure and Data								
	7.2 CONDUCTED PEAK OUTPUT POWER								
	7.2.7 E.O.T. Operation 7.2.2 Test Setup Diagram								
	7.2.3 Measurement Procedure and Data								
	7.3 POWER SPECTRUM DENSITY								
	7.3.1 E.U.T. Operation								
	7.3.2 Test Setup Diagram								
	<ul> <li>7.3.3 Measurement Procedure and Data</li> <li>7.4 CONDUCTED BAND EDGES MEASUREMENT</li> </ul>								
	7.4.1 E.U.T. Operation								
	7.4.2 Test Setup Diagram								
	7.4.3 Measurement Procedure and Data								
	7.5 CONDUCTED SPURIOUS EMISSIONS								
	7.5.1 E.U.T. Operation								
	7.5.2 Test Setup Diagram								
	<ul> <li>7.5.3 Measurement Procedure and Data</li> <li>7.6 RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS</li> </ul>								
	7.6 RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS								
	7.6.2 Test Setup Diagram								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document for annot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esgs.com</a>



## SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

Report No.: SZEM200300165602 Page: 5 of 48

	7.6.3	B Measurement Procedure and Data	
		RADIATED SPURIOUS EMISSIONS	
	7.7.3	E.U.T. Operation	
	7.7.2	Test Setup Diagram	
	7.7.3	Measurement Procedure and Data	29
8	PHO	TOGRAPHS	
	8.1	TEST SETUP	
	8.2	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	
9	APP	ENDIX	
	9.1	Appendix 15.247	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 6 of 48

# 4 General Information

### 4.1 Details of E.U.T.

Power Supply:	Rechargeable battery: DC 11.1V 1950mAh(Charge by adapter)
	Adapter:
	Model:EA1046SAR
	Input:AC 100-240V 1.5A 50/60Hz
	Output:DC 20V 2.25A
Bluetooth Version:	V5.0 LE
Operation Frequency:	2402MHz to 2480MHz
Modulation Type:	GFSK
Number of Channels:	40
Channel Spacing:	2MHz
Antenna Type:	Integral Antenna
Antenna Gain:	0dBi

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2402MHz	11	2422MHz	21	2442MHz	31	2462MHz
2	2404MHz	12	2424MHz	22	2444MHz	32	2464MHz
3	2406MHz	13	2426MHz	23	2446MHz	33	2466MHz
4	2408MHz	14	2428MHz	24	2448MHz	34	2468MHz
5	2410MHz	15	2430MHz	25	2450MHz	35	2470MHz
6	2412MHz	16	2432MHz	26	2452MHz	36	2472MHz
7	2414MHz	17	2434MHz	27	2454MHz	37	2474MHz
8	2416MHz	18	2436MHz	28	2456MHz	38	2476MHz
9	2418MHz	19	2438MHz	29	2458MHz	39	2478MHz
10	2420MHz	20	2440MHz	30	2460MHz	40	2480MHz

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The lowest channel (CH1)	2402MHz
The middle channel (CH20)	2440MHz
The highest channel (CH40)	2480MHz

### 4.2 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN\_Doccheck@gs.com</u>] [No! Workhon, M-10, Middle Section, Science & Echnology Park, Shenzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (66-755)26012053 f (66-755)26710594

8 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)



Report No.: SZEM200300165602 Page: 7 of 48

#### Measurement Uncertainty 4.3

No.	Item	Measurement Uncertainty		
1	Radio Frequency	± 7.25 x 10-8		
2	Duty cycle	± 0.37%		
3	Occupied Bandwidth	± 3%		
4	RF conducted power	± 0.75dB		
5	RF power density	± 2.84dB		
6	Conducted Spurious emissions	± 0.75dB		
7	RF Radiated power	± 4.5dB (Below 1GHz)		
		± 4.8dB (Above 1GHz)		
8	Radiated Spurious emission test	± 4.5dB (Below 1GHz)		
		± 4.8dB (Above 1GHz)		
9	Temperature test	± 1°C		
10	Humidity test	± 3%		
11	Supply voltages	± 1.5%		
12	Time	± 3%		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 8 of 48

### 4.4 Test Location

All tests were performed at: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057. Tol: +86 755 2601 2053

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### • A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### • VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

### • FCC – Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

### • Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

### 4.6 Deviation from Standards

None

### 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 9 of 48

#### **Equipment List** 5

RF Conducted							
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date		
Shielding Room	SAEMC	MSR733	SEM001-09	2019-06-13	2022-06-12		
DC Dower Supply	Rohde & Schwarz	NGSM 32/10	SEM011-04	2019-03-25	2020-03-24		
DC Power Supply	Ronde & Schwarz	NGSIN 32/10	SEM011-04	2020-03-24	2021-03-23		
Speatrum Analyzar	Rohde & Schwarz	FSU43	SEM004-08	2019-04-02	2020-04-01		
Spectrum Analyzer	Ronde & Schwarz	F3043	3EM004-06	2020-04-01	2021-03-31		
Measurement Software	JS Tonscend	JS1120-2 BT/WIFI V2.	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM031-01	2019-07-11	2020-07-10		
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A		
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2019-09-24	2020-09-23		
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2019-09-24	2020-09-23		
Electric and Magnetic Field Analyzer	Narda	EHP-50F	SEM022-05	2019-11-28	2020-11-27		
Electric Field Probe	WANDEL & GOLTERMANN	EMR-20	EMC0907	2019-05-21	2020-05-20		
EMF Tester	Narda	ELT-400	SZE039-4	2019-07-08	2020-07-07		

Radiated Emissions whi	Manufacturar	MedalNa	Inventory No.	Cal Data	Cal Due Date	
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date	
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018-03-13	2021-03-12	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	
Coaxial Cable	SGS	N/A	SEM026-01	2019-07-11	2020-07-10	
EXA Spectrum Analyzer	AgilentTechnologies	N9010A	SEM004-12	2019-04-10	2020-04-09	
EAA Spectrum Analyzer	Inc	N9010A		2020-04-09	2021-04-08	
Horn Antenna	orn Antenna Rohde & Schwarz		SEM003-07	2018-04-13	2021-04-12	
Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2017-10-17	2020-10-16	
Pre-Amplifier	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2019-09-24	2020-09-23	
Dro omplifior	Rohde & Schwarz	CH14-H052	SEM005-17	2019-04-02	2020-04-01	
Pre-amplifier	Ronde & Schwarz	СП14-П052	SEIVI005-17	2020-04-01	2021-03-31	
	Compliance			2019-04-02	2020-04-01	
Pre-amplifier	Directions Systems Inc.	PAP-2640-50	SEM005-08	2020-04-01	2021-03-31	
DC Power Supply	Zhao Xin	KXN-6020D	SEM011-08	2019-09-24	2020-09-23	
Active Loop Antenna	ETS-Lindgren	6502	SEM003-08	2017-08-22	2020-08-21	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 10 of 48

RE in Chamber						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date	
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017-08-05	2020-08-04	
MXE EMI receiver(3Hz- 3.6GHz)	KEYSIGHT	N9038A	SEM004-15	2019-12-16	2020-12-15	
BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017-06-27	2020-06-26	
Pre-amplifier	Agilent Technologies	8447D	SEM005-01	2019-04-02	2020-04-01	
(0.1-1300MHz)	Aglient rechnologies	0447D	SEM005-01	2020-04-01	2021-03-31	
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A	
Coaxial Cable	SGS	N/A	SEM025-01	2019-07-11	2020-07-10	

RE in Chamber 2#							
Test Equipment	Manufacturer	Model No.	Model No. Inventory No.		Cal. Due date (yyyy-mm-dd)		
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018-03-13	2021-03-12		
EXA Signal Analyzer	Agilent Technologies	N9010A	SEM004-12	2019-04-10	2020-04-09		
(10Hz-44GHz)	Inc	NSUTUA	SEIVI004-12	2020-04-09	2021-04-08		
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017-06-27	2020-06-26		
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018-04-13	2021-04-12		
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2019-09-24	2020-09-23		
Pre-Amplifier	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2019-09-24	2020-09-23		
(0.1-26.5GHz) Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM026-01	2019-07-11	2020-07-10		

General used equipment							
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date		
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-03	2019-09-26	2020-09-25		
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-04	2019-09-26	2020-09-25		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

Report No.: SZEM200300165602 Page: 11 of 48

Humidity/ Temperature Indicator	Mingle	N/A	SEM002-08	2019-09-26	2020-09-25
	Changchun	DYM3		2019-04-08	2020-04-07
Barometer	Meteorological Industry Factory		SEM002-01	2020-04-07	2021-04-06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 12 of 48

# 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

### 6.1.2 Conclusion

### Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 0dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 13 of 48

#### **Radio Spectrum Matter Test Results** 7

#### 7.1 Minimum 6dB Bandwidth


Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1
Limit:	≥500 kHz

### 7.1.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	25.6 °C	Humidity:	48.7 % RH	Atmospheric Pressure:	1015	mbar
Test mode	a:TX mode_K modulation	eep the EUT	in continuously t	ransmitting mode with GFS	SK	

### 7.1.2 Test Setup Diagram



# Ground Reference Plane

### 7.1.3 Measurement Procedure and Data

The detailed test data see: Appendix 15.247



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

www.sgsgroup.com.cn



Report No.: SZEM200300165602 Page: 14 of 48

### 7.2 Conducted Peak Output Power

Test Requirement	47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method:	ANSI C63.10 (2013) Section 11.9.1
Limit:	

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: SZEM200300165602 Page: 15 of 48

### 7.2.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	25.6 °C	Humidity:	48.7 % RH	Atmospheric Pressure:	1015	mbar
Test mode	a:TX mode_K modulation	eep the EUT	in continuously t	ransmitting mode with GF	SK	

### 7.2.2 Test Setup Diagram



### Ground Reference Plane

### 7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix 15.247



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM200300165602 Page: 16 of 48

### 7.3 Power Spectrum Density


Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2
Limit:	${\leq}8\text{dBm}$ in any 3 kHz band during any time interval of continuous transmission

### 7.3.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 25.6 °C Humidity: 48.7 % RH Atmospheric Pressure: 1015 mbar a:TX mode\_Keep the EUT in continuously transmitting mode with GFSK Test mode modulation

### 7.3.2 Test Setup Diagram



### Ground Reference Plane

### 7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix 15.247



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



Report No.: SZEM200300165602 Page: 17 of 48

### 7.4 Conducted Band Edges Measurement

**Test Requirement** Test Method: Limit:

47 CFR Part 15, Subpart C 15.247(d) ANSI C63.10 (2013) Section 11.13.3.2

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days on).

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sqsqroup.com.cn




Report No.: SZEM200300165602 Page: 18 of 48

### 7.4.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	25.6 °C	Humidity:	48.7 % RH	Atmospheric Pressure:	1015	mbar
Test mode	a:TX mode_Ke modulation	eep the EUT	in continuously tr	ansmitting mode with GF	SK	

### 7.4.2 Test Setup Diagram



### Ground Reference Plane

### 7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix 15.247



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM200300165602 Page: 19 of 48

### 7.5 Conducted Spurious Emissions

Test Requirement
Test Method:
Limit:

47 CFR Part 15, Subpart C 15.247(d) ANSI C63.10 (2013) Section 11.11

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days on).

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn

Member of the SGS Group (SGS SA)




Report No.: SZEM200300165602 Page: 20 of 48

### 7.5.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	25.6 °C	Humidity:	48.7 % RH	Atmospheric Pressure:	1015	mbar
Test mode	a:TX mode_Ke modulation	eep the EUT	in continuously tr	ansmitting mode with GF	SK	

### 7.5.2 Test Setup Diagram



### Ground Reference Plane

### 7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix 15.247



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM200300165602 Page: 21 of 48

### 7.6 Radiated Emissions which fall in the restricted bands

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.10.5
Measurement Distance:	3m
Limit:	

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3


Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

### 7.6.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	23.5 °C	Humidity:	56.3 % RH	Atmospheric Pressure: 1015	mbar
Test mode	a:TX mode_Ke modulation	ep the EUT	in continuously tr	ansmitting mode with GFSK	

### 7.6.2 Test Setup Diagram



30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594

中国・深圳・科技园中区M-10栋一号厂房

www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 22 of 48

#### 7.6.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) lare retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, to the the test open refer only to the sample(s) lested and such sample(s) lested contact us at telephone: (86-755) 8307 1443, to the test open refer only to the sample(s) lested and such sample(s) lested contact us at telephone: (86-755) 8307 1443, to the test open refer only to the test open refer only to the sample(s) lested and such sample(s) lested contact us at telephone: (86-755) 8307 1443, to the test open refer only to the test open refer only to the sample(s) lested contact us at telephone: (86-755) 8307 1443, to the test open refer only to the test open refer only to the test open refer only to the sample(s) lested contact us at telephone: (86-755) 8307 1443, to the test open refer only to the test op

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 23 of 48

Mode:a; Polarization:Horizontal; Modulation:GFSK; Channel:Low



Condi Job N	Site : chamber Condition: 3m HORIZONTAL Job No : 01656CR\01657CR Mode : 2402 Band edge										
Mode	: 24	oz Ban	a eage								
Note	: BL	E									
		Cable	Ant	Preamp	Read		Limit	0ver			
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB			
1	2388.647	3.69	28.52	40.97	49.51	40.75	74.00	-33.25	peak		
2	2390.000	3.69	28.52	40.97	47.81	39.05	74.00	-34.95	peak		
3 *	2402.000	3.63	28.54	40.98	90.93	82.12	74.00	8.12	peak		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-end-Conditions/Te

的 日 所 2 检验检测专用章 Inspection & Testing Services SGS-CST Cong and Fechnical Services SGS-CST Cong and Fechnical Services Ferzinen Branch - Services SGS-CST Cong and Fechnical Services Ferzinen Branch - Services Ferzinen

No.1 Workshop, M-10, Miodia Securit, Science & recimiology Park, Scienczien, Gillia 518057 t (66-755) 26012053 f (66-755) 26710594 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (66-755) 26012053 f (66-755) 26710594


or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

Member of the SGS Group (SGS SA)



Report No.: SZEM200300165602 Page: 24 of 48

Mode:a; Polarization:Vertical; Modulation:GFSK; Channel:Low



Site : chamber Condition: 3m VERTICAL											
Job No : 01656CR\01657CR											
Mode	Mode : 2402 Band edge										
Note	: BLI	E	_								
		Cable	Ant	Preamp	Read		Limit	0ver			
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB			
1	2388.748	3.69	28.52	40.97	49.94	41.18	74.00	-32.82	peak		
2	2390.000	3.69	28.52	40.97	48.62	39.86	74.00	-34.14	peak		
3 *	2402.000	3.63	28.54	40.98	92.18	83.37	74.00	9.37	peak		






中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM200300165602 Page: 25 of 48

Mode:a; Polarization:Horizontal; Modulation:GFSK; Channel:High



Job N	: ch tion: 3m o : 01 : 24 : BL	656CR\ 80 Ban	01657C	R					
		-	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 *	2480.000	3.99	28.67	41.01	88.47	80.12	74.00	6.12	peak
2	2483.500	4.01	28.67	41.01	52.36	44.03	74.00	-29.97	peak
3	2484.970	4.01	28.68	41.01	52.76	44.44	74.00	-29.56	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)



Report No.: SZEM200300165602 26 of 48 Page:

Mode:a; Polarization:Vertical; Modulation:GFSK; Channel:High





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn

Member of the SGS Group (SGS SA)



Report No.: SZEM200300165602 Page: 27 of 48

### 7.7 Radiated Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.4,6.5,6.6
Measurement Distance:	3m
Limit:	

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: SZEM200300165602 Page: 28 of 48

### 7.7.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 23 °C Humidity: 50 % RH Atmospheric Pressure: 1015 mbar Test mode a:TX mode\_Keep the EUT in continuously transmitting mode with GFSK modulation

### 7.7.2 Test Setup Diagram



Above 1GHz





Report No.: SZEM200300165602 Page: 29 of 48

#### 7.7.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark:

1) For emission below 1GHz, through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

3) Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

4) For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lest entation, forgery or faisification of y desting /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com




# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM200300165602 Page: 30 of 48

#### Radiated emission below 1GHz

Mode: a; Polarization: Horizontal



Condition: 3m HORIZONTAL Job No. : 01656CR Test Mode: a

	Freq			Preamp Factor					Remark
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	101.29	1.20	13.94	27.63	37.22	24.73	43.50	-18.77	QP
2	164.33	1.34	15.59	27.30	37.80	27.43	43.50	-16.07	QP
3	242.53	1.64	18.84	27.04	33.72	27.16	46.00	-18.84	QP
4	425.03	2.31	23.00	27.53	30.85	28.63	46.00	-17.37	QP
5	640.61	2.79	27.15	28.07	28.64	30.51	46.00	-15.49	QP
6 pp	774.16	3.13	28.35	27.77	27.62	31.33	46.00	-14.67	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditins/Terms-end-Conditions/Term

No.1 Workshop, M-10, Middle Section, Science & lectrinology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

Report No.: SZEM200300165602 Page: 31 of 48

Mode: a; Polarization: Vertical



#### Condition: 3m VERTICAL Job No. : 01656CR Test Mode: a

	Freq			Preamp Factor					Remark
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	49.19	0.78	14.44	27.69	42.56	30.09	40.00	-9.91	QP
2				27.68					-
3	100.93	1.20	13.95	27.63	42.33	29.85	43.50	-13.65	QP
4	126.77	1.27	13.31	27.48	42.72	29.82	43.50	-13.68	QP
5	162.61	1.34	15.55	27.31	40.37	29.95	43.50	-13.55	QP
6	236.64	1.61	18.54	27.05	35.23	28.33	46.00	-17.67	QP
2 3 4 5	60.92 100.93 126.77 162.61	0.80 1.20 1.27 1.34	13.16 13.95 13.31 15.55	27.68 27.63 27.48 27.31	41.41 42.33 42.72 40.37	27.69 29.85 29.82 29.95	40.00 43.50 43.50 43.50	-12.31 -13.65 -13.68 -13.55	QP QP QP QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 32 of 48

Above 1GHz

Mode:a; Polarization:Horizontal; Modulation:GFSK; Channel:Low



Site :	chamber
Condition:	3m HORIZONTAL
Job No :	01656CR\01657CR
Mode :	2402 TX SE
Note :	BLE
	Cable Ant Dree

		-							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1687.347	3.27	26.62	40.62	47.43	36.70	74.00	-37.30	peak
2	4354.454	6.51	33.35	42.44	48.36	45.78	74.00	-28.22	peak
3	4804.000	6.80	33.97	42.77	48.28	46.28	74.00	-27.72	peak
4	6995.172	7.81	35.90	41.69	47.95	49.97	74.00	-24.03	peak
5	7206.000	8.44	36.07	41.58	46.34	49.27	74.00	-24.73	peak
6	9608.000	9.17	37.67	38.57	42.97	51.24	74.00	-22.76	peak
									-



检验检测专用章 hspecton & Testing Services SGS-CST Standards Technical Services Co.,Ltd Shenzhen Branch Service Laboratory.


No.1 Worksnop, M-10, Middle Section, Science & lechnology Park, Shenzhen, Unita 518057 t (86-755) 26012053 f (86-755) 26710594 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



Report No.: SZEM200300165602 Page: 33 of 48

Mode:a; Polarization:Vertical; Modulation:GFSK; Channel:Low



Site :	chamber
Condition:	3m VERTICAL
Job No :	01656CR\01657CR
Mode :	2402 TX SE
Note :	BLE

		-							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1697.129	3.30	26.66	40.63	46.96	36.29	74.00	-37.71	peak
2	4482.150	6.43	33.57	42.54	47.95	45.41	74.00	-28.59	peak
3	4804.000	6.80	33.97	42.77	49.60	47.60	74.00	-26.40	peak
4	6795.879	8.00	35.78	41.79	47.62	49.61	74.00	-24.39	peak
5	7206.000	8.44	36.07	41.58	47.34	50.27	74.00	-23.73	peak
6	9608.000	9.17	37.67	38.57	42.80	51.07	74.00	-22.93	peak
									-



检验检测专用章 spection & Testing Services Shenzhen R Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 34 of 48

Mode:a; Polarization:Horizontal; Modulation:GFSK; Channel:middle



Site :	chamber							
Condition:	3m HORIZONTAL							
Job No :	01656CR\01657CR							
Mode :	2440 TX SE							
Note :	BLE							
	Cable Ant Dry							

		-							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1335.141	2.71	25.17	40.39	49.19	36.68	74.00	-37.32	peak
2	4456.315	6.51	33.53	42.52	48.51	46.03	74.00	-27.97	peak
3	4880.000	7.02	34.06	42.82	48.37	46.63	74.00	-27.37	peak
4	6053.894	7.39	35.16	42.21	49.39	49.73	74.00	-24.27	peak
5	7323.000	8.36	36.16	41.52	45.67	48.67	74.00	-25.33	peak
6	9764.000	9.30	37.76	38.34	43.19	51.91	74.00	-22.09	peak
									-

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Co

检验检测专用章 spection & Testing Services Shenzhen R


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 35 of 48

Mode:a; Polarization:Vertical; Modulation:GFSK; Channel:middle



Site :	chamber
Condition:	3m VERTICAL
Job No :	01656CR\01657CR
Mode :	2440 TX SE
Note :	BLE
	Cable Ant Dea

		-							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1335.141	2.71	25.17	40.39	48.74	36.23	74.00	-37.77	peak
2	4430.628	6.59	33.48	42.50	49.08	46.65	74.00	-27.35	peak
3	4880.000	7.02	34.06	42.82	47.53	45.79	74.00	-28.21	peak
4	6698.373	8.34	35.72	41.84	47.98	50.20	74.00	-23.80	peak
5	7323.000	8.36	36.16	41.52	46.74	49.74	74.00	-24.26	peak
6	9764.000	9.30	37.76	38.34	42.93	51.65	74.00	-22.35	peak
									-



检验检测专用章 spection & Testing Services Shenzhen R


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 36 of 48

Mode:a; Polarization:Horizontal; Modulation:GFSK; Channel:High



Site	:	chamber
Condition	<b>1:</b>	3m HORIZONTAL
Job No	:	01656CR\01657CR
Mode	:	2480 TX SE
Note	:	BLE
		Cable Ant Preamp
	Γ	and I and Frankers Frankers

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1335.141	2.71	25.17	40.39	49.49	36.98	74.00	-37.02	peak
2	4417.841	6.63	33.46	42.49	48.82	46.42	74.00	-27.58	peak
3	4960.000	7.02	34.15	42.87	47.45	45.75	74.00	-28.25	peak
4	6874.906	7.87	35.83	41.75	47.57	49.52	74.00	-24.48	peak
5	7440.000	8.10	36.25	41.46	46.14	49.03	74.00	-24.97	peak
6	9920.000	8.96	37.85	38.12	42.36	51.05	74.00	-22.95	peak
									-



检验检测专用章 spection & Testing Services Shenzhen R


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)



Report No.: SZEM200300165602 37 of 48 Page:

Mode:a; Polarization:Vertical; Modulation:GFSK; Channel:High





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 38 of 48

## 8 Photographs

## 8.1 Test Setup

Please refer to setup photos.

## 8.2 EUT Constructional Details (EUT Photos)

Please Refer to external and internal photos for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents, aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tk (86-755) 26012053 fk (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 tk (86-755) 26012053 fk (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 39 of 48

# 9 Appendix


## 9.1 Appendix 15.247

## 1. Bandwidth

#### 1.1 Test Result

Test Mode	Frequenc y (MHz)	ТХ Туре	ANT No.	6dB Ba		
				Test Result (MHz)	Limits (MHz)	Verdict
1M	2402	SISO	1	0.687	≥0.5	PASS
	2440	SISO	1	0.691	≥0.5	PASS
	2480	SISO	1	0.698	≥0.5	PASS

#### 1.2 Test Graph - 6dB Bandwidth








Laboratory.

Shenzhen B

Report No.: SZEM200300165602 Page: 40 of 48



Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 41 of 48


## 2. Maximum Conducted Output Power

#### 2.1 Test Result

Test Mode	Frequency (MHz)	Тх Туре	Measured Peak Output Power (dBm) Ant 1	Limits (dBm)	Verdict
1M	2402	SISO	0.62	30	PASS
	2440	SISO	0.27	30	PASS
	2480	SISO	-0.55	30	PASS

#### 2.2 Test Graph


Shenzhen F







Report No.: SZEM200300165602 Page: 42 of 48





Report No.: SZEM200300165602 Page: 43 of 48


## 3. Maximum Power Spectral Density (PSD)

### 3.1 Test Result

Test Mode	Frequency (MHz)	Тх Туре	Maximum Power Spectral Density (dBm/3KHz) Ant 1	Limits (dBm/3kHz)	Verdict
	2402	SISO	-11.58	≤8	PASS
1M	2440	SISO	-12.48	≤8	PASS
	2480	SISO	-12.81	≤8	PASS

#### 3.2 Test Graph

Shenzhen F








Shenzhen F

Report No.: SZEM200300165602 Page: 44 of 48






Report No.: SZEM200300165602 Page: 45 of 48

## 4. Unwanted Emissions in Non-restricted Frequency Bands

#### 4.1 Test Result

Test Mode	Frequency (MHz)	ТХ Туре	ANT No.	Spurious Conducted Emission (dBm)	Limits (dBm)	Verdict
1M	2402	SISO	1	Refer to test graph	-19.63	PASS
	2440	SISO	1	Refer to test graph	-19.63	PASS
	2480	SISO	1	Refer to test graph	-19.63	PASS


#### 4.2 Test Graph







Report No.: SZEM200300165602 Page: 46 of 48



中国・深圳・科技园中区M-10栋一号厂房


Shenzhen F

sgs.china@sgs.com

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM200300165602 Page: 47 of 48




中国・深圳・科技园中区M-10栋一号厂房

Shenzhen F

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM200300165602 Page: 48 of 48



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditi

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com