

Company: Smawave Technology Co. ,Ltd

Date:2020/12/25

DTS-UNII Declaration Letter

To whom it may concern

We have declared below featured for FCC equipment authorization.

Device FCC ID: 2AU8HSMC411-A

1. Active/ Passive Scanning, ad Hoc mode access point capability

Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode or WIFI Direct capability	Access point capability
2412-2462MHz	<input checked="" type="checkbox"/> yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> yes <input type="checkbox"/> No	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> yes <input type="checkbox"/> No
5150-5250MHz	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> yes <input type="checkbox"/> No	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No
5725-5825MHz	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> yes <input type="checkbox"/> No	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> yes <input checked="" type="checkbox"/> No

Meet FCC part 15.202 /RSS-247, Issue 2, Section 6.4 a)requirement- Yes, No

pls check below:

A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode is able to select a channel and initiate a network by sending enabling signals to other devices

A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network....

Sincerely,



Signature:

Name(in print): Zhigang Wang

Company: Smawave Technology Co. ,Ltd

Adreess: 3F Building 8 1001 North Qinzhou RoadXuhui District Shanghai

China