



### 60MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




### 70MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge





### 80MHz Channel Bandwidth - Full RB

#### Lower Band Edge



#### Upper Band Edge








Note: “\*” means that the fail frequency has been verified by the plot of “Channel Power < 13dBm Pass”

**A.6 Conducted Spurious Emissions Test Result**




|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Cloud Guo |
| Test Date | 2022/05/22 | Test Band     | n2_SA     |

| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 1852.5          | 5                       | 30 ~ 20000            | -48.25                       | ≤ -13.00    | Pass   |
| 1880.0          | 5                       | 30 ~ 20000            | -46.07                       | ≤ -13.00    | Pass   |
| 1912.5          | 5                       | 30 ~ 20000            | -40.52                       | ≤ -13.00    | Pass   |
| 1855.0          | 10                      | 30 ~ 20000            | -39.98                       | ≤ -13.00    | Pass   |
| 1880.0          | 10                      | 30 ~ 20000            | -40.33                       | ≤ -13.00    | Pass   |
| 1910.0          | 10                      | 30 ~ 20000            | -40.37                       | ≤ -13.00    | Pass   |
| 1857.5          | 15                      | 30 ~ 20000            | -35.76                       | ≤ -13.00    | Pass   |
| 1880.0          | 15                      | 30 ~ 20000            | -40.45                       | ≤ -13.00    | Pass   |
| 1907.5          | 15                      | 30 ~ 20000            | -39.66                       | ≤ -13.00    | Pass   |
| 1860.0          | 20                      | 30 ~ 20000            | -40.38                       | ≤ -13.00    | Pass   |
| 1880.0          | 20                      | 30 ~ 20000            | -40.33                       | ≤ -13.00    | Pass   |
| 1905.0          | 20                      | 30 ~ 20000            | -40.34                       | ≤ -13.00    | Pass   |

**5MHz Channel Bandwidth**




**10MHz Channel Bandwidth**




### 15MHz Channel Bandwidth


#### Channel 371500 (1857.0MHz)



#### Channel 376000 (1880.0MHz)




#### Channel 381500 (1907.5MHz)




### 20MHz Channel Bandwidth


#### Channel 372000 (1860.0MHz)



#### Channel 376000 (1880.0MHz)



#### Channel 381000 (1905.0MHz)




|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Cloud Guo |
| Test Date | 2022/05/22 | Test Band     | n5_SA     |


| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 826.5           | 5                       | 30 ~ 9000             | -43.94                       | ≤ -13.00    | Pass   |
| 836.5           | 5                       | 30 ~ 9000             | -44.00                       | ≤ -13.00    | Pass   |
| 846.5           | 5                       | 30 ~ 9000             | -43.82                       | ≤ -13.00    | Pass   |
| 829.0           | 10                      | 30 ~ 9000             | -43.94                       | ≤ -13.00    | Pass   |
| 836.5           | 10                      | 30 ~ 9000             | -44.03                       | ≤ -13.00    | Pass   |
| 844.0           | 10                      | 30 ~ 9000             | -44.02                       | ≤ -13.00    | Pass   |
| 831.5           | 15                      | 30 ~ 9000             | -43.91                       | ≤ -13.00    | Pass   |
| 836.5           | 15                      | 30 ~ 9000             | -43.75                       | ≤ -13.00    | Pass   |
| 841.5           | 15                      | 30 ~ 9000             | -43.95                       | ≤ -13.00    | Pass   |
| 834.0           | 20                      | 30 ~ 9000             | -43.76                       | ≤ -13.00    | Pass   |
| 836.5           | 20                      | 30 ~ 9000             | -43.95                       | ≤ -13.00    | Pass   |
| 839.0           | 20                      | 30 ~ 9000             | -43.90                       | ≤ -13.00    | Pass   |

### 5MHz Channel Bandwidth


#### Channel 165300 (826.5MHz)



#### Channel 167300 (836.5MHz)




#### Channel 169300 (846.5MHz)




### 10MHz Channel Bandwidth


#### Channel 165800 (829.0MHz)



#### Channel 167300 (836.5MHz)




#### Channel 168800 (844.0MHz)




### 15MHz Channel Bandwidth


#### Channel 166300 (831.5MHz)



#### Channel 167300 (836.5MHz)




#### Channel 168300 (841.5MHz)




### 20MHz Channel Bandwidth


#### Channel 166800 (834.0MHz)



#### Channel 167300 (836.5MHz)



#### Channel 167800 (839.0MHz)






|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/22 ~ 2022/05/23 | Test Band     | n7_SA     |


| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 2502.5          | 5                       | 30 ~ 28000            | -37.23                       | ≤ -25.00    | Pass   |
| 2535.0          | 5                       | 30 ~ 28000            | -36.99                       | ≤ -25.00    | Pass   |
| 2567.5          | 5                       | 30 ~ 28000            | -37.21                       | ≤ -25.00    | Pass   |
| 2505.0          | 10                      | 30 ~ 28000            | -37.19                       | ≤ -25.00    | Pass   |
| 2535.0          | 10                      | 30 ~ 28000            | -37.19                       | ≤ -25.00    | Pass   |
| 2565.0          | 10                      | 30 ~ 28000            | -37.33                       | ≤ -25.00    | Pass   |
| 2507.5          | 15                      | 30 ~ 28000            | -37.01                       | ≤ -25.00    | Pass   |
| 2535.0          | 15                      | 30 ~ 28000            | -37.21                       | ≤ -25.00    | Pass   |
| 2562.5          | 15                      | 30 ~ 28000            | -37.14                       | ≤ -25.00    | Pass   |
| 2510.0          | 20                      | 30 ~ 28000            | -37.32                       | ≤ -25.00    | Pass   |
| 2535.0          | 20                      | 30 ~ 28000            | -37.09                       | ≤ -25.00    | Pass   |
| 2560.0          | 20                      | 30 ~ 28000            | -37.05                       | ≤ -25.00    | Pass   |
| 2512.5          | 25                      | 30 ~ 28000            | -36.90                       | ≤ -25.00    | Pass   |
| 2535.0          | 25                      | 30 ~ 28000            | -37.01                       | ≤ -25.00    | Pass   |
| 2557.5          | 25                      | 30 ~ 28000            | -37.03                       | ≤ -25.00    | Pass   |
| 2515.0          | 30                      | 30 ~ 28000            | -36.97                       | ≤ -25.00    | Pass   |
| 2535.0          | 30                      | 30 ~ 28000            | -36.98                       | ≤ -25.00    | Pass   |
| 2555.0          | 30                      | 30 ~ 28000            | -36.99                       | ≤ -25.00    | Pass   |
| 2520.0          | 40                      | 30 ~ 28000            | -36.93                       | ≤ -25.00    | Pass   |
| 2535.0          | 40                      | 30 ~ 28000            | -37.11                       | ≤ -25.00    | Pass   |
| 2550.0          | 40                      | 30 ~ 28000            | -36.89                       | ≤ -25.00    | Pass   |

### 5MHz Channel Bandwidth


#### Channel 500500 (2502.5MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 513500 (2567.5MHz)




### 10MHz Channel Bandwidth


#### Channel 501000 (2505.0MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 513000 (2565.0MHz)




### 15MHz Channel Bandwidth


#### Channel 501500 (2507.5MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 512500 (2562.5MHz)




### 20MHz Channel Bandwidth


#### Channel 502000 (2510.0MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 512000 (2560.0MHz)




### 25MHz Channel Bandwidth


#### Channel 502500 (2512.5MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 511500 (2557.5MHz)




### 30MHz Channel Bandwidth


#### Channel 503000 (2515.0MHz)



#### Channel 507000 (2535.0MHz)




#### Channel 511000 (2555.0MHz)




40MHz Channel Bandwidth



Channel 504000 (2520.0MHz)



Channel 507000 (2535.0MHz)



Channel 510000 (2550.0MHz)



|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Cloud Guo |
| Test Date | 2022/05/22 | Test Band     | n12_SA    |

| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 701.5           | 5                       | 30 ~ 8000             | -43.73                       | ≤ -13.00    | Pass   |
| 707.5           | 5                       | 30 ~ 8000             | -43.99                       | ≤ -13.00    | Pass   |
| 713.5           | 5                       | 30 ~ 8000             | -43.90                       | ≤ -13.00    | Pass   |
| 704.0           | 10                      | 30 ~ 8000             | -43.90                       | ≤ -13.00    | Pass   |
| 707.5           | 10                      | 30 ~ 8000             | -43.87                       | ≤ -13.00    | Pass   |
| 711.0           | 10                      | 30 ~ 8000             | -43.96                       | ≤ -13.00    | Pass   |
| 706.5           | 15                      | 30 ~ 8000             | -44.05                       | ≤ -13.00    | Pass   |
| 707.5           | 15                      | 30 ~ 8000             | -44.06                       | ≤ -13.00    | Pass   |
| 708.5           | 15                      | 30 ~ 8000             | -44.10                       | ≤ -13.00    | Pass   |

**5MHz Channel Bandwidth**


**Channel 140300 (701.5MHz)**

**Channel 141500 (707.5MHz)**


**Channel 142700 (713.5MHz)**

### 10MHz Channel Bandwidth


#### Channel 140800 (704.0MHz)



#### Channel 141500 (707.5MHz)




#### Channel 142200 (711.0MHz)




### 15MHz Channel Bandwidth


#### Channel 141300 (706.5MHz)



#### Channel 141500 (707.5MHz)



#### Channel 141700 (708.5MHz)



|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Cloud Guo |
| Test Date | 2022/05/22 | Test Band     | n13_SA    |

| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 779.5           | 5                       | 30 ~ 8000             | -43.96                       | ≤ -13.00    | Pass   |
| 782.0           | 5                       | 30 ~ 8000             | -43.96                       | ≤ -13.00    | Pass   |
| 784.5           | 5                       | 30 ~ 8000             | -43.87                       | ≤ -13.00    | Pass   |
| 782.0           | 10                      | 30 ~ 8000             | -43.92                       | ≤ -13.00    | Pass   |


**5MHz Channel Bandwidth**

**Channel 155900 (779.5MHz)**

**Channel 156400 (782.0MHz)**

**Channel 156900 (784.5MHz)**













|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/17 ~ 2022/06/07 | Test Band     | n25_SA    |

| Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 1852.5          | 5                       | 30 ~ 20000            | -37.10                       | ≤ -13.00    | Pass   |
| 1882.5          | 5                       | 30 ~ 20000            | -37.50                       | ≤ -13.00    | Pass   |
| 1912.5          | 5                       | 30 ~ 20000            | -37.18                       | ≤ -13.00    | Pass   |
| 1855.0          | 10                      | 30 ~ 20000            | -37.56                       | ≤ -13.00    | Pass   |
| 1882.5          | 10                      | 30 ~ 20000            | -37.10                       | ≤ -13.00    | Pass   |
| 1910.0          | 10                      | 30 ~ 20000            | -37.42                       | ≤ -13.00    | Pass   |
| 1857.5          | 15                      | 30 ~ 20000            | -36.24                       | ≤ -13.00    | Pass   |
| 1882.5          | 15                      | 30 ~ 20000            | -36.53                       | ≤ -13.00    | Pass   |
| 1907.5          | 15                      | 30 ~ 20000            | -37.10                       | ≤ -13.00    | Pass   |
| 1860.0          | 20                      | 30 ~ 20000            | -35.41                       | ≤ -13.00    | Pass   |
| 1882.5          | 20                      | 30 ~ 20000            | -37.74                       | ≤ -13.00    | Pass   |
| 1905.0          | 20                      | 30 ~ 20000            | -37.16                       | ≤ -13.00    | Pass   |
| 1862.5          | 25                      | 30 ~ 20000            | -36.42                       | ≤ -13.00    | Pass   |
| 1882.5          | 25                      | 30 ~ 20000            | -36.37                       | ≤ -13.00    | Pass   |
| 1902.5          | 25                      | 30 ~ 20000            | -36.60                       | ≤ -13.00    | Pass   |
| 1865.0          | 30                      | 30 ~ 20000            | -37.08                       | ≤ -13.00    | Pass   |
| 1882.5          | 30                      | 30 ~ 20000            | -37.36                       | ≤ -13.00    | Pass   |
| 1900.0          | 30                      | 30 ~ 20000            | -33.17                       | ≤ -13.00    | Pass   |
| 1870.0          | 40                      | 30 ~ 20000            | -37.44                       | ≤ -13.00    | Pass   |
| 1882.5          | 40                      | 30 ~ 20000            | -37.28                       | ≤ -13.00    | Pass   |
| 1895.0          | 40                      | 30 ~ 20000            | -36.94                       | ≤ -13.00    | Pass   |

### 5MHz Channel Bandwidth




### 10MHz Channel Bandwidth




### 15MHz Channel Bandwidth


#### Channel 371500 (1857.5MHz)



#### Channel 376500 (1882.5MHz)




#### Channel 381500 (1907.5MHz)




### 20MHz Channel Bandwidth

#### Channel 372000 (1860.0MHz)



#### Channel 376500 (1882.5MHz)



#### Channel 381000 (1905.0MHz)

