



## n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




## n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.107	1	CHP	1	3525.500	-52.51	-40	Pass
3679.107	3680.107	0.2	/	2	3679.900	-32.96	-13	Pass
3680.107	3699.893	0.2	/	/	/	/	/	/
3699.893	3700.893	0.2	/	3	3700.700	-37.25	-13	Pass
3700.893	3730	1	CHP	4	3720.700	-41.65	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.107	1	CHP	1	3525.490	-52.81	-40	Pass
3679.107	3690.107	0.03	/	2	3679.240	-57.60	-13	Pass
3680.107	3699.893	0.03	/	/	/	/	/	/
3699.893	3700.893	0.03	/	3	3700.120	-34.41	-13	Pass
3700.893	3730	1	CHP	4	3721.720	-49.12	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right



## n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




## n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.072	1	CHP	1	3528.190	-49.96	-40	Pass
3549.072	3550.072	0.03	/	2	3549.940	-26.33	-13	Pass
3550.072	3569.948	0.03	/	3	/	/	/	/
3569.948	3570.948	0.03	/	3	3570.655	-57.15	-13	Pass
3570.948	3730	1	CHP	4	3729.490	-52.59	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left






n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.072	1	CHP	1	3527.900	-41.40	-40	Pass
3549.072	3550.072	0.2	/	2	3550.000	-29.42	-13	Pass
3550.072	3569.948	0.2	/	/	/	/	/	/
3569.948	3570.948	0.2	/	3	3570.200	-45.10	-13	Pass
3570.948	3730	1	CHP	4	3598.300	-34.52	-25	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.072	1	CHP	1	3528.910	-48.39	-40	Pass
3549.072	3550.072	0.03	/	2	3549.880	-32.86	-13	Pass
3550.072	3569.948	0.03	/	3	3570.805	-56.02	-13	Pass
3569.948	3570.948	0.03	/	4	3720.535	-52.89	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.275	1	CHP	1	3529.450	-52.45	-40	Pass
3679.275	3680.275	0.03	/	2	3679.315	-56.31	-13	Pass
3680.275	3699.725	0.03	/	/	/	/	/	/
3699.725	3700.725	0.03	/	3	3699.760	-21.48	-13	Pass
3700.725	3730	1	CHP	4	3722.575	-49.31	-40	Pass




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.275	1	CHP	1	3524.300	-52.17	-40	Pass
3679.275	3680.275	0.2	/	2	3680.200	-31.69	-13	Pass
3680.275	3699.725	0.2	/	/	/	/	/	/
3699.725	3700.725	0.2	/	3	3699.900	-43.23	-13	Pass
3700.725	3730	1	CHP	4	3724.400	-42.06	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.275	1	CHP	1	3520.510	-52.81	-40	Pass
3679.275	3680.275	0.03	/	2	3679.900	-58.66	-13	Pass
3680.275	3699.725	0.03	/	/	/	/	/	/
3699.725	3700.725	0.03	/	3	3699.775	-28.51	-13	Pass
3700.725	3730	1	CHP	4	3721.315	-49.22	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.001	1	CHP	1	3527.980	-50.25	-40	Pass
3549.001	3550.001	0.03	/	2	3550.000	-26.83	-13	Pass
3550.001	3570.019	0.03	/	/	/	/	/	/
3570.019	3571.019	0.03	/	3	3570.790	-53.89	-13	Pass
3571.019	3730	1	CHP	4	3722.230	-52.92	-40	Pass

n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left







n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.001	1	CHP	1	3528.300	-40.57	-40	Pass
3549.001	3550.001	0.2	/	2	3549.800	-33.15	-13	Pass
3550.001	3570.019	0.2	/	/	/	/	/	/
3570.019	3571.019	0.2	/	3	3570.100	-31.10	-13	Pass
3571.019	3730	1	CHP	4	3595.700	-34.72	-25	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.001	1	CHP	1	3529.495	-51.30	-40	Pass
3549.001	3550.001	0.03	/	2	3549.955	-39.25	-13	Pass
3550.001	3570.019	0.03	/	/	/	/	/	/
3570.019	3571.019	0.03	/	3	3570.475	-60.68	-13	Pass
3571.019	3730	1	CHP	4	3728.635	-52.73	-40	Pass

n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




Ant: Ant1  
 Start: 9 kHz  
 Stop: 1 MHz  
 RBW: 1 kHz  
 VBW: 3 kHz  
 Detector: RMS  
 TraceType: Average  
 AverageCount: 30  
 SweepPoint: 1983  
 SweepTime: 333.64 ms  
 Sweep: Single

DCCF: 6.99dB


Marker:

1	0.035 MHz	-72.50 dBm
2	0.068 MHz	-73.64 dBm
3	0.101 MHz	-74.30 dBm
4	0.154 MHz	-72.72 dBm
5	0.185 MHz	-72.74 dBm
6	0.246 MHz	-72.30 dBm


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3614.019	1	CHP	1	3525.280	-52.80	-40	Pass
3614.019	3615.019	0.03	/	2	3615.010	-27.00	-13	Pass
3615.019	3634.961	0.03	/	/	/	/	/	/
3634.961	3635.961	0.03	/	3	3635.785	-62.11	-13	Pass
3635.961	3730	1	CHP	4	3722.110	-52.83	-40	Pass

n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left







n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.092	1	CHP	1	3521.755	-52.23	-40	Pass
3679.092	3680.092	0.03	/	2	3680.035	-61.10	-13	Pass
3680.092	3699.909	0.03	/	/	/	/	/	/
3699.909	3700.909	0.03	/	3	3699.910	-27.64	-13	Pass
3700.909	3730	1	CHP	4	3721.300	-50.10	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




Ant: Ant1  
 Start: 9 kHz  
 Stop: 1 MHz  
 RBW: 1 kHz  
 VBW: 3 kHz  
 Detector: RMS  
 TraceType: Average  
 AverageCount: 30  
 SweepPoint: 1983  
 SweepTime: 333.64 ms  
 Sweep: Single

DCCF: 6.90dB  
 Marker:  
 1. 0.023 MHz  
 -75.29 dBm  
 2. 0.058 MHz  
 -73.42 dBm  
 3. 0.126 MHz  
 -74.00 dBm  
 4. 0.220 MHz  
 -78.50 dBm


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.092	1	CHP	1	3526.100	-52.65	-40	Pass
3679.092	3680.092	0.2	/	2	3679.100	-31.40	-13	Pass
3680.092	3699.909	0.2	/	/	/	/	/	/
3699.909	3700.909	0.2	/	3	3700.600	-38.22	-13	Pass
3700.909	3730	1	CHP	4	3725.100	-42.78	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.092	1	CHP	1	3521.935	-52.67	-40	Pass
3679.092	3680.092	0.03	/	2	3679.780	-61.64	-13	Pass
3680.092	3699.909	0.03	/	/	/	/	/	/
3699.909	3700.909	0.03	/	3	3699.985	-36.94	-13	Pass
3700.909	3730	1	CHP	4	3720.820	-51.54	-40	Pass


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right





n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




6.2 30k\_SISO\_40MHz\_NTNV

6.2.1 Test Result


5G NR n48 SCS=30kHz SISO 40MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict	
			Ant1	Ant2	Sum		Limit
DFT-s-OFDM PI/2 BPSK	3570	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3679.98	Edge_1RB_Right	Refer To Test Graph			Pass
			Outer_Full	Refer To Test Graph			Pass
DFT-s-OFDM QPSK	3570	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3679.98	Edge_1RB_Right	Refer To Test Graph			Pass
			Outer_Full	Refer To Test Graph			Pass
CP-OFDM QPSK	3570	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3679.98	Edge_1RB_Right	Refer To Test Graph			Pass
			Outer_Full	Refer To Test Graph			Pass
3679.98	Inner_1RB_Right	Refer To Test Graph			Pass		
	3679.98	Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Right	Refer To Test Graph			Pass	

6.2.2 Test Graph


n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.767	1	CHP	1	3526.245	-47.31	-40	Pass
3549.767	3550.767	0.39	/	2	3550.641	-13.80	-13	Pass
3550.767	3569.233	0.39	/	/	/	/	/	/
3589.233	3590.233	0.39	/	3	3589.284	-49.00	-13	Pass
3590.233	3730	1	CHP	4	3722.779	-50.47	-40	Pass


n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full

