




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM 256 QAM\_3660MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM QPSK\_3590.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM QPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM QPSK\_3660MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 16 QAM\_3590.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 16 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 16 QAM\_3660MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 64 QAM\_3590.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 64 QAM\_3660MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 256 QAM\_3590.01MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 256 QAM\_3624.99MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM 256 QAM\_3660MHz\_Outer\_Full





5.8 30k\_SISO\_90MHz\_NTNV


5.8.1 Test Result

5G NR n78(3550-3700MHz) SCS=30kHz SISO 90MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3595.02	Outer_Full	10.86	/	/	<=13	Pass
	3624.99	Outer_Full	10.73	/	/	<=13	Pass
	3654.99	Outer_Full	10.97	/	/	<=13	Pass
DFT-s-OFDM QPSK	3595.02	Outer_Full	11.16	/	/	<=13	Pass
	3624.99	Outer_Full	10.91	/	/	<=13	Pass
	3654.99	Outer_Full	10.96	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3595.02	Outer_Full	11.54	/	/	<=13	Pass
	3624.99	Outer_Full	11.43	/	/	<=13	Pass
	3654.99	Outer_Full	11.46	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3595.02	Outer_Full	11.29	/	/	<=13	Pass
	3624.99	Outer_Full	11.23	/	/	<=13	Pass
	3654.99	Outer_Full	11.28	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3595.02	Outer_Full	11.22	/	/	<=13	Pass
	3624.99	Outer_Full	11.05	/	/	<=13	Pass
	3654.99	Outer_Full	12.56	/	/	<=13	Pass
CP-OFDM QPSK	3595.02	Outer_Full	11.59	/	/	<=13	Pass
	3624.99	Outer_Full	11.60	/	/	<=13	Pass
	3654.99	Outer_Full	11.60	/	/	<=13	Pass
CP-OFDM 16 QAM	3595.02	Outer_Full	12.04	/	/	<=13	Pass
	3624.99	Outer_Full	11.97	/	/	<=13	Pass
	3654.99	Outer_Full	11.75	/	/	<=13	Pass
CP-OFDM 64 QAM	3595.02	Outer_Full	11.66	/	/	<=13	Pass
	3624.99	Outer_Full	11.74	/	/	<=13	Pass
	3654.99	Outer_Full	11.80	/	/	<=13	Pass
CP-OFDM 256 QAM	3595.02	Outer_Full	11.66	/	/	<=13	Pass
	3624.99	Outer_Full	11.50	/	/	<=13	Pass
	3654.99	Outer_Full	12.39	/	/	<=13	Pass




5.8.2 Test Graph


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM PI/2 BPSK\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM PI/2 BPSK\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM QPSK\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM QPSK\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_16\_QAM\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM 16 QAM\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM 64 QAM\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM 64 QAM\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_256\_QAM\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM 256 QAM\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM QPSK\_3595.02MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM QPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM QPSK\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 16 QAM\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 16 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 16 QAM\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 64 QAM\_3595.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 64 QAM\_3654.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 256 QAM\_3595.02MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 256 QAM\_3624.99MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM 256 QAM\_3654.99MHz\_Outer\_Full






5.9 30k\_SISO\_100MHz\_NTNV

5.9.1 Test Result


5G NR n78(3550-3700MHz) SCS=30kHz SISO 100MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3600	Outer_Full	10.88	/	/	<=13	Pass
	3624.99	Outer_Full	10.92	/	/	<=13	Pass
	3649.98	Outer_Full	10.84	/	/	<=13	Pass
DFT-s-OFDM QPSK	3600	Outer_Full	11.70	/	/	<=13	Pass
	3624.99	Outer_Full	11.34	/	/	<=13	Pass
	3649.98	Outer_Full	11.75	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3600	Outer_Full	11.25	/	/	<=13	Pass
	3624.99	Outer_Full	11.05	/	/	<=13	Pass
	3649.98	Outer_Full	11.33	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3600	Outer_Full	11.41	/	/	<=13	Pass
	3624.99	Outer_Full	11.33	/	/	<=13	Pass
	3649.98	Outer_Full	11.38	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3600	Outer_Full	11.39	/	/	<=13	Pass
	3624.99	Outer_Full	11.38	/	/	<=13	Pass
	3649.98	Outer_Full	11.31	/	/	<=13	Pass
CP-OFDM QPSK	3600	Outer_Full	11.58	/	/	<=13	Pass
	3624.99	Outer_Full	11.60	/	/	<=13	Pass
	3649.98	Outer_Full	12.19	/	/	<=13	Pass
CP-OFDM 16 QAM	3600	Outer_Full	11.74	/	/	<=13	Pass
	3624.99	Outer_Full	11.57	/	/	<=13	Pass
	3649.98	Outer_Full	11.69	/	/	<=13	Pass
CP-OFDM 64 QAM	3600	Outer_Full	12.24	/	/	<=13	Pass
	3624.99	Outer_Full	11.81	/	/	<=13	Pass
	3649.98	Outer_Full	11.76	/	/	<=13	Pass
CP-OFDM 256 QAM	3600	Outer_Full	11.67	/	/	<=13	Pass
	3624.99	Outer_Full	11.67	/	/	<=13	Pass
	3649.98	Outer_Full	11.82	/	/	<=13	Pass

5.9.2 Test Graph

n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM PI/2 BPSK\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTV\_100MHz\_DFT-s-OFDM PI/2 BPSK\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTV\_100MHz\_DFT-s-OFDM QPSK\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM QPSK\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM\_16\_QAM\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 16 QAM\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 64 QAM\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 64 QAM\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 256 QAM\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 256 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM 256 QAM\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM QPSK\_3600MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM QPSK\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM QPSK\_3649.98MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM\_16\_QAM\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 16 QAM\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 64 QAM\_3600MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 64 QAM\_3649.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 256 QAM\_3600MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 256 QAM\_3624.99MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM 256 QAM\_3649.98MHz\_Outer\_Full





6. Spurious Emission


6.1 30k\_SISO\_20MHz\_NTNV

6.1.1 Test Result


5G NR n78(3550-3700MHz) SCS=30kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict	
			Ant1	Ant2	Sum		Limit
DFT-s-OFDM PI/2 BPSK	3560.01	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3690	Edge_1RB_Right	Refer To Test Graph			Pass
			Outer_Full	Refer To Test Graph			Pass
DFT-s-OFDM QPSK	3560.01	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3690	Edge_1RB_Right	Refer To Test Graph			Pass
			Outer_Full	Refer To Test Graph			Pass
CP-OFDM QPSK	3560.01	Inner_1RB_Right	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
	3624.99	Inner_1RB_Left	Refer To Test Graph			Pass	
		3690	Edge_1RB_Left	Refer To Test Graph			Pass
			Edge_1RB_Right	Refer To Test Graph			Pass
3690	Outer_Full	Refer To Test Graph			Pass		
	3690	Inner_1RB_Right	Refer To Test Graph			Pass	
		Inner_1RB_Right	Refer To Test Graph			Pass	

6.1.2 Test Graph


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left






n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.192	1	CHP	1	3524.900	-45.78	-40	Pass
3549.192	3550.192	0.2	/	2	3550.000	-38.27	-13	Pass
3550.192	3569.829	0.2	/	/	/	/	/	/
3569.829	3570.829	0.2	/	3	3569.900	-36.37	-13	Pass
3570.829	3730	1	CHP	4	3724.700	-51.29	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.321	1	CHP	1	3524.000	-51.91	-40	Pass
3679.321	3680.321	0.2	/	2	3680.100	-26.55	-13	Pass
3680.321	3699.68	0.2	/	3	3699.800	-32.33	-13	Pass
3699.68	3700.68	1	CHP	4	3723.200	-44.75	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.117	1	CHP	1	3528.940	-51.02	-40	Pass
3549.117	3550.117	0.03	/	2	3550.105	-23.21	-13	Pass
3550.117	3569.904	0.03	/	3	/	/	/	/
3569.904	3670.904	0.03	/	3	3570.400	-63.73	-13	Pass
3570.904	3730	1	CHP	4	3726.835	-52.80	-40	Pass




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.117	1	CHP	1	3524.680	-51.64	-40	Pass
3549.117	3550.117	0.03	/	2	3550.000	-34.71	-13	Pass
3550.117	3569.904	0.03	/	3	/	/	/	/
3569.904	3570.904	0.03	/	3	3570.160	-62.26	-13	Pass
3570.904	3730	1	CHP	4	3725.770	-52.83	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.269	1	CHP	1	3522.655	-52.69	-40	Pass
3679.269	3680.269	0.03	/	2	3679.345	-61.03	-13	Pass
3680.269	3699.732	0.03	/	/	/	/	/	/
3699.732	3700.732	0.03	/	3	3699.745	-31.72	-13	Pass
3700.732	3730	1	CHP	4	3725.680	-51.37	-40	Pass

n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.091	1	CHP	1	3527.500	-42.93	-40	Pass
3549.091	3550.091	0.2	/	2	3550.000	-31.66	-13	Pass
3569.93	3570.93	0.2	/	3	3570.000	-26.38	-13	Pass
3570.93	3730	1	CHP	4	3720.700	-51.87	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left






n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3614.079	1	CHP	1	3524.685	-52.55	-40	Pass
3614.079	3615.079	0.03	/	2	3614.980	-28.00	-13	Pass
3615.079	3634.901	0.03	/	3	3635.305	-66.96	-13	Pass
3634.901	3635.901	0.03	/	4	3725.185	-52.86	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.07	1	CHP	1	3528.800	-52.04	-40	Pass
3679.07	3680.07	0.2	/	2	3680.000	-31.51	-13	Pass
3680.07	3699.931	0.2	/	3	/	/	/	/
3699.931	3700.931	0.2	/	3	3700.100	-30.87	-13	Pass
3700.931	3730	1	CHP	4	3720.600	-40.92	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right






6.2 30k\_SISO\_30MHz\_NTNV

6.2.1 Test Result


5G NR n78(3550-3700MHz) SCS=30kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict	
			Ant1	Ant2	Sum		Limit
DFT-s-OFDM PI/2 BPSK	3565.02	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3684.99	Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass	
DFT-s-OFDM QPSK	3565.02	Inner_1RB_Right	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
	3624.99	Inner_1RB_Left	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
		Edge_1RB_Right	Refer To Test Graph			Pass	
CP-OFDM QPSK	3684.99	Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Right	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
	3565.02	Edge_1RB_Right	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
3624.99	Edge_1RB_Left	Refer To Test Graph			Pass		
	Edge_1RB_Right	Refer To Test Graph			Pass		
	Outer_Full	Refer To Test Graph			Pass		
3684.99	Inner_1RB_Right	Refer To Test Graph			Pass		
	Outer_Full	Refer To Test Graph			Pass		
	Inner_1RB_Right	Refer To Test Graph			Pass		

6.2.2 Test Graph


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.455	1	CHP	1	3527.800	-43.58	-40	Pass
3549.455	3650.455	0.3	/	2	3650.150	-32.23	-13	Pass
3650.455	3679.585	0.3	/	/	/	/	/	/
3679.585	3680.585	0.3	/	3	3680.450	-44.35	-13	Pass
3680.585	3730	1	CHP	4	3721.000	-52.02	-40	Pass

n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right






n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.493	1	CHP	1	3526.000	-52.62	-40	Pass
3669.493	3670.493	0.3	/	2	3670.450	-36.01	-13	Pass
3670.493	3699.487	0.3	/	3	3700.300	-41.27	-13	Pass
3699.487	3700.487	1	CHP	4	3720.100	-40.26	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.518	1	CHP	1	3524.500	-52.69	-40	Pass
3669.518	3670.518	0.03	/	2	3670.120	-66.17	-13	Pass
3670.518	3699.462	0.03	/	/	/	/	/	/
3699.462	3700.462	0.03	/	3	3699.550	-22.68	-13	Pass
3700.462	3730	1	CHP	4	3726.430	-47.44	-40	Pass




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.518	1	CHP	1	3528.355	-53.05	-40	Pass
3669.518	3670.518	0.03	/	2	3669.625	-64.81	-13	Pass
3670.518	3699.462	0.03	/	/	/	/	/	/
3699.462	3700.462	0.03	/	3	3699.490	-26.97	-13	Pass
3700.462	3730	1	CHP	4	3725.425	-46.55	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3684.99MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.034	1	CHP	1	3523.000	-52.25	-40	Pass
3669.034	3670.034	0.3	/	2	3669.550	-38.18	-13	Pass
3670.034	3699.946	0.3	/	/	/	/	/	/
3699.946	3700.946	0.3	/	3	3700.000	-37.80	-13	Pass
3700.946	3729.946	1	CHP	4	3723.850	-42.86	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right





n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right






6.3 30k\_SISO\_40MHz\_NTNV

6.3.1 Test Result


5G NR n78(3550-3700MHz) SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict	
			Ant1	Ant2	Sum		Limit
DFT-s-OFDM PI/2 BPSK	3570	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		3679.98	Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass	
DFT-s-OFDM QPSK	3570	Inner_1RB_Right	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
	3624.99	Inner_1RB_Left	Refer To Test Graph			Pass	
		Edge_1RB_Left	Refer To Test Graph			Pass	
		Edge_1RB_Right	Refer To Test Graph			Pass	
3679.98	Outer_Full	Refer To Test Graph			Pass		
	Inner_1RB_Right	Refer To Test Graph			Pass		
	Inner_1RB_Left	Refer To Test Graph			Pass		
CP-OFDM QPSK	3570	Edge_1RB_Left	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
		Inner_1RB_Left	Refer To Test Graph			Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass	
		Edge_1RB_Right	Refer To Test Graph			Pass	
		Outer_Full	Refer To Test Graph			Pass	
3679.98	Inner_1RB_Right	Refer To Test Graph			Pass		
	Inner_1RB_Left	Refer To Test Graph			Pass		
	Inner_1RB_Right	Refer To Test Graph			Pass		

6.3.2 Test Graph


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.697	1	CHP	1	3524.489	-44.16	-40	Pass
3549.697	3550.697	0.39	/	2	3550.641	-13.67	-13	Pass
3550.697	3589.303	0.39	/	/	/	/	/	/
3589.303	3590.303	0.39	/	3	3590.260	-41.60	-13	Pass
3590.303	3730	1	CHP	4	3725.706	-50.34	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Inner\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3659.694	1	CHP	1	3523.708	-52.50	-40	Pass
3659.694	3660.694	0.39	/	2	3660.520	-20.85	-13	Pass
3699.267	3700.267	0.39	/	3	3699.359	-43.03	-13	Pass
3700.267	3730	1	CHP	4	3720.827	-45.69	-40	Pass

n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Outer\_Full







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Outer\_Full



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3570MHz\_Outer\_Full






n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3570MHz\_Inner\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.688	1	CHP	1	3526.975	-51.81	-40	Pass
3549.688	3550.688	0.03	/	2	3550.630	-22.81	-13	Pass
3550.688	3569.312	0.03	/	/	/	/	/	/
3569.312	3590.312	0.03	/	3	3589.360	-65.41	-13	Pass
3590.312	3730	1	CHP	4	3720.505	-52.92	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3659.603	1	CHP	1	3526.785	-52.84	-40	Pass
3659.603	3660.603	0.03	/	2	3659.920	-65.88	-13	Pass
3660.603	3699.358	0.03	/	3	3699.385	-17.46	-13	Pass
3699.358	3700.358	0.03	/	4	3720.010	-51.00	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3548.713	1	CHP	1	3520.630	-43.14	-40	Pass
3548.713	3549.713	0.43	/	2	3549.400	-45.47	-13	Pass
3549.713	3590.288	0.43	/	/	/	/	/	/
3590.288	3591.288	0.43	/	3	3590.980	-36.86	-13	Pass
3591.288	3730	1	CHP	4	3724.330	-45.99	-40	Pass




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3570MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3603.669	1	CHP	1	3526.405	-52.65	-40	Pass
3603.669	3604.669	0.03	/	2	3604.660	-41.02	-13	Pass
3604.669	3645.311	0.03	/	3	3645.655	-66.15	-13	Pass
3645.311	3730	1	CHP	4	3721.195	-52.66	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Edge\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM QPSK\_3679.98MHz\_Inner\_1RB\_Right





6.4 30k\_SISO\_50MHz\_NTNV


6.4.1 Test Result

5G NR n78(3550-3700MHz) SCS=30kHz SISO 50MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict
			Ant1	Ant2	Sum	
DFT-s-OFDM PI/2 BPSK	3575.01	Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
DFT-s-OFDM QPSK	3575.01	Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
CP-OFDM QPSK	3575.01	Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
3675	Edge_1RB_Left	Refer To Test Graph			Pass	
	Outer_Full	Refer To Test Graph			Pass	
	Inner_1RB_Right	Refer To Test Graph			Pass	




6.4.2 Test Graph


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Edge\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.388	1	CHP	1	3520.450	-43.11	-40	Pass
3549.388	3550.388	0.51	/	2	3550.240	-35.27	-13	Pass
3550.388	3599.632	0.51	/	/	/	/	/	/
3599.632	3600.632	0.51	/	3	3600.430	-46.28	-13	Pass
3600.632	3730	1	CHP	4	3723.280	-51.39	-40	Pass


n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Outer\_Full




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Inner\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3575.01MHz\_Inner\_1RB\_Left




n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left







n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78(3550-3700MHz)\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left

