


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	32710.2	42.61	-98.10	-55.49	-13.00	42.49	RMS	Vertical	PASS
2	36266.6666	41.72	-94.33	-52.61	-13.00	39.61	RMS	Vertical	PASS
3	39030.2666	42.36	-92.07	-49.71	-13.00	36.71	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3495.9	118.78	-87.08	31.70	-	-	RMS	Horizontal	NA
2	6298.975	40.92	-78.56	-37.64	-13.00	24.64	RMS	Horizontal	PASS
3	6991.81666	44.58	-97.05	-52.47	-13.00	39.47	RMS	Horizontal	PASS
4	17873.5	32.39	-81.57	-49.18	-13.00	36.18	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3495.9	115.18	-87.08	28.10	-	-	RMS	Vertical	NA
2	6302.275	41.33	-78.55	-37.22	-13.00	24.22	RMS	Vertical	PASS
3	10781.45	38.16	-90.91	-52.75	-13.00	39.75	RMS	Vertical	PASS
4	17974.3166	33.09	-81.84	-48.75	-13.00	35.75	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33771.4	42.77	-96.42	-53.65	-13.00	40.65	RMS	Horizontal	PASS
2	37164.5333	41.51	-93.78	-52.27	-13.00	39.27	RMS	Horizontal	PASS
3	39398.9333	41.99	-91.52	-49.53	-13.00	36.53	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33826.9333	41.76	-96.41	-54.65	-13.00	41.65	RMS	Vertical	PASS
2	37295.2	41.40	-93.18	-51.78	-13.00	38.78	RMS	Vertical	PASS
3	39503	41.36	-91.30	-49.94	-13.00	36.94	RMS	Vertical	PASS




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3541	118.13	-87.52	30.61	-	-	RMS	Horizontal	NA



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3540.725	113.72	-87.51	26.21	-	-	RMS	Vertical	NA
2	6315.2	41.39	-78.63	-37.24	-13.00	24.24	RMS	Vertical	PASS
3	7081.51666	42.61	-96.79	-54.18	-13.00	41.18	RMS	Vertical	PASS
4	17999.6166	32.56	-81.47	-48.91	-13.00	35.91	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33949.6666	41.94	-96.66	-54.72	-13.00	41.72	RMS	Horizontal	PASS
2	36692.2666	41.48	-93.88	-52.40	-13.00	39.40	RMS	Horizontal	PASS
3	39053.1333	42.21	-92.00	-49.79	-13.00	36.79	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33617.8666	42.01	-96.84	-54.83	-13.00	41.83	RMS	Vertical	PASS
2	36764.6	41.66	-94.05	-52.39	-13.00	39.39	RMS	Vertical	PASS
3	38992	42.13	-92.19	-50.06	-13.00	37.06	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

**Test Graph**




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

**Test Graph**



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.35	117.87	-87.00	30.87	-	-	RMS	Horizontal	NA
2	6204.925	41.32	-79.00	-37.68	-13.00	24.68	RMS	Horizontal	PASS
3	6902.5	44.05	-96.98	-52.93	-13.00	39.93	RMS	Horizontal	PASS
4	17887.3	33.28	-81.76	-48.48	-13.00	35.48	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	114.73	-86.99	27.74	-	-	RMS	Vertical	NA
2	5836.975	42.18	-79.69	-37.51	-13.00	24.51	RMS	Vertical	PASS
3	10781.45	38.28	-90.91	-52.63	-13.00	39.63	RMS	Vertical	PASS
4	17982.75	33.26	-81.72	-48.46	-13.00	35.46	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33777.9333	41.62	-96.40	-54.78	-13.00	41.78	RMS	Horizontal	PASS
2	36664.2666	42.07	-93.91	-51.84	-13.00	38.84	RMS	Horizontal	PASS
3	39438.6	41.87	-91.43	-49.56	-13.00	36.56	RMS	Horizontal	PASS