


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33816.6666	41.66	-96.39	-54.73	-13.00	41.73	RMS	Vertical	PASS
2	36641.8666	42.05	-93.95	-51.90	-13.00	38.90	RMS	Vertical	PASS
3	39492.7333	41.23	-91.30	-50.07	-13.00	37.07	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3476.1	118.01	-87.04	30.97	-	-	RMS	Horizontal	NA
2	6222.8	41.51	-79.08	-37.57	-13.00	24.57	RMS	Horizontal	PASS
3	10781.45	36.48	-90.91	-54.43	-13.00	41.43	RMS	Horizontal	PASS
4	17992.7166	33.36	-81.58	-48.22	-13.00	35.22	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3476.1	113.66	-87.04	26.62	-	-	RMS	Vertical	NA
2	6202.175	41.65	-78.99	-37.34	-13.00	24.34	RMS	Vertical	PASS
3	10781.45	37.56	-90.91	-53.35	-13.00	40.35	RMS	Vertical	PASS
4	17985.4333	32.58	-81.68	-49.10	-13.00	36.10	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33759.2666	42.43	-96.45	-54.02	-13.00	41.02	RMS	Horizontal	PASS
2	38155.7333	41.42	-92.14	-50.72	-13.00	37.72	RMS	Horizontal	PASS
3	39777.4	42.00	-91.39	-49.39	-13.00	36.39	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33885.2666	42.34	-96.59	-54.25	-13.00	41.25	RMS	Vertical	PASS
2	36729.1333	41.77	-93.93	-52.16	-13.00	39.16	RMS	Vertical	PASS
3	39458.6666	41.73	-91.38	-49.65	-13.00	36.65	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3501.4	118.53	-87.11	31.42	-	-	RMS	Horizontal	NA
2	6193.65	42.17	-79.03	-36.86	-13.00	23.86	RMS	Horizontal	PASS
3	7002.55	43.73	-96.95	-53.22	-13.00	40.22	RMS	Horizontal	PASS
4	17855.8666	32.56	-81.35	-48.79	-13.00	35.79	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3501.125	116.15	-87.10	29.05	-	-	RMS	Vertical	NA
2	6193.925	41.27	-79.03	-37.76	-13.00	24.76	RMS	Vertical	PASS
3	10781.45	38.24	-90.91	-52.67	-13.00	39.67	RMS	Vertical	PASS
4	17998.85	32.40	-81.48	-49.08	-13.00	36.08	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33818.0666	41.99	-96.39	-54.40	-13.00	41.40	RMS	Horizontal	PASS
2	37531.8	41.06	-93.24	-52.18	-13.00	39.18	RMS	Horizontal	PASS
3	39409.2	41.71	-91.50	-49.79	-13.00	36.79	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33747.1333	41.60	-96.47	-54.87	-13.00	41.87	RMS	Vertical	PASS
2	36652.1333	41.58	-93.93	-52.35	-13.00	39.35	RMS	Vertical	PASS
3	39520.2666	41.44	-91.38	-49.94	-13.00	36.94	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	118.61	-86.99	31.62	-	-	RMS	Horizontal	NA
2	6195.3	41.53	-79.02	-37.49	-13.00	24.49	RMS	Horizontal	PASS
3	6902.11666	42.91	-96.98	-54.07	-13.00	41.07	RMS	Horizontal	PASS
4	17880.7833	32.79	-81.67	-48.88	-13.00	35.88	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3450.8	115.38	-86.99	28.39	-	-	RMS	Vertical	NA
2	6311.625	41.23	-78.61	-37.38	-13.00	24.38	RMS	Vertical	PASS
3	10781.45	37.84	-90.91	-53.07	-13.00	40.07	RMS	Vertical	PASS
4	17981.2166	33.28	-81.75	-48.47	-13.00	35.47	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33069.0666	42.84	-97.50	-54.66	-13.00	41.66	RMS	Horizontal	PASS
2	36559.7333	41.41	-94.33	-52.92	-13.00	39.92	RMS	Horizontal	PASS
3	39519.8	41.49	-91.38	-49.89	-13.00	36.89	RMS	Horizontal	PASS