


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33615.0666	42.33	-96.85	-54.52	-13.00	41.52	RMS	Vertical	PASS
2	36746.8666	41.61	-93.98	-52.37	-13.00	39.37	RMS	Vertical	PASS
3	39422.7333	41.68	-91.46	-49.78	-13.00	36.78	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	116.00	-87.33	28.67	-	-	RMS	Horizontal	NA
2	6223.625	41.62	-79.08	-37.46	-13.00	24.46	RMS	Horizontal	PASS
3	7402.36666	40.87	-95.60	-54.73	-13.00	41.73	RMS	Horizontal	PASS
4	17969.3333	33.91	-81.91	-48.00	-13.00	35.00	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.325	114.79	-87.33	27.46	-	-	RMS	Vertical	NA
2	6148.275	41.88	-79.42	-37.54	-13.00	24.54	RMS	Vertical	PASS
3	10781.45	38.20	-90.91	-52.71	-13.00	39.71	RMS	Vertical	PASS
4	17839.3833	32.86	-81.72	-48.86	-13.00	35.86	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33844.6666	41.92	-96.46	-54.54	-13.00	41.54	RMS	Horizontal	PASS
2	36668.4666	41.11	-93.90	-52.79	-13.00	39.79	RMS	Horizontal	PASS
3	39796.5333	41.65	-91.38	-49.73	-13.00	36.73	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35095.3333	42.97	-96.69	-53.72	-13.00	40.72	RMS	Vertical	PASS
2	37401.1333	40.39	-92.50	-52.11	-13.00	39.11	RMS	Vertical	PASS
3	39685	41.82	-91.59	-49.77	-13.00	36.77	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3816.275	112.86	-86.73	26.13	-	-	RMS	Horizontal	NA
2	6317.675	40.75	-78.65	-37.90	-13.00	24.90	RMS	Horizontal	PASS
3	11093.8666	38.20	-91.17	-52.97	-13.00	39.97	RMS	Horizontal	PASS
4	17994.6333	32.74	-81.55	-48.81	-13.00	35.81	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3816.275	112.73	-86.73	26.00	-	-	RMS	Vertical	NA
2	6236.825	41.36	-79.14	-37.78	-13.00	24.78	RMS	Vertical	PASS
3	10781.45	38.21	-90.91	-52.70	-13.00	39.70	RMS	Vertical	PASS
4	17835.55	32.88	-81.89	-49.01	-13.00	36.01	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33828.8	41.78	-96.42	-54.64	-13.00	41.64	RMS	Horizontal	PASS
2	36651.6666	41.52	-93.93	-52.41	-13.00	39.41	RMS	Horizontal	PASS
3	38622.8666	43.19	-92.38	-49.19	-13.00	36.19	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33982.8	42.64	-96.68	-54.04	-13.00	41.04	RMS	Vertical	PASS
2	36664.7333	41.61	-93.91	-52.30	-13.00	39.30	RMS	Vertical	PASS
3	39689.6666	41.91	-91.58	-49.67	-13.00	36.67	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3931.225	113.73	-86.58	27.15	-	-	RMS	Horizontal	NA
2	6430.425	41.05	-78.64	-37.59	-13.00	24.59	RMS	Horizontal	PASS
3	10781.45	37.33	-90.91	-53.58	-13.00	40.58	RMS	Horizontal	PASS
4	17988.8833	32.79	-81.63	-48.84	-13.00	35.84	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3931.225	112.48	-86.58	25.90	-	-	RMS	Vertical	NA
2	6418.325	41.68	-78.79	-37.11	-13.00	24.11	RMS	Vertical	PASS
3	10781.45	37.97	-90.91	-52.94	-13.00	39.94	RMS	Vertical	PASS
4	17836.3166	33.13	-81.86	-48.73	-13.00	35.73	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	50MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33923.5333	42.51	-96.64	-54.13	-13.00	41.13	RMS	Horizontal	PASS
2	36962.9333	41.83	-93.76	-51.93	-13.00	38.93	RMS	Horizontal	PASS
3	39291.6	42.09	-91.76	-49.67	-13.00	36.67	RMS	Horizontal	PASS