


Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3622.9	117.00	-87.04	29.96	-	-	RMS	Horizontal	NA
2	3846.7	39.43	-86.53	-47.10	-40.00	7.10	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	4038.73333	53.59	-106.25	-52.66	-40.00	12.66	RMS	Horizontal	PASS
2	7656.33333	37.28	-96.27	-58.99	-40.00	18.99	RMS	Horizontal	PASS
3	14491.1333	38.90	-87.10	-48.20	-40.00	8.20	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3622.9	117.91	-87.04	30.87	-	-	RMS	Vertical	NA
2	3854.05	39.31	-86.49	-47.18	-40.00	7.18	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	4038.73333	51.39	-106.25	-54.86	-40.00	14.86	RMS	Vertical	PASS
2	10781.1333	37.51	-90.94	-53.43	-40.00	13.43	RMS	Vertical	PASS
3	17349.4666	32.67	-82.42	-49.75	-40.00	9.75	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18113.8666	50.40	-104.07	-53.67	-40.00	13.67	RMS	Horizontal	PASS
2	21736.8	54.89	-102.48	-47.59	-40.00	7.59	RMS	Horizontal	PASS
3	38194	42.98	-92.26	-49.28	-40.00	9.28	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18113.8666	51.37	-104.07	-52.70	-40.00	12.70	RMS	Vertical	PASS
2	21737.3333	48.34	-102.48	-54.14	-40.00	14.14	RMS	Vertical	PASS
3	39466.1333	42.54	-91.36	-48.82	-40.00	8.82	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3695.35	116.31	-87.30	29.01	-	-	RMS	Horizontal	NA
2	3895.75	39.35	-86.29	-46.94	-40.00	6.94	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.03	-90.94	-54.91	-40.00	14.91	RMS	Horizontal	PASS
2	14781.4	35.02	-86.30	-51.28	-40.00	11.28	RMS	Horizontal	PASS
3	17351.3333	32.71	-82.45	-49.74	-40.00	9.74	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3695.2	118.06	-87.30	30.76	-	-	RMS	Vertical	NA
2	3926.05	39.20	-86.53	-47.33	-40.00	7.33	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	38.00	-90.94	-52.94	-40.00	12.94	RMS	Vertical	PASS
2	14334.8	33.95	-86.28	-52.33	-40.00	12.33	RMS	Vertical	PASS
3	17345.2666	34.04	-82.61	-48.57	-40.00	8.57	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18476.5333	51.04	-103.81	-52.77	-40.00	12.77	RMS	Horizontal	PASS
2	22171.4666	57.32	-102.14	-44.82	-40.00	4.82	RMS	Horizontal	PASS
3	39392.4	42.31	-91.54	-49.23	-40.00	9.23	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	5MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18476.8	50.16	-103.81	-53.65	-40.00	13.65	RMS	Vertical	PASS
2	22172	54.05	-102.14	-48.09	-40.00	8.09	RMS	Vertical	PASS
3	39470.8	42.04	-91.35	-49.31	-40.00	9.31	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3550.45	117.47	-87.61	29.86	-	-	RMS	Horizontal	NA
2	3892	39.43	-86.31	-46.88	-40.00	6.88	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.55	-90.94	-54.39	-40.00	14.39	RMS	Horizontal	PASS
2	13845.7333	34.16	-86.60	-52.44	-40.00	12.44	RMS	Horizontal	PASS
3	17351.3333	32.75	-82.45	-49.70	-40.00	9.70	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3550.6	118.45	-87.60	30.85	-	-	RMS	Vertical	NA
2	3839.2	39.39	-86.58	-47.19	-40.00	7.19	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.6	37.16	-90.94	-53.78	-40.00	13.78	RMS	Vertical	PASS
2	15067	34.10	-86.31	-52.21	-40.00	12.21	RMS	Vertical	PASS
3	17351.3333	33.13	-82.45	-49.32	-40.00	9.32	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21303.2	58.41	-103.01	-44.60	-40.00	4.60	RMS	Horizontal	PASS
2	34505	42.81	-96.62	-53.81	-40.00	13.81	RMS	Horizontal	PASS
3	39436.2666	42.07	-91.43	-49.36	-40.00	9.36	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21303.7333	51.88	-103.01	-51.13	-40.00	11.13	RMS	Vertical	PASS
2	29793.0666	42.51	-98.24	-55.73	-40.00	15.73	RMS	Vertical	PASS
3	39931.4	42.34	-91.83	-49.49	-40.00	9.49	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.65	116.98	-87.04	29.94	-	-	RMS	Horizontal	NA
2	3902.65	39.10	-86.30	-47.20	-40.00	7.20	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	11459.2	35.21	-90.28	-55.07	-40.00	15.07	RMS	Horizontal	PASS
2	14482.2666	35.70	-87.24	-51.54	-40.00	11.54	RMS	Horizontal	PASS
3	17347.6	32.87	-82.51	-49.64	-40.00	9.64	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.8	117.12	-87.04	30.08	-	-	RMS	Vertical	NA
2	3860.5	39.23	-86.46	-47.23	-40.00	7.23	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.6	37.36	-90.94	-53.58	-40.00	13.58	RMS	Vertical	PASS
2	15065.1333	34.65	-86.32	-51.67	-40.00	11.67	RMS	Vertical	PASS
3	17343.4	34.15	-82.71	-48.56	-40.00	8.56	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18102.9333	52.51	-104.09	-51.58	-40.00	11.58	RMS	Horizontal	PASS
2	21722.9333	57.61	-102.53	-44.92	-40.00	4.92	RMS	Horizontal	PASS
3	39503	42.34	-91.30	-48.96	-40.00	8.96	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18102.9333	50.26	-104.09	-53.83	-40.00	13.83	RMS	Vertical	PASS
2	21723.7333	50.57	-102.53	-51.96	-40.00	11.96	RMS	Vertical	PASS
3	39473.1333	42.01	-91.34	-49.33	-40.00	9.33	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3690.4	116.38	-87.27	29.11	-	-	RMS	Horizontal	NA
2	3912.1	39.26	-86.39	-47.13	-40.00	7.13	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.59	-90.94	-54.35	-40.00	14.35	RMS	Horizontal	PASS
2	14762.2666	35.30	-86.79	-51.49	-40.00	11.49	RMS	Horizontal	PASS
3	17351.3333	33.32	-82.45	-49.13	-40.00	9.13	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3690.7	117.80	-87.27	30.53	-	-	RMS	Vertical	NA
2	3875.5	39.38	-86.39	-47.01	-40.00	7.01	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	37.16	-90.94	-53.78	-40.00	13.78	RMS	Vertical	PASS
2	14762.7333	35.57	-86.78	-51.21	-40.00	11.21	RMS	Vertical	PASS
3	17350.4	33.31	-82.42	-49.11	-40.00	9.11	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18453.0666	52.63	-103.79	-51.16	-40.00	11.16	RMS	Horizontal	PASS
2	22143.2	57.42	-102.28	-44.86	-40.00	4.86	RMS	Horizontal	PASS
3	39492.7333	42.34	-91.30	-48.96	-40.00	8.96	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18452.8	49.50	-103.79	-54.29	-40.00	14.29	RMS	Vertical	PASS
2	22143.4666	55.81	-102.28	-46.47	-40.00	6.47	RMS	Vertical	PASS
3	39506.7333	41.82	-91.31	-49.49	-40.00	9.49	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3551.05	118.43	-87.60	30.83	-	-	RMS	Horizontal	NA
2	3967.45	39.66	-86.57	-46.91	-40.00	6.91	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13846.6666	34.15	-86.58	-52.43	-40.00	12.43	RMS	Horizontal	PASS
2	15248.0666	34.62	-85.96	-51.34	-40.00	11.34	RMS	Horizontal	PASS
3	17360.6666	33.52	-82.82	-49.30	-40.00	9.30	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3551.05	118.95	-87.60	31.35	-	-	RMS	Vertical	NA
2	3887.2	39.38	-86.34	-46.96	-40.00	6.96	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	38.16	-90.94	-52.78	-40.00	12.78	RMS	Vertical	PASS
2	15082.4	34.47	-86.26	-51.79	-40.00	11.79	RMS	Vertical	PASS
3	17340.6	33.55	-82.83	-49.28	-40.00	9.28	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18719.2	42.81	-103.00	-60.19	-40.00	20.19	RMS	Horizontal	PASS
2	21306.4	58.30	-103.00	-44.70	-40.00	4.70	RMS	Horizontal	PASS
3	39552	41.33	-91.54	-50.21	-40.00	10.21	RMS	Horizontal	PASS