


Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18768.8	43.16	-103.00	-59.84	-40.00	19.84	RMS	Vertical	PASS
2	21306.9333	46.69	-103.00	-56.31	-40.00	16.31	RMS	Vertical	PASS
3	39479.2	40.88	-91.33	-50.45	-40.00	10.45	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3616.15	118.32	-87.04	31.28	-	-	RMS	Horizontal	NA
2	3906.25	39.58	-86.33	-46.75	-40.00	6.75	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	5156.4	41.60	-101.98	-60.38	-40.00	20.38	RMS	Horizontal	PASS
2	7232.13333	39.42	-96.74	-57.32	-40.00	17.32	RMS	Horizontal	PASS
3	17322.4	34.65	-83.67	-49.02	-40.00	9.02	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3616	119.32	-87.04	32.28	-	-	RMS	Vertical	NA
2	3906.1	39.19	-86.33	-47.14	-40.00	7.14	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	12232.4666	36.52	-90.43	-53.91	-40.00	13.91	RMS	Vertical	PASS
2	14464.0666	36.39	-87.53	-51.14	-40.00	11.14	RMS	Vertical	PASS
3	17332.2	33.81	-83.22	-49.41	-40.00	9.41	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18080	49.77	-104.04	-54.27	-40.00	14.27	RMS	Horizontal	PASS
2	21696.2666	57.97	-102.62	-44.65	-40.00	4.65	RMS	Horizontal	PASS
3	39453.0666	42.47	-91.40	-48.93	-40.00	8.93	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18080.2666	46.25	-104.04	-57.79	-40.00	17.79	RMS	Vertical	PASS
2	21696.5333	47.21	-102.62	-55.41	-40.00	15.41	RMS	Vertical	PASS
3	39007.4	41.15	-92.14	-50.99	-40.00	10.99	RMS	Vertical	PASS




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3680.95	116.63	-87.21	29.42	-	-	RMS	Horizontal	NA
2	3901.15	39.33	-86.28	-46.95	-40.00	6.95	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	4097.06666	51.61	-105.92	-54.31	-40.00	14.31	RMS	Horizontal	PASS
2	14724.4666	36.22	-86.91	-50.69	-40.00	10.69	RMS	Horizontal	PASS
3	17352.2666	33.03	-82.49	-49.46	-40.00	9.46	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3681.25	118.76	-87.21	31.55	-	-	RMS	Vertical	NA
2	3913.6	39.38	-86.41	-47.03	-40.00	7.03	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	7362.33333	42.96	-96.68	-53.72	-40.00	13.72	RMS	Vertical	PASS
2	11043.4	39.26	-91.03	-51.77	-40.00	11.77	RMS	Vertical	PASS
3	14724.4666	40.31	-86.91	-46.60	-40.00	6.60	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18405.3333	49.86	-103.73	-53.87	-40.00	13.87	RMS	Horizontal	PASS
2	22086.6666	53.44	-102.52	-49.08	-40.00	9.08	RMS	Horizontal	PASS
3	39691.5333	41.80	-91.58	-49.78	-40.00	9.78	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18405.6	48.06	-103.73	-55.67	-40.00	15.67	RMS	Vertical	PASS
2	22086.6666	53.00	-102.52	-49.52	-40.00	9.52	RMS	Vertical	PASS
3	38666.7333	41.85	-92.30	-50.45	-40.00	10.45	RMS	Vertical	PASS




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph





Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3552.85	109.99	-87.58	22.41	-	-	RMS	Horizontal	NA
2	3895.15	39.55	-86.29	-46.74	-40.00	6.74	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.6	35.85	-90.94	-55.09	-40.00	15.09	RMS	Horizontal	PASS
2	15067	34.67	-86.31	-51.64	-40.00	11.64	RMS	Horizontal	PASS
3	17349.9333	32.66	-82.40	-49.74	-40.00	9.74	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3552.7	110.28	-87.58	22.70	-	-	RMS	Vertical	NA
2	3898.15	39.13	-86.28	-47.15	-40.00	7.15	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	38.37	-90.94	-52.57	-40.00	12.57	RMS	Vertical	PASS
2	15250.4	34.04	-85.92	-51.88	-40.00	11.88	RMS	Vertical	PASS
3	17347.1333	33.27	-82.53	-49.26	-40.00	9.26	RMS	Vertical	PASS