


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13448.1333	35.61	-88.33	-52.72	-40.00	12.72	RMS	Vertical	PASS
2	15110.8666	34.66	-86.35	-51.69	-40.00	11.69	RMS	Vertical	PASS
3	17351.8	33.08	-82.47	-49.39	-40.00	9.39	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21417.8666	54.74	-102.89	-48.15	-40.00	8.15	RMS	Horizontal	PASS
2	35964.7333	41.78	-94.83	-53.05	-40.00	13.05	RMS	Horizontal	PASS
3	39472.2	41.73	-91.34	-49.61	-40.00	9.61	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21419.2	51.64	-102.88	-51.24	-40.00	11.24	RMS	Vertical	PASS
2	36583.5333	41.38	-94.13	-52.75	-40.00	12.75	RMS	Vertical	PASS
3	39446.5333	42.03	-91.41	-49.38	-40.00	9.38	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3623.95	116.94	-87.04	29.90	-	-	RMS	Vertical	NA
2	3908.65	39.00	-86.36	-47.36	-40.00	7.36	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13771.5333	35.19	-87.92	-52.73	-40.00	12.73	RMS	Vertical	PASS
2	15238.7333	34.77	-86.18	-51.41	-40.00	11.41	RMS	Vertical	PASS
3	17351.8	33.33	-82.47	-49.14	-40.00	9.14	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3623.95	117.08	-87.04	30.04	-	-	RMS	Horizontal	NA
2	3999.4	38.92	-86.20	-47.28	-40.00	7.28	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13729.5333	35.94	-87.99	-52.05	-40.00	12.05	RMS	Horizontal	PASS
2	14499.5333	38.43	-86.97	-48.54	-40.00	8.54	RMS	Horizontal	PASS
3	17344.8	33.57	-82.64	-49.07	-40.00	9.07	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18121.8666	49.01	-104.05	-55.04	-40.00	15.04	RMS	Horizontal	PASS
2	21749.8666	53.83	-102.43	-48.60	-40.00	8.60	RMS	Horizontal	PASS
3	38719.9333	42.28	-92.24	-49.96	-40.00	9.96	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18121.8666	45.10	-104.05	-58.95	-40.00	18.95	RMS	Vertical	PASS
2	21746.1333	49.46	-102.44	-52.98	-40.00	12.98	RMS	Vertical	PASS
3	38707.8	42.08	-92.24	-50.16	-40.00	10.16	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHZ	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3679	115.57	-87.19	28.38	-	-	RMS	Horizontal	NA
2	3919.3	39.27	-86.46	-47.19	-40.00	7.19	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13226.9333	34.56	-88.19	-53.63	-40.00	13.63	RMS	Horizontal	PASS
2	15081	34.37	-86.26	-51.89	-40.00	11.89	RMS	Horizontal	PASS
3	17351.3333	33.15	-82.45	-49.30	-40.00	9.30	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHZ	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3679.15	116.88	-87.19	29.69	-	-	RMS	Vertical	NA
2	3910.9	39.39	-86.38	-46.99	-40.00	6.99	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ+20MHZ	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13822.8666	34.39	-86.96	-52.57	-40.00	12.57	RMS	Vertical	PASS
2	14720.2666	37.95	-86.88	-48.93	-40.00	8.93	RMS	Vertical	PASS
3	17349.4666	32.99	-82.42	-49.43	-40.00	9.43	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18399.4666	49.44	-103.73	-54.29	-40.00	14.29	RMS	Horizontal	PASS
2	22080.5333	53.80	-102.52	-48.72	-40.00	8.72	RMS	Horizontal	PASS
3	39803.5333	41.25	-91.39	-50.14	-40.00	10.14	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18397.6	49.36	-103.73	-54.37	-40.00	14.37	RMS	Vertical	PASS
2	22080.5333	53.29	-102.52	-49.23	-40.00	9.23	RMS	Vertical	PASS
3	38917.8	42.41	-92.45	-50.04	-40.00	10.04	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3550.9	117.82	-87.60	30.22	-	-	RMS	Horizontal	NA
2	3853.6	39.93	-86.49	-46.56	-40.00	6.56	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	12708.9333	35.56	-89.78	-54.22	-40.00	14.22	RMS	Horizontal	PASS
2	15073.5333	34.93	-86.29	-51.36	-40.00	11.36	RMS	Horizontal	PASS
3	17347.6	33.03	-82.51	-49.48	-40.00	9.48	RMS	Horizontal	PASS