


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3551.05	112.06	-87.60	24.46	-	-	RMS	Vertical	NA
2	3885.25	39.20	-86.34	-47.14	-40.00	7.14	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.6	37.98	-90.94	-52.96	-40.00	12.96	RMS	Vertical	PASS
2	15238.2666	34.46	-86.19	-51.73	-40.00	11.73	RMS	Vertical	PASS
3	17371.8666	33.77	-83.26	-49.49	-40.00	9.49	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	34921.7333	42.69	-96.50	-53.81	-40.00	13.81	RMS	Horizontal	PASS
2	37398.3333	40.54	-92.50	-51.96	-40.00	11.96	RMS	Horizontal	PASS
3	38997.1333	42.39	-92.17	-49.78	-40.00	9.78	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	34532.0666	42.99	-96.73	-53.74	-40.00	13.74	RMS	Vertical	PASS
2	38065.6666	40.92	-92.32	-51.40	-40.00	11.40	RMS	Vertical	PASS
3	39610.3333	42.01	-91.75	-49.74	-40.00	9.74	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.8	116.46	-87.04	29.42	-	-	RMS	Horizontal	NA
2	3878.65	39.95	-86.37	-46.42	-40.00	6.42	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.85	-90.94	-54.09	-40.00	14.09	RMS	Horizontal	PASS
2	15282.6	35.22	-86.45	-51.23	-40.00	11.23	RMS	Horizontal	PASS
3	17366.2666	33.47	-83.03	-49.56	-40.00	9.56	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.8	115.89	-87.04	28.85	-	-	RMS	Vertical	NA
2	3881.2	39.35	-86.36	-47.01	-40.00	7.01	RMS	Vertical	PASS



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.92	-90.94	-54.02	-40.00	14.02	RMS	Vertical	PASS
2	14483.2	36.80	-87.23	-50.43	-40.00	10.43	RMS	Vertical	PASS
3	17343.4	33.58	-82.71	-49.13	-40.00	9.13	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	36724.4666	41.14	-93.92	-52.78	-40.00	12.78	RMS	Horizontal	PASS
2	38553.3333	42.51	-92.26	-49.75	-40.00	9.75	RMS	Horizontal	PASS
3	39717.2	42.09	-91.51	-49.42	-40.00	9.42	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35309.0666	42.31	-96.19	-53.88	-40.00	13.88	RMS	Vertical	PASS
2	38060.5333	41.12	-92.37	-51.25	-40.00	11.25	RMS	Vertical	PASS
3	39496.4666	41.29	-91.29	-50.00	-40.00	10.00	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3690.85	116.73	-87.27	29.46	-	-	RMS	Horizontal	NA
2	3863.8	39.51	-86.44	-46.93	-40.00	6.93	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	12796.6666	35.60	-89.34	-53.74	-40.00	13.74	RMS	Horizontal	PASS
2	14634.4	34.58	-85.71	-51.13	-40.00	11.13	RMS	Horizontal	PASS
3	17357.8666	33.50	-82.71	-49.21	-40.00	9.21	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3690.7	114.72	-87.27	27.45	-	-	RMS	Vertical	NA
2	3929.65	39.69	-86.57	-46.88	-40.00	6.88	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	38.21	-90.94	-52.73	-40.00	12.73	RMS	Vertical	PASS
2	15246.6666	34.30	-85.99	-51.69	-40.00	11.69	RMS	Vertical	PASS
3	17347.6	33.81	-82.51	-48.70	-40.00	8.70	RMS	Vertical	PASS



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35541.9333	42.51	-95.65	-53.14	-40.00	13.14	RMS	Horizontal	PASS
2	37325.5333	41.42	-92.98	-51.56	-40.00	11.56	RMS	Horizontal	PASS
3	39010.2	42.55	-92.13	-49.58	-40.00	9.58	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	10MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35229.7333	42.27	-96.27	-54.00	-40.00	14.00	RMS	Vertical	PASS
2	37109.4666	41.55	-93.65	-52.10	-40.00	12.10	RMS	Vertical	PASS
3	38791.3333	42.36	-92.22	-49.86	-40.00	9.86	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

**Test Graph**



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3531.25	118.27	-87.42	30.85	-	-	RMS	Horizontal	NA
2	3791.2	40.51	-86.92	-46.41	-40.00	6.41	RMS	Horizontal	PASS