


Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	39.80	36.80
46	5230	39.70	37.20

CH38




Date: 10 JUN 2020 13:17:35

CH46
26 dB Bandwidth




Date: 10 JUN 2020 13:19:01

99 % Emission Bandwidth



Date: 10 JUN 2020 13:17:07




Date: 10 JUN 2020 13:18:40

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	17.20	500	Complies
157	5785	16.50	17.10	500	Complies
165	5825	16.45	17.00	500	Complies

CH149




Date: 10 JUN 2020 10:55:50

CH157
6 dB Bandwidth




Date: 10 JUN 2020 10:55:39

CH165




Date: 10 JUN 2020 10:56:43


99 % Emission Bandwidth



Date: 10 JUN 2020 10:55:28



Date: 10 JUN 2020 10:55:15




Date: 10 JUN 2020 10:56:22

Test Mode UNII-3_TX N (HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	18.30	500	Complies
157	5785	17.70	18.20	500	Complies
165	5825	17.65	18.20	500	Complies

CH149




Date: 10 JUN 2020 11:02:40

CH157
6 dB Bandwidth




Date: 10 JUN 2020 11:03:43

CH165




Date: 10 JUN 2020 12:48:23


99 % Emission Bandwidth



Date: 10 JUN 2020 11:02:19



Date: 10 JUN 2020 11:03:21




Date: 10 JUN 2020 12:48:02

Test Mode UNII-3_TX N (HT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	37.60	500	Complies
159	5795	36.50	37.60	500	Complies

CH151




Date: 10 JUN 2020 13:20:12

CH159 6 dB Bandwidth




Date: 10 JUN 2020 13:21:58

99 % Emission Bandwidth



Date: 10 JUN 2020 13:19:43




Date: 10 JUN 2020 13:21:30

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	76.00


CH42

26 dB Bandwidth



Date: 10 JUN 2020 13:31:20

99 % Emission Bandwidth




Date: 10 JUN 2020 13:30:55

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.00	76.80	500	Complies


CH155

6 dB Bandwidth



Date: 10 JUN 2020 13:33:39

99 % Emission Bandwidth




Date: 10 JUN 2020 13:33:12

Test Mode	UNII-1_TX AX (HEW20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.79	19.40
40	5200	21.61	19.40
48	5240	21.75	19.40

CH36




Date: 10 JUN 2020 13:34:52

CH40
26 dB Bandwidth




Date: 10 JUN 2020 13:36:08

CH48




Date: 10 JUN 2020 13:37:11


99 % Emission Bandwidth



Date: 10 JUN 2020 13:34:52



Date: 10 JUN 2020 13:35:48




Date: 10 JUN 2020 13:36:51

Test Mode	UNII-1_TX AX (HEW40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	39.80	37.80
46	5230	39.80	38.00

CH38




Date: 10 JUN 2020 13:41:37

CH46
26 dB Bandwidth




Date: 10 JUN 2020 13:42:46

99 % Emission Bandwidth



Date: 10 JUN 2020 13:41:09




Date: 10 JUN 2020 13:42:24

Test Mode	UNII-1_TX AX (HEW80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.00	77.20


CH42

26 dB Bandwidth



Date: 10 JUN 2020 13:46:36

99 % Emission Bandwidth




Date: 10 JUN 2020 13:46:11

Test Mode UNII-3_TX AX (HEW20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	19.01	19.40	500	Complies
157	5785	19.10	19.30	500	Complies
165	5825	19.10	19.40	500	Complies

CH149




Date: 10 JUN 2020 13:38:16

CH157
6 dB Bandwidth




Date: 10 JUN 2020 13:39:26

CH165




Date: 10 JUN 2020 13:40:23


99 % Emission Bandwidth



Date: 10 JUN 2020 13:37:55



Date: 10 JUN 2020 13:39:04




Date: 10 JUN 2020 13:40:02

Test Mode UNII-3_TX AX (HEW40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	37.00	38.20	500	Complies
159	5795	37.50	38.40	500	Complies

CH151




Date: 10_JUN.2020 13:43:59

CH159 6 dB Bandwidth




Date: 10_JUN.2020 13:45:20

99 % Emission Bandwidth



Date: 10_JUN.2020 13:43:31




Date: 10_JUN.2020 13:44:52

Test Mode UNII-3_TX AX (HEW80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.80	78.00	500	Complies


CH155

6 dB Bandwidth



Date: 10 JUN 2020 13:47:52

99 % Emission Bandwidth



Date: 10 JUN 2020 13:47:24

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.30	0.21	19.51	30.00	1.00	Complies
40	5200	20.21	0.21	20.42	30.00	1.00	Complies
48	5240	20.46	0.21	20.67	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.56	0.21	20.77	30.00	1.00	Complies
40	5200	21.26	0.21	21.47	30.00	1.00	Complies
48	5240	21.36	0.21	21.57	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.20	30.00	1.00	Complies
40	5200	23.99	30.00	1.00	Complies
48	5240	24.16	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.06	0.22	19.28	30.00	1.00	Complies
40	5200	20.19	0.22	20.41	30.00	1.00	Complies
48	5240	20.43	0.22	20.65	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.24	0.22	20.46	30.00	1.00	Complies
40	5200	21.31	0.22	21.53	30.00	1.00	Complies
48	5240	21.25	0.22	21.47	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.92	30.00	1.00	Complies
40	5200	24.01	30.00	1.00	Complies
48	5240	24.09	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.83	0.43	17.26	30.00	1.00	Complies
46	5230	20.34	0.43	20.77	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.97	0.43	18.40	30.00	1.00	Complies
46	5230	21.47	0.43	21.90	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.88	30.00	1.00	Complies
46	5230	24.38	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.08	0.21	20.29	30.00	1.00	Complies
157	5785	18.56	0.21	18.77	30.00	1.00	Complies
165	5825	17.33	0.21	17.54	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.12	0.21	21.33	30.00	1.00	Complies
157	5785	19.60	0.21	19.81	30.00	1.00	Complies
165	5825	18.66	0.21	18.87	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.85	30.00	1.00	Complies
157	5785	22.33	30.00	1.00	Complies
165	5825	21.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.98	0.22	20.20	30.00	1.00	Complies
157	5785	19.58	0.22	19.80	30.00	1.00	Complies
165	5825	19.47	0.22	19.69	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.01	0.22	21.23	30.00	1.00	Complies
157	5785	20.53	0.22	20.75	30.00	1.00	Complies
165	5825	20.56	0.22	20.78	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.75	30.00	1.00	Complies
157	5785	23.31	30.00	1.00	Complies
165	5825	23.28	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.75	0.43	21.18	30.00	1.00	Complies
159	5795	20.79	0.43	21.22	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.29	0.43	21.72	30.00	1.00	Complies
159	5795	21.25	0.43	21.68	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.47	30.00	1.00	Complies
159	5795	24.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.22	0.00	19.22	30.00	1.00	Complies
40	5200	20.19	0.00	20.19	30.00	1.00	Complies
48	5240	20.43	0.00	20.43	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.13	0.00	20.13	30.00	1.00	Complies
40	5200	21.31	0.00	21.31	30.00	1.00	Complies
48	5240	21.25	0.00	21.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.71	30.00	1.00	Complies
40	5200	23.80	30.00	1.00	Complies
48	5240	23.87	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.96	0.13	17.09	30.00	1.00	Complies
46	5230	20.31	0.13	20.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.77	0.13	17.90	30.00	1.00	Complies
46	5230	21.42	0.13	21.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.53	30.00	1.00	Complies
46	5230	24.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.40	0.13	16.53	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.91	0.13	18.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.13	0.00	20.13	30.00	1.00	Complies
157	5785	19.69	0.00	19.69	30.00	1.00	Complies
165	5825	19.59	0.00	19.59	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.81	0.00	20.81	30.00	1.00	Complies
157	5785	20.56	0.00	20.56	30.00	1.00	Complies
165	5825	20.64	0.00	20.64	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.49	30.00	1.00	Complies
157	5785	23.16	30.00	1.00	Complies
165	5825	23.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.06	0.13	21.19	30.00	1.00	Complies
159	5795	21.08	0.13	21.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.44	0.13	21.57	30.00	1.00	Complies
159	5795	21.47	0.13	21.60	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.40	30.00	1.00	Complies
159	5795	24.42	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.14	0.13	21.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.37	0.13	21.50	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.27	0.09	19.36	30.00	1.00	Complies
40	5200	20.24	0.09	20.33	30.00	1.00	Complies
48	5240	20.52	0.09	20.61	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.49	0.09	20.58	30.00	1.00	Complies
40	5200	21.43	0.09	21.52	30.00	1.00	Complies
48	5240	21.42	0.09	21.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.03	30.00	1.00	Complies
40	5200	23.98	30.00	1.00	Complies
48	5240	24.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.73	0.16	16.89	30.00	1.00	Complies
46	5230	20.68	0.16	20.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.77	0.16	17.93	30.00	1.00	Complies
46	5230	21.48	0.16	21.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.45	30.00	1.00	Complies
46	5230	24.27	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.89	0.30	15.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.27	0.30	16.57	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.20	0.09	20.29	30.00	1.00	Complies
157	5785	20.02	0.09	20.11	30.00	1.00	Complies
165	5825	19.81	0.09	19.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.18	0.09	21.27	30.00	1.00	Complies
157	5785	20.87	0.09	20.96	30.00	1.00	Complies
165	5825	20.86	0.09	20.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.82	30.00	1.00	Complies
157	5785	23.57	30.00	1.00	Complies
165	5825	23.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.13	0.16	21.29	30.00	1.00	Complies
159	5795	21.25	0.16	21.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.42	0.16	21.58	30.00	1.00	Complies
159	5795	21.44	0.16	21.60	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.45	30.00	1.00	Complies
159	5795	24.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.32	0.30	21.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.49	0.30	21.79	30.00	1.00	Complies




Test Mode	UNII-3_TX AX (HEW80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.72	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.41	0.21	9.62	17.00	Complies
40	5200	9.68	0.21	9.89	17.00	Complies
48	5240	9.26	0.21	9.47	17.00	Complies






Date: 10 JUN 2020 13:49:58

Date: 10 JUN 2020 13:51:32

Date: 10 JUN 2020 13:52:01

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.13	0.21	10.34	17.00	Complies
40	5200	10.54	0.21	10.75	17.00	Complies
48	5240	10.07	0.21	10.28	17.00	Complies



Date: 10 JUN 2020 10:48:01

Date: 10 JUN 2020 10:49:43


Date: 10 JUN 2020 10:50:39

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.01	15.17	Complies
40	5200	13.35	15.17	Complies
48	5240	12.91	15.17	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.89	0.22	9.11	17.00	Complies
40	5200	9.35	0.22	9.57	17.00	Complies
48	5240	9.06	0.22	9.28	17.00	Complies



Date: 10 JUN 2020 13:54:24




Date: 10 JUN 2020 13:55:08




Date: 10 JUN 2020 13:56:19

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.85	0.22	10.07	17.00	Complies
40	5200	10.29	0.22	10.51	17.00	Complies
48	5240	10.10	0.22	10.32	17.00	Complies



Date: 10 JUN 2020 10:58:03



Date: 10 JUN 2020 10:59:09





Date: 10 JUN 2020 11:01:10

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.63	15.17	Complies
40	5200	13.07	15.17	Complies
48	5240	12.84	15.17	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.86	0.43	4.29	17.00	Complies
46	5230	6.78	0.43	7.21	17.00	Complies





Date: 10 JUN 2020 14:00:03

Date: 10 JUN 2020 14:00:47

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.91	0.43	5.34	17.00	Complies
46	5230	7.69	0.43	8.12	17.00	Complies



Date: 10 JUN 2020 13:17:01


Date: 10 JUN 2020 13:18:33

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.86	15.17	Complies
46	5230	10.70	15.17	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.41	0.21	6.62	30.00	Complies
157	5785	5.02	0.21	5.23	30.00	Complies
165	5825	3.80	0.21	4.01	30.00	Complies



Date: 10 JUN 2020 13:52:33




Date: 10 JUN 2020 13:53:03




Date: 10 JUN 2020 13:53:37

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.82	0.21	7.03	30.00	Complies
157	5785	5.71	0.21	5.92	30.00	Complies
165	5825	4.77	0.21	4.98	30.00	Complies



Date: 10 JUN 2020 10:53:22



Date: 10 JUN 2020 10:55:09




Date: 10 JUN 2020 10:56:15

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.84	27.07	Complies
157	5785	8.60	27.07	Complies
165	5825	7.54	27.07	Complies

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.17	0.22	6.39	30.00	Complies
157	5785	5.71	0.22	5.93	30.00	Complies
165	5825	5.63	0.22	5.85	30.00	Complies



Date: 10 JUN 2020 13:57:47




Date: 10 JUN 2020 13:58:16




Date: 10 JUN 2020 13:59:04

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.60	0.22	6.82	30.00	Complies
157	5785	6.26	0.22	6.48	30.00	Complies
165	5825	6.71	0.22	6.93	30.00	Complies



Date: 10 JUN 2020 11:02:12



Date: 10 JUN 2020 11:03:14





Date: 10 JUN 2020 12:47:56

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.62	27.07	Complies
157	5785	9.22	27.07	Complies
165	5825	9.43	27.07	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.28	0.43	4.71	30.00	Complies
159	5795	4.24	0.43	4.67	30.00	Complies





Date: 10_JUN.2020 14:01:29

Date: 10_JUN.2020 14:03:19

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.41	0.43	4.84	30.00	Complies
159	5795	4.39	0.43	4.82	30.00	Complies



Date: 10_JUN.2020 13:19:37


Date: 10_JUN.2020 13:21:23

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.79	27.07	Complies
159	5795	7.76	27.07	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.50	0.13	0.63	17.00	Complies



Date: 10 JUN 2020 14:04:57

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.92	0.13	2.05	17.00	Complies




Date: 10 JUN 2020 13:30:48

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.41	15.17	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.91	0.13	2.04	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.89	0.13	2.02	30.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.04	27.07	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.89	0.00	8.89	17.00	Complies
40	5200	9.35	0.00	9.35	17.00	Complies
48	5240	9.06	0.00	9.06	17.00	Complies



Date: 10 JUN 2020 13:54:24




Date: 10 JUN 2020 13:55:08




Date: 10 JUN 2020 13:56:19

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.85	0.00	9.85	17.00	Complies
40	5200	10.29	0.00	10.29	17.00	Complies
48	5240	10.10	0.00	10.10	17.00	Complies



Date: 10 JUN 2020 10:58:03



Date: 10 JUN 2020 10:59:09





Date: 10 JUN 2020 11:01:10

Test Mode	UNII-1_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.41	15.17	Complies
40	5200	12.86	15.17	Complies
48	5240	12.62	15.17	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.86	0.00	3.86	17.00	Complies
46	5230	6.78	0.00	6.78	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.91	0.00	4.91	17.00	Complies
46	5230	7.69	0.00	7.69	17.00	Complies




Test Mode	UNII-1_TX AX (HEW40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.43	15.17	Complies
46	5230	10.27	15.17	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.06	0.30	-0.76	17.00	Complies



Date: 10 JUN 2020 14:22:38

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.37	0.30	0.67	17.00	Complies




Date: 10 JUN 2020 13:46:04

Test Mode	UNII-1_TX AX (HEW80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.03	15.17	Complies

Test Mode UNII-3_TX AX (HEW20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.17	0.00	6.17	30.00	Complies
157	5785	5.71	0.00	5.71	30.00	Complies
165	5825	5.63	0.00	5.63	30.00	Complies



Date: 10 JUN 2020 13:57:47




Date: 10 JUN 2020 13:58:16




Date: 10 JUN 2020 13:59:04

Test Mode UNII-3_TX AX (HEW20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.60	0.00	6.60	30.00	Complies
157	5785	6.26	0.00	6.26	30.00	Complies
165	5825	6.71	0.00	6.71	30.00	Complies



Date: 10 JUN 2020 11:02:12



Date: 10 JUN 2020 11:03:14





Date: 10 JUN 2020 12:47:56

Test Mode	UNII-3_TX AX (HEW20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.40	27.07	Complies
157	5785	9.00	27.07	Complies
165	5825	9.21	27.07	Complies

Test Mode UNII-3_TX AX (HEW40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.28	0.00	4.28	30.00	Complies
159	5795	4.24	0.00	4.24	30.00	Complies





Date: 10_JUN.2020 14:01:29

Date: 10_JUN.2020 14:03:19

Test Mode UNII-3_TX AX (HEW40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.41	0.00	4.41	30.00	Complies
159	5795	4.39	0.00	4.39	30.00	Complies



Date: 10_JUN.2020 13:19:37


Date: 10_JUN.2020 13:21:23

Test Mode UNII-3_TX AX (HEW40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.36	27.07	Complies
159	5795	7.33	27.07	Complies


Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.99	0.30	2.29	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.02	0.30	2.32	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.32	27.07	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
13.8	5179.9800
12.0	5179.9800
10.2	5179.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8658

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9800
5	5179.9800
15	5179.9800
25	5179.9800
35	5179.9800
40	5179.9951
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8658

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
13.8	5744.9800
12.0	5744.9800
10.2	5744.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.4856

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9750
5	5744.9800
15	5744.9800
25	5744.9800
35	5744.9750
40	5744.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3494

End of Test Report