



Maximum power spectral density


802.11ax hew80
RU Config.
26/0
Middle Channel



802.11ax hew80
RU Config.
52/37
Middle Channel




802.11ax hew80
RU Config.
106/53
Middle Channel



Maximum power spectral density


802.11ax hew80
RU Config.
242/61
Middle Channel



802.11ax hew80
RU Config.
484/65
Middle Channel



802.11ax hew80
RU Config.
996/67
Middle Channel



4.6 Duty Cycle:

Serial Number:	CR21090071-RF-S1	Test Date:	2022/4/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Julie Tan	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	26.1	Relative Humidity: (%)	63	ATM Pressure: (kPa)	100.3
----------------------	------	------------------------------	----	------------------------	-------

Test Equipment List and Details:


Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	200256	2021-07-22	2022-07-21
YINSAIGE	Coaxial Cable	SS402	SJ0100004	44416	44780


* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)
802.11a	1.439	1.612	89.27
802.11n ht20	0.695	0.885	78.53
802.11n ht40	1.27	1.441	88.13
802.11ac vht80	0.068	0.261	26.05
802.11ax hew20	0.198	0.389	50.90
802.11ax hew40	0.126	0.32	39.38
802.11ax hew80	0.123	0.32	38.44

Duty Cycle	
802.11a	<p>Ref 30 dBm * Att 40 dB RBW 10 MHz Delta 2 [T1] -0.89 dB * VBW 10 MHz 1.612154 ms SWT 6 ms</p> <p>Marker 1 [T1] -3.94 dBm Delta 1 [T1] -1.07 dB Delta 2 [T1] -43.687 dB</p> <p>Center 5.2 GHz 600 us/</p> <p>Date: 27.APR.2022 09:09:38</p>
802.11n ht20	<p>Ref 30 dBm * Att 40 dB RBW 10 MHz Delta 2 [T1] -1.04 dB * VBW 10 MHz 884.615385 us SWT 3 ms</p> <p>Marker 1 [T1] -3.41 dBm Delta 1 [T1] -43.687 dB</p> <p>Center 5.2 GHz 300 us/</p> <p>Date: 27.APR.2022 09:13:21</p>
802.11n ht40	<p>Ref 30 dBm * Att 40 dB RBW 10 MHz Delta 2 [T1] 1.85 dB * VBW 10 MHz 1.440705 ms SWT 5 ms</p> <p>Marker 1 [T1] -3.53 dBm Delta 1 [T1] -1.93615 ms Delta 2 [T1] -1.99 dB</p> <p>Center 5.19 GHz 500 us/</p> <p>Date: 27.APR.2022 09:16:17</p>





==== END OF REPORT ====