

EWC Label Locations
Haws Corporation



Figure 1- Model 1201SF and 1211SF Label Location

Please note the following label images are taken from the engineering specification and are representative of the final label only.

Assembled in USA by: Haws Corporation 1455 Kleppe Lane Sparks, NV USA	Model: 1201SF Volts 115VAC PH 1 Hz 60 Amps 5A Refrig. 4.09 oz (116g) R-134a Design Pressure - PSI: HS 330 / LS 120	6X R.08 [2.0]
	CAUTION - SEE INSTALLATION INSTRUCTIONS. ATTENTION - CONSULTEZ LES INSTRUCTIONS D'INSTALLATION.	<small>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</small> FCC ID: 2AUAN-1200SF IC: 25359-1200SF CAN ICES - 3(A)/NMB-3(A)
0510006823 Rev 2		

Assembled in USA by:
Haws Corporation
1455 Kleppe Lane
Sparks, NV USA

Model: 1211SF
Volts: 115VAC PH 1
Hz: 60
Amps: 5A
Refrig. 4.09 oz (116g) R-134a
Design Pressure - PSI:
HS 330 / LS 120

6X R.08
[2.0]



C US
NSF/ANSI 61
NSF/ANSI 372

CAUTION - SEE INSTALLATION INSTRUCTIONS.

ATTENTION - CONSULTEZ LES INSTRUCTIONS D'INSTALLATION.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC ID: 2AUAN-1200SF
IC: 25359-1200SF
CAN ICES - 3(A)/NMB-3(A)

0510000827 Rev 2





Figure 2 - Model 1202SF and 1212SF label Location

Please note the following label images are taken from the engineering specification and are representative of the final label only.

Assembled in USA by: Haws Corporation 1455 Kleppe Lane Sparks, NV USA	Model: 1202SF Volts 115VAC PH 1 Hz 60 Amps 5A Refrig. 4.09 oz (116g) R-134a Design Pressure - PSI: HS 330 / LS 120	6X R.08 [2.0]
 C US NSF/ANSI 61 NSF/ANSI 372	CAUTION - SEE INSTALLATION INSTRUCTIONS. ATTENTION - CONSULTEZ LES INSTRUCTIONS D'INSTALLATION.	<small>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</small> FCC ID: 2AUAN-1200SF IC: 25359-1200SF CAN ICES - 3(A)/NMB-3(A)
0510000825 Rev 2		

Assembled in USA by: Haws Corporation 1455 Kleppe Lane Sparks, NV USA	Model: 1212SF Volts 115VAC PH 1 Hz 60 Amps 5A Refrig. 4.09 oz (116g) R-134a Design Pressure - PSI: HS 330 / LS 120	6X R.08 [2.0]
 C US NSF/ANSI 61 NSF/ANSI 372	CAUTION - SEE INSTALLATION INSTRUCTIONS. ATTENTION - CONSULTEZ LES INSTRUCTIONS D'INSTALLATION.	<small>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</small> FCC ID: 2AUAN-1200SF IC: 25359-1200SF CAN ICES - 3(A)/NMB-3(A)
0510000829 Rev 2		