


01/ Product Descriptions



- 1. Power/Screen Lock Button: Long press for 5 seconds to turn on or off.
- 2. Diagnostic cable interface: Plug in the diagnostic cable to connect to the car OBD connector.
- 3. Touch Screen: 5 inches (480*854 resolution).
- 4. OK Button: Confirm button.
- 5. Selection Buttons: Up, down, left and right direction selection.
- 6. Return Button: Return to the previous step.
- 7. TF Card Slot: Support expandable SD memory card (please purchase by yourself).
- 8. TYPE-C interface: Support 5V-1.2A charging voltage (please do not exceed this range).
- 9. Reset Button: Power on and off reset.
- 10. Wristband: Easy to carry device.

02/Technical Specifications

Display: 5" display

Working Environment: 0~50°C (32~122°F)


Storage Environment: -20~60°C (-4~140°F)

Working voltage: Input 5V2A (2.5A max)

Supported Protocols: ISO9141, KWP2000 (ISO 14230), J1850PWM, J1850VPM and CAN OBDII protocol.

03/ How To Use

Connect the DollarFix DF65 with your vehicle through the OBDII port.



Usually, the OBD port is located under the dashboard, above the pedal on the driver's side. The five locations shown in the picture are common OBDII port locations.


04/Turn on the DollarFix DF65

Hold the Power button for 5 seconds to turn the DollarFix DF65 on. The tablet will start initializing and entering the following interface.




*Note: Don't connect or disconnect any test equipment with the ignition on or engine running.

05/Language Setting




Used to select the tool language.

06/ Choose Time



Choose the time zone where you are in. The system will automatically configure the time according to the time zone you selected.

07/ Connect Wi-Fi




The system will automatically search all available Wi-Fi networks. You can choose the Wi-Fi needed. Tap "Next", it will automatically jump to the Home Menu.

08/ Function Description



DollarFix DF65 has 8 main modules, Diagnose, OBD, History, Maintenance, File, Instruction, Update, Settings.

1. Plug in the OBD diagnostic cable after the car is turned on, and the device will automatically scan for OBD protocols (wait while scanning).



Note: You can click "SMOG" to see the corresponding supported protocols, gray protocols are not supported, green without fault codes, red with fault codes.


2. Diagnose: This function serves to read & clear the DTC of the ECU memory of the tested system. Read and display real-time data and parameters of the car ECU.
3. OBD: Diagnosis of all problems related to the engine.codes, read data stream, read ECU information, etc.
4. History: This feature includes diagnostic logging.
5. Maintenance: Support the most common multiple maintenance functions.
6. File: It is used to record and establish the files of the diagnosed vehicles. The files are created based on the vehicle VIN and check time, including all diagnostic-related data such as diagnostic reports, data stream records and screenshots.
7. Instruction: It includes 5 modules, a fault code data base, a table of vehicles able to be diagnosed, videos, a learning course, instruction.
8. Update: This module allows you to update the diagnostic software & App and set frequently used software.
9. Settings: Common system settings can be made here to modify and add information.

09/ Customer Service



Pull down the task bar, find the customer service icon, click on it, and then human online customer service will appear to answer the questions you encounter during the use of the product, giving you a better experience of using the product.

10/ Settings



You can do some basic set up on this page. Include Wi-Fi, screen brightness, language, time zone, and so on.

1. Feedback: You can feedback the diagnostic software/app bugs to us for analysis and improvements.
2. App Update: This module allows you to update the app to the latest version.
3. Firmware Fix: Used to update the firmware.

4. About: Basic information about this device.
5. Help: Equipment FAQ.
6. Clear Diagnostics Software: Clear the downloaded diagnostic software.
7. Clear Data: Clear user data.
8. Restore Factory Settings: Restore to factory system version.
9. Screenshots: Turn on this switch to take a screen capture.
10. Screen Recorder: Turn on this switch to record the screen operation video.
11. File Management: Device File Management.
12. Brightness: Set screen brightness.
13. Customer Service Center: Contact online support.
14. Automatically Send Reports: Generate diagnostic reports and send them to the designated email address automatically.
15. Report Receiving Email: Enter an email address for receiving reports.
16. Wi-Fi: Set the connectable Wi-Fi network.
17. Language: Select the tool language from the languages displayed on the interface.
18. Time Zone: Choose the time zone of the current location, then the system will automatically configure the time according to the time zone you chose.
19. Use 24 Hour Format: Time display format in 24-hour format.
20. Metric Units of Measure: Unit of Measure Switching.

13/ FAQ

Here we list some common questions and answers related to this tool.

1. Q: Why does DollarFix DF65 have no responses when it is connected to a car?
A: Check if the connection with the vehicle diagnostic socket is solid, or check if the ignition switch is on, or if the tool supports the car.

2. Q: Why does the system stop when reading the data stream?
A: It may be caused by a slackened connector. Please turn off the scanner, firmly connect the connector, and switch it on again.

3. Q: Communication error with vehicle ECU?
A: Please confirm the following cases:
 - Whether diagnostic connector is correctly connected.
 - Whether ignition switch is ON.Or, send your vehicle's year, made time, model and VIN number to us using Feedback feature for timely technical assistance.

4. Q: Why does the screen flash when the engine ignition starts?
A: It is normal and caused by electromagnetic interference.

5. Q: How to upgrade the system software?
A: 1. Power on the tool and ensure a stable Internet connection.
2. Go to "Settings" → "Update" → "App", tap "OTA" and then tap "check version" to enter the system upgrade interface.

3. Complete the process by following the instructions on the screen step by step. It may take a few minutes depending on the status of your network.

After the upgrade is finished, the tool will automatically restart and display the main interface.

6. Q: How to capture the screenshot?

A: Pull down the taskbar and click on the screenshot icon to capture the current screen, it will be saved in the Photo Album module.

14/ Warranty Terms

This warranty applies only to users and distributors who purchase DollarFix DF65 products through normal procedures. Provide free warranty within one year. DollarFix warranty including electronic products for damages caused by defects in materials or workmanship. Damages to the equipment or components caused by abusing, unauthorized modification, using for non-designed purposes, operation in a manner not specified in the instructions, etc. are not covered by this warranty. The compensation for dashboard damage caused by the defect of this equipment is limited to repair or replacement. DollarFix does not bear any indirect and incidental losses. DollarFix will judge the nature of the equipment damage according to its prescribed inspection methods.

Please contact Online Customers Service via the order interface.

Customer Service Email: support@dollarfix.com

Official Website: www.dollarfix.com

Products tutorial, videos, FAQ and coverage list are available on DollarFix official website.

FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development

Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The term "IC: " before the certification/registration number only signifies that the Industry Canada technical specifications were met. This product meets the applicable Industry Canada technical specifications.

Cet appareil contient des émetteurs / récepteurs exemptés de licence conformes aux RSS (RSS) d'Innovation, Sciences et Développement économique Canada. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage,

et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

FCC SAR Information Statement

Your dollarfix DF65 is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for dollarfix DF65 employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the dollarfix DF65 transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the dollarfix DF65 while operating can be well below the maximum value. This is because the dollarfix DF65 is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a dollarfix DF65 is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this dollarfix DF65 when tested for use worn on the body, as described in this user guide, is 0.25W/Kg (Body-worn measurements differ among dollarfix DF65, depending upon available accessories and FCC requirements). While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this dollarfix DF65 with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this dollarfix DF65 is on file with the FCC and can be found under the Display Grant section of

<http://www.fcc.gov/oet/fccid> after searching on FCC ID: 2AUAR900PRO Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for dollarfix DF65 used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

The SAR test distance is 0mm.

ISED SAR Information Statement

Your dollarfix DF65 is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Innovation, Science and Economic Development Canada of the Canada Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless dollarfix DF65 employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the ISED is 1.6 W/kg. * Tests for SAR are conducted with the dollarfix DF65 transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the dollarfix DF65 while operating can be well below the maximum value. This is because the dollarfix DF65 is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a dollarfix DF65 is available for sale to the public, it must be tested and certified to the ISED that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the ISED for each model. The highest SAR value for this dollarfix DF65 when tested for use worn on the body, as described in this user guide, is 0.25 W/Kg (Body-worn measurements differ among dollarfix DF65, depending upon available accessories and ISED requirements). While there may be differences between the SAR levels of various dollarfix DF65 and at various positions, they all meet the government requirement for safe exposure. The ISED has granted an Equipment Authorization for this dollarfix DF65 with all reported SAR levels evaluated as in compliance with the ISED RF exposure guidelines. SAR information on this dollarfix DF65 is on file with the FCC and can be found under the Display Grant section of <https://sms-sgs.ic.gc.ca/> after searching on IC: 26415-900PRO Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

The SAR test distance is 0mm.