FCC ID: 2AUARTHINKTVCI

IC : 26415-THINKTVCI

EUT PHOTO(External Photos)

THINKCAR TVCI
Automotive Diagnostic Dongle
Model: TKVCI
Working Voltage: 9~18V
Power: ≤2W
Working Environment: 14°F~122°F (-10°C~50°C)
Storage Environment: -4°F~140°F (-20°C~60°C)
FCC ID: 2AUARTHINKTVCI
POWER
VEHICLE
I/O
S/N:
SN:988579802008 VO
THINKCAR
www.thinkcar.com
Designed by Thinkcar in California
Made in China

THINKCAR TVCI
Automotive Diagnostic Dongle
Model: TKVCI
Working Voltage: 9~18V
Power: ≤2W
Working Environment: 14°F~122°F (-10°C~50°C)
Storage Environment: -4°F~140°F (-20°C~60°C)
FCC ID: 2AUARTHINKTVCI
POWER
VEHICLE
I/O
S/N:
SN:988579802008 VO
THINKCAR
www.thinkcar.com
Designed by Thinkcar in California
Made in China

THINKCAR TVCI
Automotive Diagnostic Dongle
Model: TKVCI
Working Voltage: 9~18V
Power: ≤2W
Working Environment: 14°F~122°F (-10°C~50°C)
Storage Environment: -4°F~140°F (-20°C~60°C)
FCC ID: 2AUARTHINKTVCI
POWER
VEHICLE
I/O
S/N:
THINKCAR
www.thinkcar.com
Designed by Thinkcar in California
Made in China

THINKCAR TVCI
Automotive Diagnostic Dongle
Model: TKVCI
Working Voltage: 9-18V
Power: 4W
Working Environment: 14°F~122°F (-10°C~50°C)
Storage Environment: -4°F~140°F (-20°C~60°C)
FCC ID: 2AUMRTHINKTVCI
POWER
VEHICLE
I/O
S/N:
THINKCAR
Designed by Thinkcar in California
Made in China

THINKCAR TVCI
Automotive Diagnostic Dongle
Model: TKVCI
Working Voltage: 9~18V
Power: 4W
Working Environment: 14°F~122°F (-10°C~50°C)
Storage Environment: -4°F~140°F (-20°C~60°C)
FCC ID: 2AUMRTHINKTVCI
POWER
VEHICLE
I/O
THINKCAR

THINKCAR TVCI
Automotive Diagnostic Dongle
Power: 12V
POWER
VEHICLE
IO
THINKCAR
Made in China