




















-6dB Bandwidth



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.334	0.5	Pass
NVNT	a	5785	16.350	0.5	Pass
NVNT	a	5825	16.340	0.5	Pass
NVNT	n20	5745	17.571	0.5	Pass
NVNT	n20	5785	17.546	0.5	Pass
NVNT	n20	5825	17.346	0.5	Pass
NVNT	n40	5755	36.098	0.5	Pass
NVNT	n40	5795	35.408	0.5	Pass
NVNT	ac20	5745	17.556	0.5	Pass
NVNT	ac20	5785	17.310	0.5	Pass
NVNT	ac20	5825	17.562	0.5	Pass
NVNT	ac40	5755	36.049	0.5	Pass
NVNT	ac40	5795	35.475	0.5	Pass
NVNT	ac80	5775	76.491	0.5	Pass


























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.479
NVNT	a	5200	16.505
NVNT	a	5240	16.540
NVNT	n20	5180	17.594
NVNT	n20	5200	17.595
NVNT	n20	5240	17.580
NVNT	n40	5190	35.958
NVNT	n40	5230	36.029
NVNT	ac20	5180	17.541
NVNT	ac20	5200	17.564
NVNT	ac20	5240	17.579
NVNT	ac40	5190	35.949
NVNT	ac40	5230	36.037
NVNT	ac80	5210	75.806
NVNT	a	5745	16.660
NVNT	a	5785	16.628
NVNT	a	5825	16.835
NVNT	n20	5745	17.719
NVNT	n20	5785	17.687
NVNT	n20	5825	17.776
NVNT	n40	5755	36.190
NVNT	n40	5795	36.120
NVNT	ac20	5745	17.765
NVNT	ac20	5785	17.834
NVNT	ac20	5825	17.690
NVNT	ac40	5755	36.137
NVNT	ac40	5795	36.101
NVNT	ac80	5775	76.055





















































Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	0.16	11	Pass
NVNT	a	5200	-0.06	11	Pass
NVNT	a	5240	-0.50	11	Pass
NVNT	n20	5180	-0.16	11	Pass
NVNT	n20	5200	-0.77	11	Pass
NVNT	n20	5240	-1.84	11	Pass
NVNT	n40	5190	-4.32	11	Pass
NVNT	n40	5230	-5.65	11	Pass
NVNT	ac20	5180	-2.03	11	Pass
NVNT	ac20	5200	-2.60	11	Pass
NVNT	ac20	5240	-3.21	11	Pass
NVNT	ac40	5190	-4.00	11	Pass
NVNT	ac40	5230	-5.40	11	Pass
NVNT	ac80	5210	-8.85	11	Pass
NVNT	a	5745	-5.72	30	Pass
NVNT	a	5785	-6.27	30	Pass
NVNT	a	5825	-5.80	30	Pass
NVNT	n20	5745	-6.15	30	Pass
NVNT	n20	5785	-6.53	30	Pass
NVNT	n20	5825	-6.84	30	Pass
NVNT	n40	5755	-9.01	30	Pass
NVNT	n40	5795	-9.32	30	Pass
NVNT	ac20	5745	-5.71	30	Pass
NVNT	ac20	5785	-6.76	30	Pass
NVNT	ac20	5825	-7.30	30	Pass
NVNT	ac40	5755	-9.45	30	Pass
NVNT	ac40	5795	-9.76	30	Pass
NVNT	ac80	5775	-12.89	30	Pass














































Appendix B: Photographs of Test Setup

Refer to the test report No. TCT220413E037

Appendix C: Photographs of EUT

Refer to the test report No. TCT220413E037

*******END OF REPORT*******