




Plot 66:

Test Date	2023-06-21
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N71
Signal	NR FDD
Frequency	688
SAR 10g (W/Kg)	0.074
SAR 1g (W/Kg)	0.155


Maximum location: X=-10.00, Y=18.00 ; SAR Peak: 0.35 W/kg



Plot 67:

Test Date	2023-07-17
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	NR N77
Signal	NR TDD
Frequency	4149.99
SAR 10g (W/Kg)	0.382
SAR 1g (W/Kg)	0.883

Maximum location: X=-9.00, Y=7.00 ; SAR Peak: 2.33 W/kg






Plot 68:

Test Date	2023-07-17
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Edge
Band	NR N77
Signal	NR TDD
Frequency	4149.99
SAR 10g (W/Kg)	0.313
SAR 1g (W/Kg)	0.684

Maximum location: X=5.00, Y=16.00 ; SAR Peak: 1.78 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※END OF THE REPORT※※※※