



Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 23.9°C
M/N: HM-1005	Humidity: 40%RH
Test Voltage: Battery	Test Data: 2023-07-25
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.8813MHz	-77.12	-13.00	-64.12	PK	Hor
2*	167.6188MHz	-76.54	-13.00	-63.54	PK	Hor
3*	193.4450MHz	-78.55	-13.00	-65.55	PK	Hor
4*	377.5025MHz	-73.82	-13.00	-60.82	PK	Hor
5*	596.7225MHz	-68.81	-13.00	-55.81	PK	Hor
6*	992.8463MHz	-61.18	-13.00	-48.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.9150MHz	-77.53	-13.00	-64.53	PK	Ver
2*	155.2513MHz	-76.54	-13.00	-63.54	PK	Ver
3*	385.3838MHz	-75.13	-13.00	-62.13	PK	Ver
4*	529.3075MHz	-70.67	-13.00	-57.67	PK	Ver
5*	848.1950MHz	-62.95	-13.00	-49.95	PK	Ver
6*	997.3325MHz	-60.07	-13.00	-47.07	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 23.9°C
M/N: HM-1005	Humidity: 40%RH
Test Voltage: Battery	Test Data: 2023-07-25
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.3663MHz	-78.13	-13.00	-65.13	PK	Hor
2*	50.1275MHz	-77.75	-13.00	-64.75	PK	Hor
3*	170.6500MHz	-76.89	-13.00	-63.89	PK	Hor
4*	356.8900MHz	-76.06	-13.00	-63.06	PK	Hor
5*	655.0438MHz	-66.24	-13.00	-53.24	PK	Hor
6*	985.4500MHz	-61.02	-13.00	-48.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.1588MHz	-78.28	-13.00	-65.28	PK	Ver
2*	167.8613MHz	-76.86	-13.00	-63.86	PK	Ver
3*	246.9163MHz	-78.61	-13.00	-65.61	PK	Ver
4*	395.4475MHz	-74.86	-13.00	-61.86	PK	Ver
5*	595.8738MHz	-69.03	-13.00	-56.03	PK	Ver
6*	948.8325MHz	-61.14	-13.00	-48.14	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 23.9°C
M/N: HM-1005	Humidity: 40%RH
Test Voltage: Battery	Test Data: 2023-07-25
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.4900MHz	-77.31	-13.00	-64.31	PK	Hor
2*	165.0725MHz	-75.53	-13.00	-62.53	PK	Hor
3*	252.0088MHz	-77.40	-13.00	-64.40	PK	Hor
4*	432.0650MHz	-72.02	-13.00	-59.02	PK	Hor
5*	619.5175MHz	-64.34	-13.00	-51.34	PK	Hor
6*	989.3300MHz	-59.62	-13.00	-46.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.7338MHz	-77.53	-13.00	-64.53	PK	Ver
2*	59.5850MHz	-78.60	-13.00	-65.60	PK	Ver
3*	161.6775MHz	-76.75	-13.00	-63.75	PK	Ver
4*	417.6363MHz	-73.96	-13.00	-60.96	PK	Ver
5*	608.1200MHz	-68.07	-13.00	-55.07	PK	Ver
6*	994.9075MHz	-59.81	-13.00	-46.81	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 23.9°C
M/N: HM-1005	Humidity: 40%RH
Test Voltage: Battery	Test Data: 2023-07-25
Test Mode: LTE Band 71 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.0650MHz	-77.55	-13.00	-64.55	PK	Hor
2*	99.7188MHz	-81.31	-13.00	-68.31	PK	Hor
3*	158.8888MHz	-77.51	-13.00	-64.51	PK	Hor
4*	403.4500MHz	-74.44	-13.00	-61.44	PK	Hor
5*	596.4800MHz	-67.03	-13.00	-54.03	PK	Hor
6*	985.9350MHz	-60.59	-13.00	-47.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-77.78	-13.00	-64.78	PK	Ver
2*	62.3738MHz	-78.74	-13.00	-65.74	PK	Ver
3*	164.4663MHz	-76.71	-13.00	-63.71	PK	Ver
4*	476.2000MHz	-71.92	-13.00	-58.92	PK	Ver
5*	676.3838MHz	-65.11	-13.00	-52.11	PK	Ver
6*	947.8625MHz	-61.35	-13.00	-48.35	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3804GHz	-55.88	-13.00	-42.88	PK	Hor
2*	2.0391GHz	-53.68	-13.00	-40.68	PK	Hor
3*	2.9550GHz	-48.96	-13.00	-35.96	PK	Hor
4*	4.8037GHz	-47.78	-13.00	-34.78	PK	Hor
5*	7.5917GHz	-42.88	-13.00	-29.88	PK	Hor
6*	16.3659GHz	-36.71	-13.00	-23.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.3026GHz	-50.61	-13.00	-37.61	PK	Ver
2*	3.0145GHz	-49.08	-13.00	-36.08	PK	Ver
3*	4.3681GHz	-47.16	-13.00	-34.16	PK	Ver
4*	8.8944GHz	-42.88	-13.00	-29.88	PK	Ver
5*	11.3870GHz	-42.87	-13.00	-29.87	PK	Ver
6*	17.9575GHz	-36.59	-13.00	-23.59	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9286GHz	-53.87	-13.00	-40.87	PK	Hor
2*	2.8657GHz	-49.19	-13.00	-36.19	PK	Hor
3*	4.8484GHz	-47.26	-13.00	-34.26	PK	Hor
4*	7.5492GHz	-43.62	-13.00	-30.62	PK	Hor
5*	9.0134GHz	-42.68	-13.00	-29.68	PK	Hor
6*	17.7832GHz	-37.17	-13.00	-24.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9669GHz	-53.95	-13.00	-40.95	PK	Ver
2*	3.1739GHz	-49.20	-13.00	-36.20	PK	Ver
3*	4.7974GHz	-47.41	-13.00	-34.41	PK	Ver
4*	6.0872GHz	-46.86	-13.00	-33.86	PK	Ver
5*	7.5896GHz	-43.32	-13.00	-30.32	PK	Ver
6*	17.9107GHz	-36.82	-13.00	-23.82	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7480GHz	-54.53	-13.00	-41.53	PK	Hor
2*	2.7064GHz	-49.87	-13.00	-36.87	PK	Hor
3*	3.2929GHz	-49.35	-13.00	-36.35	PK	Hor
4*	4.6444GHz	-47.11	-13.00	-34.11	PK	Hor
5*	7.5407GHz	-42.99	-13.00	-29.99	PK	Hor
6*	17.9362GHz	-36.27	-13.00	-23.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0859GHz	-53.39	-13.00	-40.39	PK	Ver
2*	3.2270GHz	-48.91	-13.00	-35.91	PK	Ver
3*	4.8866GHz	-46.48	-13.00	-33.48	PK	Ver
4*	7.6619GHz	-43.73	-13.00	-30.73	PK	Ver
5*	9.4681GHz	-43.51	-13.00	-30.51	PK	Ver
6*	17.9022GHz	-36.74	-13.00	-23.74	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3480GHz	-55.41	-13.00	-42.41	PK	Hor
2*	2.2260GHz	-52.08	-13.00	-39.08	PK	Hor
3*	3.0360GHz	-49.43	-13.00	-36.43	PK	Hor
4*	4.7040GHz	-47.09	-13.00	-34.09	PK	Hor
5*	7.5980GHz	-42.86	-13.00	-29.86	PK	Hor
6*	16.3620GHz	-37.86	-13.00	-24.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7280GHz	-52.56	-13.00	-39.56	PK	Ver
2*	3.1420GHz	-48.56	-13.00	-35.56	PK	Ver
3*	4.8280GHz	-46.89	-13.00	-33.89	PK	Ver
4*	7.1780GHz	-44.13	-13.00	-31.13	PK	Ver
5*	9.4500GHz	-41.84	-13.00	-28.84	PK	Ver
6*	14.3180GHz	-37.77	-13.00	-24.77	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5560GHz	-55.19	-13.00	-42.19	PK	Hor
2*	2.5020GHz	-51.24	-13.00	-38.24	PK	Hor
3*	2.9460GHz	-48.29	-13.00	-35.29	PK	Hor
4*	4.7980GHz	-47.25	-13.00	-34.25	PK	Hor
5*	9.0060GHz	-42.77	-13.00	-29.77	PK	Hor
6*	14.4160GHz	-37.82	-13.00	-24.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7580GHz	-53.90	-13.00	-40.90	PK	Ver
2*	2.4440GHz	-51.21	-13.00	-38.21	PK	Ver
3*	3.3820GHz	-48.09	-13.00	-35.09	PK	Ver
4*	5.7440GHz	-47.64	-13.00	-34.64	PK	Ver
5*	8.8700GHz	-42.71	-13.00	-29.71	PK	Ver
6*	16.3700GHz	-37.86	-13.00	-24.86	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4680GHz	-55.73	-13.00	-42.73	PK	Hor
2*	2.7340GHz	-49.44	-13.00	-36.44	PK	Hor
3*	4.3500GHz	-48.38	-13.00	-35.38	PK	Hor
4*	6.1280GHz	-47.15	-13.00	-34.15	PK	Hor
5*	7.6600GHz	-43.94	-13.00	-30.94	PK	Hor
6*	16.4620GHz	-37.10	-13.00	-24.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2800GHz	-55.38	-13.00	-42.38	PK	Ver
2*	2.7860GHz	-50.20	-13.00	-37.20	PK	Ver
3*	4.8420GHz	-47.43	-13.00	-34.43	PK	Ver
4*	5.8680GHz	-46.87	-13.00	-33.87	PK	Ver
5*	8.9320GHz	-42.71	-13.00	-29.71	PK	Ver
6*	16.3660GHz	-37.27	-13.00	-24.27	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0790GHz	-55.71	-13.00	-42.71	PK	Hor
2*	1.7020GHz	-54.68	-13.00	-41.68	PK	Hor
3*	2.3140GHz	-51.33	-13.00	-38.33	PK	Hor
4*	3.2120GHz	-49.74	-13.00	-36.74	PK	Hor
5*	4.8880GHz	-47.06	-13.00	-34.06	PK	Hor
6*	7.6500GHz	-42.65	-13.00	-29.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3810GHz	-55.52	-13.00	-42.52	PK	Ver
2*	2.0510GHz	-52.96	-13.00	-39.96	PK	Ver
3*	2.5480GHz	-49.98	-13.00	-36.98	PK	Ver
4*	2.8350GHz	-48.50	-13.00	-35.50	PK	Ver
5*	4.3710GHz	-48.13	-13.00	-35.13	PK	Ver
6*	7.5990GHz	-42.84	-13.00	-29.84	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5100GHz	-55.16	-13.00	-42.16	PK	Hor
2*	1.8900GHz	-54.04	-13.00	-41.04	PK	Hor
3*	2.5810GHz	-49.72	-13.00	-36.72	PK	Hor
4*	2.8680GHz	-48.97	-13.00	-35.97	PK	Hor
5*	5.2660GHz	-47.22	-13.00	-34.22	PK	Hor
6*	7.6670GHz	-42.89	-13.00	-29.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4010GHz	-54.49	-13.00	-41.49	PK	Ver
2*	2.2300GHz	-52.05	-13.00	-39.05	PK	Ver
3*	3.1790GHz	-49.02	-13.00	-36.02	PK	Ver
4*	4.8970GHz	-46.45	-13.00	-33.45	PK	Ver
5*	6.2450GHz	-46.41	-13.00	-33.41	PK	Ver
6*	7.5980GHz	-42.94	-13.00	-29.94	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4550GHz	-55.64	-13.00	-42.64	PK	Hor
2*	1.7690GHz	-54.45	-13.00	-41.45	PK	Hor
3*	2.4450GHz	-50.26	-13.00	-37.26	PK	Hor
4*	3.3730GHz	-48.26	-13.00	-35.26	PK	Hor
5*	4.8350GHz	-46.82	-13.00	-33.82	PK	Hor
6*	8.9270GHz	-41.94	-13.00	-28.94	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4360GHz	-54.51	-13.00	-41.51	PK	Ver
2*	1.7970GHz	-52.94	-13.00	-39.94	PK	Ver
3*	2.5340GHz	-50.57	-13.00	-37.57	PK	Ver
4*	3.5270GHz	-48.53	-13.00	-35.53	PK	Ver
5*	5.8000GHz	-45.84	-13.00	-32.84	PK	Ver
6*	7.5900GHz	-41.54	-13.00	-28.54	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3761GHz	-56.17	-13.00	-43.17	PK	Hor
2*	1.7692GHz	-54.80	-13.00	-41.80	PK	Hor
3*	2.7467GHz	-50.65	-13.00	-37.65	PK	Hor
4*	6.7205GHz	-44.26	-13.00	-31.26	PK	Hor
5*	8.9517GHz	-41.18	-13.00	-28.18	PK	Hor
6*	16.3595GHz	-36.76	-13.00	-23.76	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4037GHz	-55.24	-13.00	-42.24	PK	Ver
2*	1.8564GHz	-54.76	-13.00	-41.76	PK	Ver
3*	2.9104GHz	-49.59	-13.00	-36.59	PK	Ver
4*	6.1765GHz	-46.68	-13.00	-33.68	PK	Ver
5*	8.9135GHz	-42.45	-13.00	-29.45	PK	Ver
6*	16.3744GHz	-37.20	-13.00	-24.20	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8819GHz	-53.48	-13.00	-40.48	PK	Hor
2*	3.0974GHz	-49.46	-13.00	-36.46	PK	Hor
3*	4.7995GHz	-46.91	-13.00	-33.91	PK	Hor
4*	6.1680GHz	-44.76	-13.00	-31.76	PK	Hor
5*	8.9284GHz	-42.50	-13.00	-29.50	PK	Hor
6*	17.9065GHz	-37.29	-13.00	-24.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9244GHz	-53.75	-13.00	-40.75	PK	Ver
2*	2.9337GHz	-49.40	-13.00	-36.40	PK	Ver
3*	4.8037GHz	-46.30	-13.00	-33.30	PK	Ver
4*	6.6079GHz	-45.86	-13.00	-32.86	PK	Ver
5*	8.0720GHz	-42.48	-13.00	-29.48	PK	Ver
6*	17.6515GHz	-37.08	-13.00	-24.08	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1794GHz	-50.86	-13.00	-37.86	PK	Hor
2*	3.3056GHz	-49.42	-13.00	-36.42	PK	Hor
3*	4.7655GHz	-46.91	-13.00	-33.91	PK	Hor
4*	7.5939GHz	-43.59	-13.00	-30.59	PK	Hor
5*	11.3721GHz	-42.79	-13.00	-29.79	PK	Hor
6*	17.7237GHz	-37.27	-13.00	-24.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8245GHz	-54.69	-13.00	-41.69	PK	Ver
2*	2.7850GHz	-49.74	-13.00	-36.74	PK	Ver
3*	4.3214GHz	-48.29	-13.00	-35.29	PK	Ver
4*	6.1701GHz	-46.73	-13.00	-33.73	PK	Ver
5*	7.5365GHz	-42.38	-13.00	-29.38	PK	Ver
6*	17.8470GHz	-36.98	-13.00	-23.98	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3510GHz	-54.23	-13.00	-41.23	PK	Hor
2*	2.4047GHz	-51.48	-13.00	-38.48	PK	Hor
3*	3.0677GHz	-49.09	-13.00	-36.09	PK	Hor
4*	4.3150GHz	-48.26	-13.00	-35.26	PK	Hor
5*	5.3095GHz	-45.83	-13.00	-32.83	PK	Hor
6*	6.6017GHz	-45.42	-13.00	-32.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2520GHz	-55.92	-13.00	-42.92	PK	Ver
2*	1.8362GHz	-53.63	-13.00	-40.63	PK	Ver
3*	2.6402GHz	-50.71	-13.00	-37.71	PK	Ver
4*	3.3115GHz	-49.34	-13.00	-36.34	PK	Ver
5*	4.5452GHz	-48.46	-13.00	-35.46	PK	Ver
6*	6.2050GHz	-45.67	-13.00	-32.67	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3622GHz	-54.56	-13.00	-41.56	PK	Hor
2*	2.0515GHz	-52.29	-13.00	-39.29	PK	Hor
3*	2.8172GHz	-49.43	-13.00	-36.43	PK	Hor
4*	3.2582GHz	-48.07	-13.00	-35.07	PK	Hor
5*	4.8962GHz	-46.46	-13.00	-33.46	PK	Hor
6*	6.6535GHz	-45.45	-13.00	-32.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3172GHz	-55.67	-13.00	-42.67	PK	Ver
2*	1.5107GHz	-54.82	-13.00	-41.82	PK	Ver
3*	2.7130GHz	-49.29	-13.00	-36.29	PK	Ver
4*	3.3467GHz	-48.10	-13.00	-35.10	PK	Ver
5*	5.2907GHz	-47.36	-13.00	-34.36	PK	Ver
6*	6.6392GHz	-45.20	-13.00	-32.20	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4657GHz	-53.97	-13.00	-40.97	PK	Hor
2*	2.0455GHz	-53.25	-13.00	-40.25	PK	Hor
3*	2.6462GHz	-50.22	-13.00	-37.22	PK	Hor
4*	3.2267GHz	-49.22	-13.00	-36.22	PK	Hor
5*	4.3697GHz	-48.56	-13.00	-35.56	PK	Hor
6*	6.2027GHz	-45.76	-13.00	-32.76	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3000GHz	-55.25	-13.00	-42.25	PK	Ver
2*	2.2772GHz	-49.92	-13.00	-36.92	PK	Ver
3*	3.0310GHz	-48.75	-13.00	-35.75	PK	Ver
4*	4.3202GHz	-47.54	-13.00	-34.54	PK	Ver
5*	5.1790GHz	-46.80	-13.00	-33.80	PK	Ver
6*	6.7060GHz	-44.47	-13.00	-31.47	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5272GHz	-54.39	-13.00	-41.39	PK	Hor
2*	2.4970GHz	-50.13	-13.00	-37.13	PK	Hor
3*	2.8757GHz	-49.21	-13.00	-36.21	PK	Hor
4*	3.1360GHz	-48.04	-13.00	-35.04	PK	Hor
5*	4.3195GHz	-47.66	-13.00	-34.66	PK	Hor
6*	6.2125GHz	-45.34	-13.00	-32.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5070GHz	-54.36	-13.00	-41.36	PK	Ver
2*	2.0057GHz	-52.85	-13.00	-39.85	PK	Ver
3*	2.7235GHz	-50.19	-13.00	-37.19	PK	Ver
4*	3.2732GHz	-48.67	-13.00	-35.67	PK	Ver
5*	4.7552GHz	-46.37	-13.00	-33.37	PK	Ver
6*	6.6677GHz	-45.74	-13.00	-32.74	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5122GHz	-55.02	-13.00	-42.02	PK	Hor
2*	2.0890GHz	-53.08	-13.00	-40.08	PK	Hor
3*	2.4977GHz	-50.56	-13.00	-37.56	PK	Hor
4*	2.6605GHz	-48.92	-13.00	-35.92	PK	Hor
5*	4.7762GHz	-46.74	-13.00	-33.74	PK	Hor
6*	6.7330GHz	-44.78	-13.00	-31.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1267GHz	-55.88	-13.00	-42.88	PK	Ver
2*	2.0522GHz	-52.64	-13.00	-39.64	PK	Ver
3*	2.5330GHz	-49.92	-13.00	-36.92	PK	Ver
4*	3.4067GHz	-49.83	-13.00	-36.83	PK	Ver
5*	4.8415GHz	-46.40	-13.00	-33.40	PK	Ver
6*	6.6610GHz	-44.78	-13.00	-31.78	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4230GHz	-54.50	-13.00	-41.50	PK	Hor
2*	1.8782GHz	-53.26	-13.00	-40.26	PK	Hor
3*	2.3680GHz	-50.37	-13.00	-37.37	PK	Hor
4*	2.9957GHz	-49.33	-13.00	-36.33	PK	Hor
5*	4.6540GHz	-46.64	-13.00	-33.64	PK	Hor
6*	6.6190GHz	-45.25	-13.00	-32.25	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0330GHz	-56.53	-13.00	-43.53	PK	Ver
2*	1.7837GHz	-54.19	-13.00	-41.19	PK	Ver
3*	2.0500GHz	-51.95	-13.00	-38.95	PK	Ver
4*	2.6995GHz	-49.62	-13.00	-36.62	PK	Ver
5*	4.3135GHz	-48.71	-13.00	-35.71	PK	Ver
6*	6.7420GHz	-44.86	-13.00	-31.86	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 30 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6609GHz	-55.17	-13.00	-42.17	PK	Hor
2*	2.4067GHz	-52.23	-13.00	-39.23	PK	Hor
3*	3.1654GHz	-49.00	-13.00	-36.00	PK	Hor
4*	4.7336GHz	-46.67	-13.00	-33.67	PK	Hor
5*	9.0155GHz	-43.13	-13.00	-30.13	PK	Hor
6*	17.9150GHz	-37.29	-13.00	-24.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8096GHz	-54.94	-13.00	-41.94	PK	Ver
2*	2.5767GHz	-49.27	-13.00	-36.27	PK	Ver
3*	3.1462GHz	-49.23	-13.00	-36.23	PK	Ver
4*	4.7485GHz	-47.43	-13.00	-34.43	PK	Ver
5*	8.9496GHz	-43.19	-13.00	-30.19	PK	Ver
6*	16.3871GHz	-38.08	-13.00	-25.08	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 30 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2614GHz	-56.77	-13.00	-43.77	PK	Hor
2*	2.1964GHz	-53.08	-13.00	-40.08	PK	Hor
3*	2.6235GHz	-49.81	-13.00	-36.81	PK	Hor
4*	4.8080GHz	-47.76	-13.00	-34.76	PK	Hor
5*	7.5386GHz	-43.93	-13.00	-30.93	PK	Hor
6*	17.7811GHz	-36.68	-13.00	-23.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2762GHz	-56.30	-13.00	-43.30	PK	Ver
2*	1.8054GHz	-53.92	-13.00	-40.92	PK	Ver
3*	3.1186GHz	-49.75	-13.00	-36.75	PK	Ver
4*	4.4892GHz	-47.62	-13.00	-34.62	PK	Ver
5*	7.5832GHz	-43.44	-13.00	-30.44	PK	Ver
6*	17.9426GHz	-37.73	-13.00	-24.73	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 30 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3676GHz	-56.32	-13.00	-43.32	PK	Hor
2*	1.5971GHz	-55.82	-13.00	-42.82	PK	Hor
3*	3.0272GHz	-49.32	-13.00	-36.32	PK	Hor
4*	4.7294GHz	-47.28	-13.00	-34.28	PK	Hor
5*	7.6045GHz	-42.82	-13.00	-29.82	PK	Hor
6*	16.3786GHz	-37.30	-13.00	-24.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3187GHz	-55.09	-13.00	-42.09	PK	Ver
2*	1.8712GHz	-53.05	-13.00	-40.05	PK	Ver
3*	2.8041GHz	-49.72	-13.00	-36.72	PK	Ver
4*	4.7761GHz	-47.90	-13.00	-34.90	PK	Ver
5*	7.5939GHz	-42.90	-13.00	-29.90	PK	Ver
6*	17.7237GHz	-38.23	-13.00	-25.23	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9220GHz	-54.38	-13.00	-41.38	PK	Hor
2*	2.5820GHz	-51.29	-13.00	-38.29	PK	Hor
3*	3.0040GHz	-49.11	-13.00	-36.11	PK	Hor
4*	4.7800GHz	-47.61	-13.00	-34.61	PK	Hor
5*	7.5480GHz	-42.40	-13.00	-29.40	PK	Hor
6*	16.4560GHz	-38.46	-13.00	-25.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9940GHz	-53.51	-13.00	-40.51	PK	Ver
2*	2.4400GHz	-51.29	-13.00	-38.29	PK	Ver
3*	3.0180GHz	-49.11	-13.00	-36.11	PK	Ver
4*	4.8000GHz	-47.16	-13.00	-34.16	PK	Ver
5*	9.0080GHz	-43.21	-13.00	-30.21	PK	Ver
6*	16.3660GHz	-37.61	-13.00	-24.61	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4000GHz	-56.23	-13.00	-43.23	PK	Hor
2*	2.5400GHz	-51.48	-13.00	-38.48	PK	Hor
3*	3.1740GHz	-49.36	-13.00	-36.36	PK	Hor
4*	4.7900GHz	-46.85	-13.00	-33.85	PK	Hor
5*	7.5860GHz	-42.58	-13.00	-29.58	PK	Hor
6*	16.4700GHz	-37.75	-13.00	-24.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7900GHz	-55.09	-13.00	-42.09	PK	Ver
2*	2.7660GHz	-49.97	-13.00	-36.97	PK	Ver
3*	3.7840GHz	-48.58	-13.00	-35.58	PK	Ver
4*	4.8420GHz	-47.43	-13.00	-34.43	PK	Ver
5*	8.8780GHz	-42.50	-13.00	-29.50	PK	Ver
6*	16.4600GHz	-37.95	-13.00	-24.95	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5580GHz	-53.93	-13.00	-40.93	PK	Hor
2*	3.0940GHz	-49.30	-13.00	-36.30	PK	Hor
3*	4.8360GHz	-46.55	-13.00	-33.55	PK	Hor
4*	7.6660GHz	-43.08	-13.00	-30.08	PK	Hor
5*	11.3900GHz	-42.39	-13.00	-29.39	PK	Hor
6*	16.4680GHz	-36.94	-13.00	-23.94	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.3460GHz	-51.71	-13.00	-38.71	PK	Ver
2*	3.6500GHz	-48.36	-13.00	-35.36	PK	Ver
3*	4.8400GHz	-47.47	-13.00	-34.47	PK	Ver
4*	6.2180GHz	-45.42	-13.00	-32.42	PK	Ver
5*	11.3900GHz	-42.49	-13.00	-29.49	PK	Ver
6*	16.3820GHz	-37.83	-13.00	-24.83	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3856GHz	-55.28	-13.00	-42.28	PK	Hor
2*	1.9250GHz	-53.39	-13.00	-40.39	PK	Hor
3*	2.4519GHz	-48.94	-13.00	-35.94	PK	Hor
4*	3.0581GHz	-48.94	-13.00	-35.94	PK	Hor
5*	4.7875GHz	-47.10	-13.00	-34.10	PK	Hor
6*	5.7219GHz	-45.56	-13.00	-32.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4075GHz	-55.49	-13.00	-42.49	PK	Ver
2*	1.8737GHz	-53.66	-13.00	-40.66	PK	Ver
3*	2.5844GHz	-50.49	-13.00	-37.49	PK	Ver
4*	2.9000GHz	-48.45	-13.00	-35.45	PK	Ver
5*	5.7056GHz	-46.62	-13.00	-33.62	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6775GHz	-55.48	-13.00	-42.48	PK	Hor
2*	2.0856GHz	-53.10	-13.00	-40.10	PK	Hor
3*	2.7569GHz	-49.64	-13.00	-36.64	PK	Hor
4*	3.2312GHz	-49.07	-13.00	-36.07	PK	Hor
5*	4.8469GHz	-46.88	-13.00	-33.88	PK	Hor
6*	5.7525GHz	-46.05	-13.00	-33.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2262GHz	-55.02	-13.00	-42.02	PK	Ver
2*	1.9987GHz	-52.21	-13.00	-39.21	PK	Ver
3*	2.5737GHz	-50.34	-13.00	-37.34	PK	Ver
4*	2.9681GHz	-48.67	-13.00	-35.67	PK	Ver
5*	4.3025GHz	-47.99	-13.00	-34.99	PK	Ver
6*	4.8450GHz	-46.94	-13.00	-33.94	PK	Ver

Project: LGT23E031	Test Engineer: LiuH
EUT: Duet	Temperature: 26.1°C
M/N: HM-1005	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-07-27
Test Mode: LTE Band 71 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2637GHz	-55.64	-13.00	-42.64	PK	Hor
2*	1.7275GHz	-53.51	-13.00	-40.51	PK	Hor
3*	2.4894GHz	-50.14	-13.00	-37.14	PK	Hor
4*	3.7769GHz	-49.14	-13.00	-36.14	PK	Hor
5*	4.8344GHz	-46.62	-13.00	-33.62	PK	Hor
6*	5.7487GHz	-47.18	-13.00	-34.18	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4169GHz	-55.17	-13.00	-42.17	PK	Ver
2*	1.7950GHz	-54.46	-13.00	-41.46	PK	Ver
3*	2.2887GHz	-51.95	-13.00	-38.95	PK	Ver
4*	2.7275GHz	-50.13	-13.00	-37.13	PK	Ver
5*	3.1894GHz	-49.15	-13.00	-36.15	PK	Ver
6*	4.7469GHz	-46.35	-13.00	-33.35	PK	Ver

*****END OF THE REPORT*****