


Annex A.5. Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.97	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.59	-13	Pass	2986
30	500	0.1	Peak	460	-42.17	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.11	-13	N/A	5001
1000	10000	1	Peak	7961.85	-21.45	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-55.7	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.18	-13	Pass	2986
30	500	0.1	Peak	342.4	-42.91	-13	Pass	4701
500	1000	0.1	Peak	836.6	33.23	-13	N/A	5001
1000	10000	1	Peak	9677	-20.85	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.75	-13	Pass	401
0.15	30	0.01	Peak	0.36	-53.67	-13	Pass	2986
30	500	0.1	Peak	496.8	-42.11	-13	Pass	4701
500	1000	0.1	Peak	848.9	33.47	-13	N/A	5001
1000	10000	1	Peak	9026.98	-21.13	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.61	-13	Pass	401
0.15	30	0.01	Peak	0.35	-59.53	-13	Pass	2986
30	1000	0.1	Peak	972.382	-47.74	-13	Pass	9700
1000	3000	1	Peak	1850	29.92	-13	N/A	2001
3000	20000	1	Peak	19764	-20.18	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.64	-13	Pass	401
0.15	30	0.01	Peak	0.23	-59.77	-13	Pass	2986
30	1000	0.1	Peak	352.739	-47.21	-13	Pass	9700
1000	3000	1	Peak	1880	29.73	-13	N/A	2001
3000	20000	1	Peak	19808	-20.72	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-59.98	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.77	-13	Pass	2986
30	1000	0.1	Peak	926.851	-47.52	-13	Pass	9700
1000	3000	1	Peak	1910	28.76	-13	N/A	2001
3000	20000	1	Peak	19789	-20.24	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.03	-13	Pass	401
0.15	30	0.01	Peak	0.35	-53.58	-13	Pass	2986
30	500	0.1	Peak	381.5	-41.75	-13	Pass	4701
500	1000	0.1	Peak	824.3	28.32	-13	N/A	5001
1000	10000	1	Peak	8859.959	-21.42	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.48	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.2	-13	Pass	2986
30	500	0.1	Peak	429.3	-42.22	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.63	-13	N/A	5001
1000	10000	1	Peak	9524	-21.43	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.67	-13	Pass	2986
30	500	0.1	Peak	488.4	-42.51	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.03	-13	N/A	5001
1000	10000	1	Peak	7821.833	-21.1	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.77	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.65	-13	Pass	2986
30	1000	0.1	Peak	986.891	-47.79	-13	Pass	9700
1000	3000	1	Peak	1850	29.17	-13	N/A	2001
3000	20000	1	Peak	19807	-20.49	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.16	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.57	-13	Pass	2986
30	1000	0.1	Peak	469.654	-47.28	-13	Pass	9700
1000	3000	1	Peak	1880	29.45	-13	N/A	2001
3000	20000	1	Peak	19752	-20.19	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.71	-13	Pass	401
0.15	30	0.01	Peak	0.39	-60.09	-13	Pass	2986
30	1000	0.1	Peak	840.999	-48.07	-13	Pass	9700
1000	3000	1	Peak	1910	28.95	-13	N/A	2001
3000	20000	1	Peak	19738	-20.14	-13	Pass	17001




CDMA

5. CDMA BC0_CH1013(FCC)

5.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.52	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.35	-13	Pass	2986
30	500	0.1	Peak	430.9	-42.51	-13	Pass	4701
500	1000	0.1	Peak	825	21.99	-13	N/A	5001
1000	10000	1	Peak	8333.895	-21.39	-13	Pass	9001



6. CDMA BC0_CH384(FCC)

6.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.81	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.63	-13	Pass	2986
30	500	0.1	Peak	335.8	-42.26	-13	Pass	4701
500	1000	0.1	Peak	837.1	22.09	-13	N/A	5001
1000	10000	1	Peak	8816.954	-21.06	-13	Pass	9001



7. CDMA BC0_CH777(FCC)

7.1. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-56.44	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.5	-13	Pass	2986
30	500	0.1	Peak	484	-42.53	-13	Pass	4701
500	1000	0.1	Peak	848	21.93	-13	N/A	5001
1000	10000	1	Peak	9291	-21.35	-13	Pass	9001




EVDO

8. EVDO BC0_CH1013(FCC)

8.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.59	-13	Pass	401
0.15	30	0.01	Peak	0.51	-53.27	-13	Pass	2986
30	500	0.1	Peak	468.9	-42.76	-13	Pass	4701
500	1000	0.1	Peak	824.9	22.39	-13	N/A	5001
1000	10000	1	Peak	6959.728	-21.46	-13	Pass	9001



9. EVDO BC0_CH384(FCC)

9.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.54	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.23	-13	Pass	2986
30	500	0.1	Peak	472.2	-41.64	-13	Pass	4701
500	1000	0.1	Peak	836.8	21.49	-13	N/A	5001
1000	10000	1	Peak	9693	-20.17	-13	Pass	9001



10. EVDO BC0_CH777(FCC)

10.1. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.31	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.56	-13	Pass	2986
30	500	0.1	Peak	470.2	-42.59	-13	Pass	4701
500	1000	0.1	Peak	848.5	21.99	-13	N/A	5001
1000	10000	1	Peak	7930.846	-21.38	-13	Pass	9001




WCDMA

11. WCDMA_Band2


11.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.45	-13	Pass	401
0.15	30	0.01	Peak	0.49	-64.74	-13	Pass	2986
30	1000	0.1	Peak	886.925	-52.23	-13	Pass	9700
1000	3000	1	Peak	1854	23.2	-13	N/A	2001
3000	20000	1	Peak	19434	-23.93	-13	Pass	17001




11.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.99	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.23	-13	Pass	2986
30	1000	0.1	Peak	796.594	-51.72	-13	Pass	9700
1000	3000	1	Peak	1879	23.16	-13	N/A	2001
3000	20000	1	Peak	19604	-24.17	-13	Pass	17001



11.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.03	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.57	-13	Pass	2986
30	1000	0.1	Peak	895.331	-51.83	-13	Pass	9700
1000	3000	1	Peak	1906	23.31	-13	N/A	2001
3000	20000	1	Peak	19832	-24.71	-13	Pass	17001



12. WCDMA_Band4


12.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.34	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.49	-13	Pass	2986
30	1000	0.1	Peak	918.046	-52.45	-13	Pass	9700
1000	3000	1	Peak	1714	23.3	-13	N/A	2001
3000	20000	1	Peak	19795	-24.63	-13	Pass	17001




12.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.9	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.82	-13	Pass	2986
30	1000	0.1	Peak	933.856	-51.95	-13	Pass	9700
1000	3000	1	Peak	1734	23.04	-13	N/A	2001
3000	20000	1	Peak	19872	-24.23	-13	Pass	17001



12.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.55	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.64	-13	Pass	2986
30	1000	0.1	Peak	802.794	-51.6	-13	Pass	9700
1000	3000	1	Peak	1754	23.1	-13	N/A	2001
3000	20000	1	Peak	19798	-24.67	-13	Pass	17001



13. WCDMA_Band5


13.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.41	-13	Pass	401
0.15	30	0.01	Peak	0.54	-63.74	-13	Pass	2986
30	500	0.1	Peak	482.2	-52.63	-13	Pass	4701
500	1000	0.1	Peak	827	18.46	-13	N/A	5001
1000	10000	1	Peak	9413	-30.77	-13	Pass	9001




13.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.05	-13	Pass	401
0.15	30	0.01	Peak	0.62	-63.59	-13	Pass	2986
30	500	0.1	Peak	458.7	-52.48	-13	Pass	4701
500	1000	0.1	Peak	837	18.66	-13	N/A	5001
1000	10000	1	Peak	7741.823	-31.3	-13	Pass	9001



13.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.98	-13	Pass	401
0.15	30	0.01	Peak	1.58	-63.99	-13	Pass	2986
30	500	0.1	Peak	314.5	-52.44	-13	Pass	4701
500	1000	0.1	Peak	846.9	17.24	-13	N/A	5001
1000	10000	1	Peak	8033.859	-31.4	-13	Pass	9001




LTE

14. LTE_Band2


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	Pass	2986
30	1000	0.1	RMS	878.319	-63.62	-13	Pass	9700
1000	1840	1	RMS	1840	-51.74	-13	Pass	841
1840	1920	1	RMS	1850.2	23.01	60	Pass	401
1920	3000	1	RMS	2946	-49.57	-13	Pass	1081
3000	12000	1	RMS	11439	-43.19	-13	Pass	9001
12000	20000	1	RMS	19799	-36.27	-13	Pass	8001




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	Pass	401
0.15	30	0.01	RMS	4.07	-69.73	-13	Pass	2986
30	1000	0.1	RMS	905.637	-63.77	-13	Pass	9700
1000	1840	1	RMS	1840	-51.98	-13	Pass	841
1840	1920	1	RMS	1850.2	22.05	60	Pass	401
1920	3000	1	RMS	2944	-49.6	-13	Pass	1081
3000	12000	1	RMS	11439	-43.09	-13	Pass	9001
12000	20000	1	RMS	19801	-36.27	-13	Pass	8001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.05	-13	Pass	2986
30	1000	0.1	RMS	864.41	-63.71	-13	Pass	9700
1000	1840	1	RMS	1805	-52.56	-13	Pass	841
1840	1920	1	RMS	1879.4	23.12	60	Pass	401
1920	3000	1	RMS	2948	-49.64	-13	Pass	1081
3000	12000	1	RMS	3759.093	-41.4	-13	Pass	9001
12000	20000	1	RMS	19804	-36.29	-13	Pass	8001




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	1000	0.1	RMS	857.906	-62.03	-13	Pass	9700
1000	1840	1	RMS	1811	-52.33	-13	Pass	841
1840	1920	1	RMS	1879.4	22.15	60	Pass	401
1920	3000	1	RMS	2943	-49.48	-13	Pass	1081
3000	12000	1	RMS	3759.093	-42.23	-13	Pass	9001
12000	20000	1	RMS	19804	-36.34	-13	Pass	8001




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	1000	0.1	RMS	870.114	-63.7	-13	Pass	9700
1000	1840	1	RMS	1797	-52.58	-13	Pass	841
1840	1920	1	RMS	1908.8	22.95	60	Pass	401
1920	3000	1	RMS	2946	-49.59	-13	Pass	1081
3000	12000	1	RMS	3818.1	-40.59	-13	Pass	9001
12000	20000	1	RMS	19804	-36.37	-13	Pass	8001




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.71	-13	Pass	9700
1000	1840	1	RMS	1799	-52.59	-13	Pass	841
1840	1920	1	RMS	1908.8	22.01	60	Pass	401
1920	3000	1	RMS	2949	-49.57	-13	Pass	1081
3000	12000	1	RMS	3818.1	-42.09	-13	Pass	9001
12000	20000	1	RMS	19805	-36.23	-13	Pass	8001




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	1000	0.1	RMS	913.443	-63.69	-13	Pass	9700
1000	1840	1	RMS	1840	-51.67	-13	Pass	841
1840	1920	1	RMS	1850.2	23.02	60	Pass	401
1920	3000	1	RMS	2948	-49.64	-13	Pass	1081
3000	12000	1	RMS	11432	-43.16	-13	Pass	9001
12000	20000	1	RMS	19798	-36.22	-13	Pass	8001




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	895.731	-63.51	-13	Pass	9700
1000	1840	1	RMS	1840	-51.86	-13	Pass	841
1840	1920	1	RMS	1850.2	22.24	60	Pass	401
1920	3000	1	RMS	2948	-49.61	-13	Pass	1081
3000	12000	1	RMS	11438	-43.13	-13	Pass	9001
12000	20000	1	RMS	19801	-36.33	-13	Pass	8001




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	882.522	-63.68	-13	Pass	9700
1000	1840	1	RMS	1799	-52.55	-13	Pass	841
1840	1920	1	RMS	1878.6	23.17	60	Pass	401
1920	3000	1	RMS	2950	-49.59	-13	Pass	1081
3000	12000	1	RMS	3757.092	-42.6	-13	Pass	9001
12000	20000	1	RMS	19792	-36.37	-13	Pass	8001




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	Pass	2986
30	1000	0.1	RMS	903.636	-63.64	-13	Pass	9700
1000	1840	1	RMS	1803	-52.45	-13	Pass	841
1840	1920	1	RMS	1878.6	22.25	60	Pass	401
1920	3000	1	RMS	2952	-49.56	-13	Pass	1081
3000	12000	1	RMS	11430	-43.09	-13	Pass	9001
12000	20000	1	RMS	19798	-36.31	-13	Pass	8001




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	1000	0.1	RMS	900.734	-63.64	-13	Pass	9700
1000	1840	1	RMS	1802	-52.46	-13	Pass	841
1840	1920	1	RMS	1907.2	23.02	60	Pass	401
1920	3000	1	RMS	2950	-49.55	-13	Pass	1081
3000	12000	1	RMS	3814.099	-41.75	-13	Pass	9001
12000	20000	1	RMS	19807	-36.39	-13	Pass	8001




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2986
30	1000	0.1	RMS	868.913	-63.64	-13	Pass	9700
1000	1840	1	RMS	1808	-52.57	-13	Pass	841
1840	1920	1	RMS	1907.2	22.13	60	Pass	401
1920	3000	1	RMS	2945	-49.57	-13	Pass	1081
3000	12000	1	RMS	3814.099	-42.59	-13	Pass	9001
12000	20000	1	RMS	19793	-36.4	-13	Pass	8001




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.65	-13	Pass	9700
1000	1840	1	RMS	1840	-51.34	-13	Pass	841
1840	1920	1	RMS	1850.2	23.14	60	Pass	401
1920	3000	1	RMS	2950	-49.6	-13	Pass	1081
3000	12000	1	RMS	11433	-43.15	-13	Pass	9001
12000	20000	1	RMS	19793	-36.35	-13	Pass	8001




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	899.834	-63.77	-13	Pass	9700
1000	1840	1	RMS	1840	-51.67	-13	Pass	841
1840	1920	1	RMS	1850.2	22.21	60	Pass	401
1920	3000	1	RMS	2946	-49.55	-13	Pass	1081
3000	12000	1	RMS	11449	-43.11	-13	Pass	9001
12000	20000	1	RMS	19803	-36.31	-13	Pass	8001




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	894.63	-63.65	-13	Pass	9700
1000	1840	1	RMS	1806	-52.56	-13	Pass	841
1840	1920	1	RMS	1877.8	23.21	60	Pass	401
1920	3000	1	RMS	2839	-49.64	-13	Pass	1081
3000	12000	1	RMS	3756.092	-42.7	-13	Pass	9001
12000	20000	1	RMS	19796	-36.33	-13	Pass	8001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.38	-71.93	-13	Pass	2986
30	1000	0.1	RMS	861.108	-63.71	-13	Pass	9700
1000	1840	1	RMS	1799	-52.52	-13	Pass	841
1840	1920	1	RMS	1877.8	22.43	60	Pass	401
1920	3000	1	RMS	2846	-49.64	-13	Pass	1081
3000	12000	1	RMS	11433	-43.1	-13	Pass	9001
12000	20000	1	RMS	19802	-36.33	-13	Pass	8001




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	Pass	401
0.15	30	0.01	RMS	4.07	-70.59	-13	Pass	2986
30	1000	0.1	RMS	987.692	-63.58	-13	Pass	9700
1000	1840	1	RMS	1807	-52.44	-13	Pass	841
1840	1920	1	RMS	1905.2	23.07	60	Pass	401
1920	3000	1	RMS	2836	-49.55	-13	Pass	1081
3000	12000	1	RMS	3811.099	-41.7	-13	Pass	9001
12000	20000	1	RMS	19800	-36.29	-13	Pass	8001




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	Pass	2986
30	1000	0.1	RMS	901.335	-63.73	-13	Pass	9700
1000	1840	1	RMS	1811	-52.58	-13	Pass	841
1840	1920	1	RMS	1905.2	22.37	60	Pass	401
1920	3000	1	RMS	2953	-49.58	-13	Pass	1081
3000	12000	1	RMS	3811.099	-41.81	-13	Pass	9001
12000	20000	1	RMS	19808	-36.22	-13	Pass	8001




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	Pass	401
0.15	30	0.01	RMS	4.09	-71.59	-13	Pass	2986
30	1000	0.1	RMS	971.781	-63.67	-13	Pass	9700
1000	1840	1	RMS	1840	-51.23	-13	Pass	841
1840	1920	1	RMS	1850.4	23.29	60	Pass	401
1920	3000	1	RMS	2947	-49.6	-13	Pass	1081
3000	12000	1	RMS	11340	-43.13	-13	Pass	9001
12000	20000	1	RMS	19792	-36.31	-13	Pass	8001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2986
30	1000	0.1	RMS	905.337	-63.7	-13	Pass	9700
1000	1840	1	RMS	1840	-51.51	-13	Pass	841
1840	1920	1	RMS	1850.6	22.5	60	Pass	401
1920	3000	1	RMS	2948	-49.59	-13	Pass	1081
3000	12000	1	RMS	11439	-43.15	-13	Pass	9001
12000	20000	1	RMS	19806	-36.28	-13	Pass	8001




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2986
30	1000	0.1	RMS	860.107	-63.56	-13	Pass	9700
1000	1840	1	RMS	1808	-52.57	-13	Pass	841
1840	1920	1	RMS	1875.4	23.38	60	Pass	401
1920	3000	1	RMS	2951	-49.59	-13	Pass	1081
3000	12000	1	RMS	3751.092	-40.19	-13	Pass	9001
12000	20000	1	RMS	19801	-36.28	-13	Pass	8001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	Pass	2986
30	1000	0.1	RMS	874.016	-63.71	-13	Pass	9700
1000	1840	1	RMS	1804	-52.57	-13	Pass	841
1840	1920	1	RMS	1875.4	22.5	60	Pass	401
1920	3000	1	RMS	2949	-49.65	-13	Pass	1081
3000	12000	1	RMS	3751.092	-41.16	-13	Pass	9001
12000	20000	1	RMS	19794	-36.3	-13	Pass	8001




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	978.686	-63.69	-13	Pass	9700
1000	1840	1	RMS	1799	-52.58	-13	Pass	841
1840	1920	1	RMS	1900.4	23.13	60	Pass	401
1920	3000	1	RMS	2946	-49.62	-13	Pass	1081
3000	12000	1	RMS	3801.098	-40.84	-13	Pass	9001
12000	20000	1	RMS	19796	-36.35	-13	Pass	8001




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	877.419	-63.55	-13	Pass	9700
1000	1840	1	RMS	1798	-52.46	-13	Pass	841
1840	1920	1	RMS	1900.4	22.26	60	Pass	401
1920	3000	1	RMS	2950	-49.54	-13	Pass	1081
3000	12000	1	RMS	3801.098	-41.15	-13	Pass	9001
12000	20000	1	RMS	19806	-36.31	-13	Pass	8001




14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.64	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.56	-13	Pass	9700
1000	1840	1	RMS	1837	-49.83	-13	Pass	841
1840	1920	1	RMS	1850.8	23.11	60	Pass	401
1920	3000	1	RMS	2945	-49.59	-13	Pass	1081
3000	12000	1	RMS	11430	-43.13	-13	Pass	9001
12000	20000	1	RMS	19795	-36.31	-13	Pass	8001




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.91	-13	Pass	2986
30	1000	0.1	RMS	838.699	-63.66	-13	Pass	9700
1000	1840	1	RMS	1837	-50.75	-13	Pass	841
1840	1920	1	RMS	1850.8	22.32	60	Pass	401
1920	3000	1	RMS	2944	-49.63	-13	Pass	1081
3000	12000	1	RMS	11432	-43.13	-13	Pass	9001
12000	20000	1	RMS	19804	-36.25	-13	Pass	8001




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	Pass	2986
30	1000	0.1	RMS	897.632	-63.69	-13	Pass	9700
1000	1840	1	RMS	1805	-52.54	-13	Pass	841
1840	1920	1	RMS	1873.2	23.35	60	Pass	401
1920	3000	1	RMS	2951	-49.61	-13	Pass	1081
3000	12000	1	RMS	3747.091	-41.46	-13	Pass	9001
12000	20000	1	RMS	19797	-36.33	-13	Pass	8001




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	905.437	-63.62	-13	Pass	9700
1000	1840	1	RMS	1803	-52.57	-13	Pass	841
1840	1920	1	RMS	1873.2	22.38	60	Pass	401
1920	3000	1	RMS	2950	-49.6	-13	Pass	1081
3000	12000	1	RMS	3747.091	-42.28	-13	Pass	9001
12000	20000	1	RMS	19801	-36.27	-13	Pass	8001




14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.7	-13	Pass	9700
1000	1840	1	RMS	1801	-52.51	-13	Pass	841
1840	1920	1	RMS	1895.8	23.15	60	Pass	401
1920	3000	1	RMS	2951	-49.63	-13	Pass	1081
3000	12000	1	RMS	3792.097	-42.78	-13	Pass	9001
12000	20000	1	RMS	19801	-36.38	-13	Pass	8001




**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	Pass	2986
30	1000	0.1	RMS	885.924	-63.69	-13	Pass	9700
1000	1840	1	RMS	1798	-52.48	-13	Pass	841
1840	1920	1	RMS	1895.8	22.36	60	Pass	401
1920	3000	1	RMS	2952	-49.52	-13	Pass	1081
3000	12000	1	RMS	11441	-43.13	-13	Pass	9001
12000	20000	1	RMS	19797	-36.27	-13	Pass	8001




14.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	881.922	-63.69	-13	Pass	9700
1000	1840	1	RMS	1840	-44.62	-13	Pass	841
1840	1920	1	RMS	1851	23.45	60	Pass	401
1920	3000	1	RMS	2948	-49.62	-13	Pass	1081
3000	12000	1	RMS	11008.978	-43.18	-13	Pass	9001
12000	20000	1	RMS	19802	-36.27	-13	Pass	8001




**14.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	868.213	-63.62	-13	Pass	9700
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1851	22.67	60	Pass	401
1920	3000	1	RMS	2844	-49.63	-13	Pass	1081
3000	12000	1	RMS	11461	-43.15	-13	Pass	9001
12000	20000	1	RMS	19800	-36.28	-13	Pass	8001




14.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	Pass	2986
30	1000	0.1	RMS	889.727	-63.6	-13	Pass	9700
1000	1840	1	RMS	1836	-52.33	-13	Pass	841
1840	1920	1	RMS	1871	23.52	60	Pass	401
1920	3000	1	RMS	2949	-49.55	-13	Pass	1081
3000	12000	1	RMS	3742.091	-41.21	-13	Pass	9001
12000	20000	1	RMS	19798	-36.29	-13	Pass	8001




**14.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	996.097	-63.71	-13	Pass	9700
1000	1840	1	RMS	1836	-52.48	-13	Pass	841
1840	1920	1	RMS	1871	22.59	60	Pass	401
1920	3000	1	RMS	2950	-49.59	-13	Pass	1081
3000	12000	1	RMS	3742.091	-41.61	-13	Pass	9001
12000	20000	1	RMS	19800	-36.29	-13	Pass	8001




14.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	875.818	-63.65	-13	Pass	9700
1000	1840	1	RMS	1804	-52.51	-13	Pass	841
1840	1920	1	RMS	1891	23.26	60	Pass	401
1920	3000	1	RMS	2947	-49.55	-13	Pass	1081
3000	12000	1	RMS	3782.095	-42.7	-13	Pass	9001
12000	20000	1	RMS	19798	-36.31	-13	Pass	8001



**14.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	876.918	-63.62	-13	Pass	9700
1000	1840	1	RMS	1802	-52.56	-13	Pass	841
1840	1920	1	RMS	1891	22.29	60	Pass	401
1920	3000	1	RMS	2921	-49.59	-13	Pass	1081
3000	12000	1	RMS	11438	-43.22	-13	Pass	9001
12000	20000	1	RMS	19809	-36.35	-13	Pass	8001



15. LTE_Band4


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	1000	0.1	RMS	985.791	-63.81	-13	Pass	9700
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1765	1	RMS	1710.238	22.75	60	Pass	401
1765	3000	1	RMS	2952	-49.49	-13	Pass	1236
3000	12000	1	RMS	11429	-43.1	-13	Pass	9001
12000	20000	1	RMS	19797	-36.34	-13	Pass	8001




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-13	Pass	2986
30	1000	0.1	RMS	881.722	-63.68	-13	Pass	9700
1000	1700	1	RMS	1700	-51.99	-13	Pass	701
1700	1765	1	RMS	1710.238	21.86	60	Pass	401
1765	3000	1	RMS	2947	-49.58	-13	Pass	1236
3000	12000	1	RMS	11435	-43.14	-13	Pass	9001
12000	20000	1	RMS	19805	-36.31	-13	Pass	8001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	878.419	-63.68	-13	Pass	9700
1000	1700	1	RMS	1698	-52.81	-13	Pass	701
1700	1765	1	RMS	1732.013	22.75	60	Pass	401
1765	3000	1	RMS	2951	-49.6	-13	Pass	1236
3000	12000	1	RMS	11444	-43.21	-13	Pass	9001
12000	20000	1	RMS	19799	-36.27	-13	Pass	8001




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.39	-72.42	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.72	-13	Pass	9700
1000	1700	1	RMS	1700	-52.77	-13	Pass	701
1700	1765	1	RMS	1732.013	21.88	60	Pass	401
1765	3000	1	RMS	2949	-49.49	-13	Pass	1236
3000	12000	1	RMS	11435	-43.19	-13	Pass	9001
12000	20000	1	RMS	19799	-36.31	-13	Pass	8001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.14	-13	Pass	2986
30	1000	0.1	RMS	987.292	-63.76	-13	Pass	9700
1000	1700	1	RMS	1699	-52.87	-13	Pass	701
1700	1765	1	RMS	1753.788	22.92	60	Pass	401
1765	3000	1	RMS	2943	-49.61	-13	Pass	1236
3000	12000	1	RMS	11429	-43.2	-13	Pass	9001
12000	20000	1	RMS	19797	-36.38	-13	Pass	8001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.66	-13	Pass	401
0.15	30	0.01	RMS	4.14	-70.57	-13	Pass	2986
30	1000	0.1	RMS	857.405	-63.71	-13	Pass	9700
1000	1700	1	RMS	1700	-52.9	-13	Pass	701
1700	1765	1	RMS	1753.788	22.07	60	Pass	401
1765	3000	1	RMS	2951	-49.56	-13	Pass	1236
3000	12000	1	RMS	11440	-43.21	-13	Pass	9001
12000	20000	1	RMS	19801	-36.32	-13	Pass	8001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.35	-13	Pass	2986
30	1000	0.1	RMS	856.805	-63.65	-13	Pass	9700
1000	1700	1	RMS	1700	-51.77	-13	Pass	701
1700	1765	1	RMS	1710.075	22.89	60	Pass	401
1765	3000	1	RMS	2853	-49.59	-13	Pass	1236
3000	12000	1	RMS	11774	-43.15	-13	Pass	9001
12000	20000	1	RMS	19805	-36.26	-13	Pass	8001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.64	-13	Pass	401
0.15	30	0.01	RMS	2.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	890.227	-63.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1765	1	RMS	1710.075	22.02	60	Pass	401
1765	3000	1	RMS	2946	-49.5	-13	Pass	1236
3000	12000	1	RMS	11436	-43.12	-13	Pass	9001
12000	20000	1	RMS	19805	-36.29	-13	Pass	8001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	4.08	-71.29	-13	Pass	2986
30	1000	0.1	RMS	866.111	-63.57	-13	Pass	9700
1000	1700	1	RMS	1696	-52.84	-13	Pass	701
1700	1765	1	RMS	1731.2	22.9	60	Pass	401
1765	3000	1	RMS	2950	-49.6	-13	Pass	1236
3000	12000	1	RMS	11444	-43.22	-13	Pass	9001
12000	20000	1	RMS	19798	-36.3	-13	Pass	8001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	1000	0.1	RMS	897.632	-63.65	-13	Pass	9700
1000	1700	1	RMS	1700	-52.81	-13	Pass	701
1700	1765	1	RMS	1731.2	21.94	60	Pass	401
1765	3000	1	RMS	2952	-49.56	-13	Pass	1236
3000	12000	1	RMS	11438	-43.17	-13	Pass	9001
12000	20000	1	RMS	19800	-36.16	-13	Pass	8001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	Pass	2986
30	1000	0.1	RMS	879.92	-63.72	-13	Pass	9700
1000	1700	1	RMS	1697	-52.83	-13	Pass	701
1700	1765	1	RMS	1752.163	23.03	60	Pass	401
1765	3000	1	RMS	2947	-49.57	-13	Pass	1236
3000	12000	1	RMS	11430	-43.16	-13	Pass	9001
12000	20000	1	RMS	19796	-36.31	-13	Pass	8001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.62	-13	Pass	401
0.15	30	0.01	RMS	4.13	-71.55	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.73	-13	Pass	9700
1000	1700	1	RMS	1700	-52.79	-13	Pass	701
1700	1765	1	RMS	1752.163	22.17	60	Pass	401
1765	3000	1	RMS	2945	-49.55	-13	Pass	1236
3000	12000	1	RMS	11339	-43.14	-13	Pass	9001
12000	20000	1	RMS	19802	-36.21	-13	Pass	8001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2986
30	1000	0.1	RMS	879.12	-63.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.39	-13	Pass	701
1700	1765	1	RMS	1710.238	22.92	60	Pass	401
1765	3000	1	RMS	2941	-49.56	-13	Pass	1236
3000	12000	1	RMS	11438	-43.17	-13	Pass	9001
12000	20000	1	RMS	19802	-36.35	-13	Pass	8001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.7	-13	Pass	9700
1000	1700	1	RMS	1700	-51.72	-13	Pass	701
1700	1765	1	RMS	1710.238	22.05	60	Pass	401
1765	3000	1	RMS	2941	-49.59	-13	Pass	1236
3000	12000	1	RMS	11430	-43.15	-13	Pass	9001
12000	20000	1	RMS	19800	-36.27	-13	Pass	8001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	Pass	401
0.15	30	0.01	RMS	4.2	-71.73	-13	Pass	2986
30	1000	0.1	RMS	977.785	-63.68	-13	Pass	9700
1000	1700	1	RMS	1698	-52.75	-13	Pass	701
1700	1765	1	RMS	1730.225	22.9	60	Pass	401
1765	3000	1	RMS	2848	-49.62	-13	Pass	1236
3000	12000	1	RMS	11439	-43.07	-13	Pass	9001
12000	20000	1	RMS	19801	-36.29	-13	Pass	8001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	4.09	-71.72	-13	Pass	2986
30	1000	0.1	RMS	891.128	-63.62	-13	Pass	9700
1000	1700	1	RMS	1699	-52.84	-13	Pass	701
1700	1765	1	RMS	1730.225	22.1	60	Pass	401
1765	3000	1	RMS	2944	-49.59	-13	Pass	1236
3000	12000	1	RMS	11433	-43.18	-13	Pass	9001
12000	20000	1	RMS	19804	-36.27	-13	Pass	8001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	885.624	-63.66	-13	Pass	9700
1000	1700	1	RMS	1700	-52.81	-13	Pass	701
1700	1765	1	RMS	1750.213	22.99	60	Pass	401
1765	3000	1	RMS	2951	-49.55	-13	Pass	1236
3000	12000	1	RMS	11441	-43.2	-13	Pass	9001
12000	20000	1	RMS	19804	-36.26	-13	Pass	8001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.57	-13	Pass	9700
1000	1700	1	RMS	1700	-52.84	-13	Pass	701
1700	1765	1	RMS	1750.213	22.24	60	Pass	401
1765	3000	1	RMS	2955	-49.6	-13	Pass	1236
3000	12000	1	RMS	11449	-43.16	-13	Pass	9001
12000	20000	1	RMS	19791	-36.3	-13	Pass	8001




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2986
30	1000	0.1	RMS	872.515	-63.7	-13	Pass	9700
1000	1700	1	RMS	1693	-50.66	-13	Pass	701
1700	1765	1	RMS	1710.563	22.91	60	Pass	401
1765	3000	1	RMS	2935	-49.6	-13	Pass	1236
3000	12000	1	RMS	11458	-43.23	-13	Pass	9001
12000	20000	1	RMS	19803	-36.29	-13	Pass	8001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	880.321	-63.66	-13	Pass	9700
1000	1700	1	RMS	1693	-51.49	-13	Pass	701
1700	1765	1	RMS	1710.563	22.14	60	Pass	401
1765	3000	1	RMS	2950	-49.56	-13	Pass	1236
3000	12000	1	RMS	11431	-43.14	-13	Pass	9001
12000	20000	1	RMS	19803	-36.29	-13	Pass	8001




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.67	-13	Pass	9700
1000	1700	1	RMS	1698	-52.8	-13	Pass	701
1700	1765	1	RMS	1727.95	22.8	60	Pass	401
1765	3000	1	RMS	2952	-49.6	-13	Pass	1236
3000	12000	1	RMS	11433	-43.14	-13	Pass	9001
12000	20000	1	RMS	19801	-36.19	-13	Pass	8001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	864.81	-63.53	-13	Pass	9700
1000	1700	1	RMS	1700	-52.8	-13	Pass	701
1700	1765	1	RMS	1727.95	21.9	60	Pass	401
1765	3000	1	RMS	2941	-49.6	-13	Pass	1236
3000	12000	1	RMS	11438	-43.14	-13	Pass	9001
12000	20000	1	RMS	19804	-36.31	-13	Pass	8001




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.59	-13	Pass	2986
30	1000	0.1	RMS	859.107	-63.68	-13	Pass	9700
1000	1700	1	RMS	1700	-52.84	-13	Pass	701
1700	1765	1	RMS	1745.5	23.05	60	Pass	401
1765	3000	1	RMS	2948	-49.58	-13	Pass	1236
3000	12000	1	RMS	11444	-43.09	-13	Pass	9001
12000	20000	1	RMS	19804	-36.25	-13	Pass	8001




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	1000	0.1	RMS	868.213	-63.52	-13	Pass	9700
1000	1700	1	RMS	1699	-52.89	-13	Pass	701
1700	1765	1	RMS	1745.5	22.14	60	Pass	401
1765	3000	1	RMS	2946	-49.58	-13	Pass	1236
3000	12000	1	RMS	11429	-43.06	-13	Pass	9001
12000	20000	1	RMS	19800	-36.28	-13	Pass	8001




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-13	Pass	2986
30	1000	0.1	RMS	886.925	-63.66	-13	Pass	9700
1000	1700	1	RMS	1697	-49.42	-13	Pass	701
1700	1765	1	RMS	1710.725	23	60	Pass	401
1765	3000	1	RMS	2946	-49.56	-13	Pass	1236
3000	12000	1	RMS	11436	-43.02	-13	Pass	9001
12000	20000	1	RMS	19801	-36.3	-13	Pass	8001




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-13	Pass	2986
30	1000	0.1	RMS	886.925	-63.46	-13	Pass	9700
1000	1700	1	RMS	1697	-50.69	-13	Pass	701
1700	1765	1	RMS	1710.725	22.24	60	Pass	401
1765	3000	1	RMS	2849	-49.61	-13	Pass	1236
3000	12000	1	RMS	11437	-43.1	-13	Pass	9001
12000	20000	1	RMS	19800	-36.35	-13	Pass	8001




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.44	-71.55	-13	Pass	2986
30	1000	0.1	RMS	866.411	-63.64	-13	Pass	9700
1000	1700	1	RMS	1699	-50.28	-13	Pass	701
1700	1765	1	RMS	1725.838	22.87	60	Pass	401
1765	3000	1	RMS	2947	-49.6	-13	Pass	1236
3000	12000	1	RMS	11427	-43.17	-13	Pass	9001
12000	20000	1	RMS	19813	-36.34	-13	Pass	8001




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	Pass	401
0.15	30	0.01	RMS	4.1	-71.51	-13	Pass	2986
30	1000	0.1	RMS	894.73	-63.69	-13	Pass	9700
1000	1700	1	RMS	1699	-51.03	-13	Pass	701
1700	1765	1	RMS	1725.838	22.01	60	Pass	401
1765	3000	1	RMS	2845	-49.62	-13	Pass	1236
3000	12000	1	RMS	11444	-43.15	-13	Pass	9001
12000	20000	1	RMS	19805	-36.31	-13	Pass	8001




15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.06	-13	Pass	2986
30	1000	0.1	RMS	879.22	-63.71	-13	Pass	9700
1000	1700	1	RMS	1700	-52.84	-13	Pass	701
1700	1765	1	RMS	1740.788	23.02	60	Pass	401
1765	3000	1	RMS	1767	-47.14	-13	Pass	1236
3000	12000	1	RMS	11433	-43.18	-13	Pass	9001
12000	20000	1	RMS	19802	-36.31	-13	Pass	8001




**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	Pass	401
0.15	30	0.01	RMS	0.39	-72.22	-13	Pass	2986
30	1000	0.1	RMS	871.315	-63.62	-13	Pass	9700
1000	1700	1	RMS	1700	-52.82	-13	Pass	701
1700	1765	1	RMS	1740.788	22.21	60	Pass	401
1765	3000	1	RMS	1767	-47.99	-13	Pass	1236
3000	12000	1	RMS	11425	-43.04	-13	Pass	9001
12000	20000	1	RMS	19808	-36.34	-13	Pass	8001




15.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.39	-71.88	-13	Pass	2986
30	1000	0.1	RMS	874.317	-63.75	-13	Pass	9700
1000	1700	1	RMS	1700	-43.9	-13	Pass	701
1700	1765	1	RMS	1711.05	23	60	Pass	401
1765	3000	1	RMS	2944	-49.55	-13	Pass	1236
3000	12000	1	RMS	11430	-43.16	-13	Pass	9001
12000	20000	1	RMS	19793	-36.34	-13	Pass	8001




**15.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	1000	0.1	RMS	864.11	-63.58	-13	Pass	9700
1000	1700	1	RMS	1700	-49.65	-13	Pass	701
1700	1765	1	RMS	1711.05	22.22	60	Pass	401
1765	3000	1	RMS	2950	-49.55	-13	Pass	1236
3000	12000	1	RMS	11435	-43.18	-13	Pass	9001
12000	20000	1	RMS	19800	-36.34	-13	Pass	8001




15.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	856.205	-63.55	-13	Pass	9700
1000	1700	1	RMS	1697	-52.49	-13	Pass	701
1700	1765	1	RMS	1723.563	22.96	60	Pass	401
1765	3000	1	RMS	2949	-49.58	-13	Pass	1236
3000	12000	1	RMS	11430	-43.07	-13	Pass	9001
12000	20000	1	RMS	19796	-36.26	-13	Pass	8001




**15.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.89	-13	Pass	2986
30	1000	0.1	RMS	881.121	-63.68	-13	Pass	9700
1000	1700	1	RMS	1697	-52.67	-13	Pass	701
1700	1765	1	RMS	1723.563	22.02	60	Pass	401
1765	3000	1	RMS	2948	-49.65	-13	Pass	1236
3000	12000	1	RMS	11432	-43.11	-13	Pass	9001
12000	20000	1	RMS	19806	-36.34	-13	Pass	8001




15.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	888.126	-63.57	-13	Pass	9700
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1765	1	RMS	1736.075	22.89	60	Pass	401
1765	3000	1	RMS	1772	-46.17	-13	Pass	1236
3000	12000	1	RMS	11429	-43.15	-13	Pass	9001
12000	20000	1	RMS	19793	-36.3	-13	Pass	8001



**15.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2986
30	1000	0.1	RMS	869.714	-63.7	-13	Pass	9700
1000	1700	1	RMS	1700	-51.74	-13	Pass	701
1700	1765	1	RMS	1736.075	22.01	60	Pass	401
1765	3000	1	RMS	1772	-46.88	-13	Pass	1236
3000	12000	1	RMS	11435	-43.18	-13	Pass	9001
12000	20000	1	RMS	19796	-36.35	-13	Pass	8001



16. LTE_Band5


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.18	-13	Pass	7841
814	860	0.1	RMS	824.2	19.84	60	Pass	461
860	1000	0.1	RMS	869.8	-63.7	-13	Pass	1401
1000	3000	1	RMS	1648	-48.69	-13	Pass	2001
3000	10000	1	RMS	8006	-44.12	-13	Pass	7001




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.69	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.28	-13	Pass	7841
814	860	0.1	RMS	824.3	18.87	60	Pass	461
860	1000	0.1	RMS	872.8	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-49.41	-13	Pass	2001
3000	10000	1	RMS	8002	-44.06	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	814	0.1	RMS	723.3	-64.02	-13	Pass	7841
814	860	0.1	RMS	836	19.74	60	Pass	461
860	1000	0.1	RMS	894.4	-62.28	-13	Pass	1401
1000	3000	1	RMS	1672	-49.14	-13	Pass	2001
3000	10000	1	RMS	7106	-43.97	-13	Pass	7001




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.85	-13	Pass	2986
30	814	0.1	RMS	729.6	-64	-13	Pass	7841
814	860	0.1	RMS	836	18.85	60	Pass	461
860	1000	0.1	RMS	865.5	-63.76	-13	Pass	1401
1000	3000	1	RMS	2948	-49.58	-13	Pass	2001
3000	10000	1	RMS	7111	-44.05	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.89	-13	Pass	2986
30	814	0.1	RMS	494.9	-64.08	-13	Pass	7841
814	860	0.1	RMS	847.9	19.73	60	Pass	461
860	1000	0.1	RMS	861.3	-63.64	-13	Pass	1401
1000	3000	1	RMS	1695	-48.65	-13	Pass	2001
3000	10000	1	RMS	7109	-44.1	-13	Pass	7001




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	4.07	-71.44	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.77	-13	Pass	7841
814	860	0.1	RMS	847.9	18.82	60	Pass	461
860	1000	0.1	RMS	871.8	-63.81	-13	Pass	1401
1000	3000	1	RMS	1695	-49.39	-13	Pass	2001
3000	10000	1	RMS	8013	-44.1	-13	Pass	7001




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.16	-13	Pass	7841
814	860	0.1	RMS	824.2	20.26	60	Pass	461
860	1000	0.1	RMS	905.2	-63.64	-13	Pass	1401
1000	3000	1	RMS	1648	-48.49	-13	Pass	2001
3000	10000	1	RMS	8003	-44.08	-13	Pass	7001




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.44	-13	Pass	7841
814	860	0.1	RMS	824.2	19.28	60	Pass	461
860	1000	0.1	RMS	882.1	-63.62	-13	Pass	1401
1000	3000	1	RMS	1648	-49.19	-13	Pass	2001
3000	10000	1	RMS	7107	-43.88	-13	Pass	7001




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.74	-13	Pass	2986
30	814	0.1	RMS	634.3	-62.75	-13	Pass	7841
814	860	0.1	RMS	835.2	20.11	60	Pass	461
860	1000	0.1	RMS	887.2	-63.44	-13	Pass	1401
1000	3000	1	RMS	1670	-48.19	-13	Pass	2001
3000	10000	1	RMS	8011	-44.04	-13	Pass	7001




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.06	-13	Pass	2986
30	814	0.1	RMS	740.7	-63.99	-13	Pass	7841
814	860	0.1	RMS	835.2	19.08	60	Pass	461
860	1000	0.1	RMS	872.6	-63.49	-13	Pass	1401
1000	3000	1	RMS	1670	-49.18	-13	Pass	2001
3000	10000	1	RMS	8004	-44.09	-13	Pass	7001




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	Pass	2986
30	814	0.1	RMS	808.8	-64.03	-13	Pass	7841
814	860	0.1	RMS	846.2	20.11	60	Pass	461
860	1000	0.1	RMS	863.2	-63.74	-13	Pass	1401
1000	3000	1	RMS	1692	-48.31	-13	Pass	2001
3000	10000	1	RMS	7108	-44.08	-13	Pass	7001




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2986
30	814	0.1	RMS	478.4	-64.06	-13	Pass	7841
814	860	0.1	RMS	846.2	19.23	60	Pass	461
860	1000	0.1	RMS	908.4	-63.7	-13	Pass	1401
1000	3000	1	RMS	1692	-49.1	-13	Pass	2001
3000	10000	1	RMS	7109	-44.08	-13	Pass	7001




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.97	-13	Pass	7841
814	860	0.1	RMS	824.3	20.12	60	Pass	461
860	1000	0.1	RMS	866.1	-63.66	-13	Pass	1401
1000	3000	1	RMS	1648	-48.61	-13	Pass	2001
3000	10000	1	RMS	8001	-44.03	-13	Pass	7001




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	824.3	19.19	60	Pass	461
860	1000	0.1	RMS	873.3	-63.73	-13	Pass	1401
1000	3000	1	RMS	1648	-49.46	-13	Pass	2001
3000	10000	1	RMS	7111	-44.08	-13	Pass	7001




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-13	Pass	2986
30	814	0.1	RMS	738.3	-63.92	-13	Pass	7841
814	860	0.1	RMS	834.3	20.11	60	Pass	461
860	1000	0.1	RMS	881.4	-63.68	-13	Pass	1401
1000	3000	1	RMS	1668	-48.52	-13	Pass	2001
3000	10000	1	RMS	8001	-43.99	-13	Pass	7001




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.67	-13	Pass	2986
30	814	0.1	RMS	469.7	-64.03	-13	Pass	7841
814	860	0.1	RMS	834.3	19.41	60	Pass	461
860	1000	0.1	RMS	898	-63.68	-13	Pass	1401
1000	3000	1	RMS	1668	-49.13	-13	Pass	2001
3000	10000	1	RMS	8008	-44.01	-13	Pass	7001




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-13	Pass	2986
30	814	0.1	RMS	787.7	-63.92	-13	Pass	7841
814	860	0.1	RMS	844.3	20.23	60	Pass	461
860	1000	0.1	RMS	873.7	-63.67	-13	Pass	1401
1000	3000	1	RMS	1688	-48.29	-13	Pass	2001
3000	10000	1	RMS	7106	-43.9	-13	Pass	7001




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.62	-71.61	-13	Pass	2986
30	814	0.1	RMS	493.5	-62.44	-13	Pass	7841
814	860	0.1	RMS	844.3	19.41	60	Pass	461
860	1000	0.1	RMS	863.7	-62.45	-13	Pass	1401
1000	3000	1	RMS	1688	-49.06	-13	Pass	2001
3000	10000	1	RMS	7110	-43.89	-13	Pass	7001




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.32	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.6	20.63	60	Pass	461
860	1000	0.1	RMS	871.1	-63.84	-13	Pass	1401
1000	3000	1	RMS	1649	-49.09	-13	Pass	2001
3000	10000	1	RMS	7108	-44.03	-13	Pass	7001




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.76	-13	Pass	7841
814	860	0.1	RMS	824.6	19.83	60	Pass	461
860	1000	0.1	RMS	887.2	-63.78	-13	Pass	1401
1000	3000	1	RMS	2949	-49.63	-13	Pass	2001
3000	10000	1	RMS	7110	-44.06	-13	Pass	7001




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	814	0.1	RMS	474.2	-63.92	-13	Pass	7841
814	860	0.1	RMS	832.1	20.52	60	Pass	461
860	1000	0.1	RMS	888.9	-63.82	-13	Pass	1401
1000	3000	1	RMS	1664	-48.97	-13	Pass	2001
3000	10000	1	RMS	8004	-44.09	-13	Pass	7001




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.71	-13	Pass	2986
30	814	0.1	RMS	813.7	-64.01	-13	Pass	7841
814	860	0.1	RMS	832.1	19.53	60	Pass	461
860	1000	0.1	RMS	868.1	-63.61	-13	Pass	1401
1000	3000	1	RMS	2949	-49.48	-13	Pass	2001
3000	10000	1	RMS	7997	-43.98	-13	Pass	7001




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2986
30	814	0.1	RMS	733.1	-63.95	-13	Pass	7841
814	860	0.1	RMS	839.6	20.51	60	Pass	461
860	1000	0.1	RMS	874.2	-63.76	-13	Pass	1401
1000	3000	1	RMS	1679	-48.79	-13	Pass	2001
3000	10000	1	RMS	7113	-44.11	-13	Pass	7001



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.82	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.98	-13	Pass	7841
814	860	0.1	RMS	839.6	19.64	60	Pass	461
860	1000	0.1	RMS	874.1	-63.71	-13	Pass	1401
1000	3000	1	RMS	1679	-49.48	-13	Pass	2001
3000	10000	1	RMS	8006	-44.1	-13	Pass	7001



17. LTE_Band7


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.27	-25	Pass	2986
30	1000	0.1	RMS	874.016	-63.65	-25	Pass	9700
1000	2480	1	RMS	2480	-50.91	-25	Pass	1481
2480	2590	1	RMS	2500.075	22.84	60	Pass	401
2590	3000	1	RMS	2952	-49.61	-25	Pass	411
3000	12000	1	RMS	11600	-52.98	-25	Pass	9001
12000	26000	1	RMS	25906	-40.19	-25	Pass	14001




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.91	-25	Pass	2986
30	1000	0.1	RMS	871.115	-63.52	-25	Pass	9700
1000	2480	1	RMS	2478	-50.9	-25	Pass	1481
2480	2590	1	RMS	2500.35	22	60	Pass	401
2590	3000	1	RMS	2952	-49.6	-25	Pass	411
3000	12000	1	RMS	11519	-52.91	-25	Pass	9001
12000	26000	1	RMS	25882	-40.2	-25	Pass	14001



**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-25	Pass	2986
30	1000	0.1	RMS	841.599	-63.67	-25	Pass	9700
1000	2480	1	RMS	2480	-50.97	-25	Pass	1481
2480	2590	1	RMS	2532.8	23.22	60	Pass	401
2590	3000	1	RMS	2950	-49.49	-25	Pass	411
3000	12000	1	RMS	11601	-52.81	-25	Pass	9001
12000	26000	1	RMS	25888	-40.1	-25	Pass	14001



**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-25	Pass	2986
30	1000	0.1	RMS	982.689	-63.75	-25	Pass	9700
1000	2480	1	RMS	2476	-50.96	-25	Pass	1481
2480	2590	1	RMS	2532.8	22.5	60	Pass	401
2590	3000	1	RMS	2948	-49.62	-25	Pass	411
3000	12000	1	RMS	11612	-52.96	-25	Pass	9001
12000	26000	1	RMS	25897	-40.13	-25	Pass	14001




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-25	Pass	2986
30	1000	0.1	RMS	888.526	-63.71	-25	Pass	9700
1000	2480	1	RMS	2480	-50.84	-25	Pass	1481
2480	2590	1	RMS	2565.25	23	60	Pass	401
2590	3000	1	RMS	2946	-49.52	-25	Pass	411
3000	12000	1	RMS	11600	-52.73	-25	Pass	9001
12000	26000	1	RMS	25900	-40.11	-25	Pass	14001



**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-25	Pass	2986
30	1000	0.1	RMS	839.599	-62.32	-25	Pass	9700
1000	2480	1	RMS	2479	-50.78	-25	Pass	1481
2480	2590	1	RMS	2565.25	22.22	60	Pass	401
2590	3000	1	RMS	2950	-49.47	-25	Pass	411
3000	12000	1	RMS	11596	-52.82	-25	Pass	9001
12000	26000	1	RMS	25895	-40.15	-25	Pass	14001



**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.86	-25	Pass	2986
30	1000	0.1	RMS	978.186	-63.52	-25	Pass	9700
1000	2480	1	RMS	2480	-50.83	-25	Pass	1481
2480	2590	1	RMS	2500.35	22.89	60	Pass	401
2590	3000	1	RMS	2951	-49.6	-25	Pass	411
3000	12000	1	RMS	11518	-52.92	-25	Pass	9001
12000	26000	1	RMS	25894	-40.22	-25	Pass	14001




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-25	Pass	2986
30	1000	0.1	RMS	853.903	-63.73	-25	Pass	9700
1000	2480	1	RMS	2479	-50.95	-25	Pass	1481
2480	2590	1	RMS	2500.35	22.12	60	Pass	401
2590	3000	1	RMS	2951	-49.64	-25	Pass	411
3000	12000	1	RMS	11598	-52.89	-25	Pass	9001
12000	26000	1	RMS	25888	-40.05	-25	Pass	14001




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.73	-25	Pass	2986
30	1000	0.1	RMS	983.789	-63.55	-25	Pass	9700
1000	2480	1	RMS	2478	-50.98	-25	Pass	1481
2480	2590	1	RMS	2530.325	23.11	60	Pass	401
2590	3000	1	RMS	2952	-49.56	-25	Pass	411
3000	12000	1	RMS	11605	-52.96	-25	Pass	9001
12000	26000	1	RMS	25901	-40.08	-25	Pass	14001



**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-25	Pass	2986
30	1000	0.1	RMS	875.417	-63.62	-25	Pass	9700
1000	2480	1	RMS	2479	-50.91	-25	Pass	1481
2480	2590	1	RMS	2530.325	22.26	60	Pass	401
2590	3000	1	RMS	2951	-49.61	-25	Pass	411
3000	12000	1	RMS	11591	-52.88	-25	Pass	9001
12000	26000	1	RMS	25893	-40.16	-25	Pass	14001




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2986
30	1000	0.1	RMS	877.519	-63.61	-25	Pass	9700
1000	2480	1	RMS	2479	-50.95	-25	Pass	1481
2480	2590	1	RMS	2560.575	22.92	60	Pass	401
2590	3000	1	RMS	2950	-49.55	-25	Pass	411
3000	12000	1	RMS	11522	-52.93	-25	Pass	9001
12000	26000	1	RMS	25889	-40.19	-25	Pass	14001




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2986
30	1000	0.1	RMS	889.327	-62.29	-25	Pass	9700
1000	2480	1	RMS	2479	-50.76	-25	Pass	1481
2480	2590	1	RMS	2560.575	22.12	60	Pass	401
2590	3000	1	RMS	2950	-49.49	-25	Pass	411
3000	12000	1	RMS	11601	-52.75	-25	Pass	9001
12000	26000	1	RMS	25903	-40.15	-25	Pass	14001



17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.7	-25	Pass	2986
30	1000	0.1	RMS	876.418	-63.64	-25	Pass	9700
1000	2480	1	RMS	2476	-50.89	-25	Pass	1481
2480	2590	1	RMS	2500.625	22.93	60	Pass	401
2590	3000	1	RMS	2950	-49.61	-25	Pass	411
3000	12000	1	RMS	11600	-52.87	-25	Pass	9001
12000	26000	1	RMS	25897	-40.04	-25	Pass	14001




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.09	-25	Pass	2986
30	1000	0.1	RMS	889.126	-63.62	-25	Pass	9700
1000	2480	1	RMS	2480	-50.84	-25	Pass	1481
2480	2590	1	RMS	2500.625	22.14	60	Pass	401
2590	3000	1	RMS	2951	-49.53	-25	Pass	411
3000	12000	1	RMS	11610	-52.87	-25	Pass	9001
12000	26000	1	RMS	25874	-40.16	-25	Pass	14001




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	Pass	2986
30	1000	0.1	RMS	977.485	-62.21	-25	Pass	9700
1000	2480	1	RMS	2477	-50.72	-25	Pass	1481
2480	2590	1	RMS	2528.125	23.2	60	Pass	401
2590	3000	1	RMS	2951	-49.53	-25	Pass	411
3000	12000	1	RMS	11593	-52.94	-25	Pass	9001
12000	26000	1	RMS	25891	-40.08	-25	Pass	14001




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2986
30	1000	0.1	RMS	863.009	-63.77	-25	Pass	9700
1000	2480	1	RMS	2471	-50.85	-25	Pass	1481
2480	2590	1	RMS	2528.125	22.35	60	Pass	401
2590	3000	1	RMS	2949	-49.62	-25	Pass	411
3000	12000	1	RMS	11601	-52.88	-25	Pass	9001
12000	26000	1	RMS	25902	-40.11	-25	Pass	14001




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.57	-25	Pass	2986
30	1000	0.1	RMS	873.516	-63.71	-25	Pass	9700
1000	2480	1	RMS	2480	-50.94	-25	Pass	1481
2480	2590	1	RMS	2555.625	23.02	60	Pass	401
2590	3000	1	RMS	2944	-49.63	-25	Pass	411
3000	12000	1	RMS	11600	-52.91	-25	Pass	9001
12000	26000	1	RMS	25890	-40.17	-25	Pass	14001




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-25	Pass	2986
30	1000	0.1	RMS	849.5	-63.57	-25	Pass	9700
1000	2480	1	RMS	2479	-50.95	-25	Pass	1481
2480	2590	1	RMS	2555.625	22.27	60	Pass	401
2590	3000	1	RMS	2950	-49.64	-25	Pass	411
3000	12000	1	RMS	11584	-52.9	-25	Pass	9001
12000	26000	1	RMS	25900	-40.16	-25	Pass	14001



17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2986
30	1000	0.1	RMS	906.538	-63.71	-25	Pass	9700
1000	2480	1	RMS	2473	-50.9	-25	Pass	1481
2480	2590	1	RMS	2500.9	22.9	60	Pass	401
2590	3000	1	RMS	2945	-49.63	-25	Pass	411
3000	12000	1	RMS	11521	-52.84	-25	Pass	9001
12000	26000	1	RMS	25896	-40.13	-25	Pass	14001




17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.93	-25	Pass	2986
30	1000	0.1	RMS	761.889	-62.75	-25	Pass	9700
1000	2480	1	RMS	2480	-50.82	-25	Pass	1481
2480	2590	1	RMS	2500.9	22.16	60	Pass	401
2590	3000	1	RMS	2948	-49.5	-25	Pass	411
3000	12000	1	RMS	11589	-52.73	-25	Pass	9001
12000	26000	1	RMS	25870	-40.14	-25	Pass	14001




17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-25	Pass	2986
30	1000	0.1	RMS	994.096	-63.57	-25	Pass	9700
1000	2480	1	RMS	2478	-50.86	-25	Pass	1481
2480	2590	1	RMS	2525.925	23.26	60	Pass	401
2590	3000	1	RMS	2846	-49.58	-25	Pass	411
3000	12000	1	RMS	11608	-52.85	-25	Pass	9001
12000	26000	1	RMS	25896	-40.19	-25	Pass	14001




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-25	Pass	2986
30	1000	0.1	RMS	862.409	-63.67	-25	Pass	9700
1000	2480	1	RMS	2474	-50.78	-25	Pass	1481
2480	2590	1	RMS	2525.925	22.41	60	Pass	401
2590	3000	1	RMS	2945	-49.49	-25	Pass	411
3000	12000	1	RMS	11611	-52.8	-25	Pass	9001
12000	26000	1	RMS	25897	-40.09	-25	Pass	14001




17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-25	Pass	401
0.15	30	0.01	RMS	20.08	-71.95	-25	Pass	2986
30	1000	0.1	RMS	334.237	-63.31	-25	Pass	9700
1000	2480	1	RMS	2480	-50.81	-25	Pass	1481
2480	2590	1	RMS	2550.95	23.09	60	Pass	401
2590	3000	1	RMS	2950	-49.53	-25	Pass	411
3000	12000	1	RMS	11599	-52.71	-25	Pass	9001
12000	26000	1	RMS	25888	-40.07	-25	Pass	14001



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-25	Pass	2986
30	1000	0.1	RMS	989.893	-63.72	-25	Pass	9700
1000	2480	1	RMS	2479	-50.92	-25	Pass	1481
2480	2590	1	RMS	2550.95	22.23	60	Pass	401
2590	3000	1	RMS	2949	-49.58	-25	Pass	411
3000	12000	1	RMS	11595	-52.86	-25	Pass	9001
12000	26000	1	RMS	25894	-40.24	-25	Pass	14001



18. LTE_Band26(part22)


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.5	-13	Pass	7841
814	860	0.1	RMS	824.2	19.75	60	Pass	461
860	1000	0.1	RMS	860.1	-63.61	-13	Pass	1401
1000	3000	1	RMS	1648	-48.87	-13	Pass	2001
3000	10000	1	RMS	8002	-44.01	-13	Pass	7001




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.25	-13	Pass	7841
814	860	0.1	RMS	824.2	18.69	60	Pass	461
860	1000	0.1	RMS	872.4	-63.68	-13	Pass	1401
1000	3000	1	RMS	2948	-49.48	-13	Pass	2001
3000	10000	1	RMS	7107	-43.95	-13	Pass	7001




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	814	0.1	RMS	737.2	-63.99	-13	Pass	7841
814	860	0.1	RMS	836	19.78	60	Pass	461
860	1000	0.1	RMS	905.7	-63.64	-13	Pass	1401
1000	3000	1	RMS	1672	-49.17	-13	Pass	2001
3000	10000	1	RMS	8003	-44.01	-13	Pass	7001




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2986
30	814	0.1	RMS	730.2	-63.74	-13	Pass	7841
814	860	0.1	RMS	836.1	18.75	60	Pass	461
860	1000	0.1	RMS	879.1	-63.76	-13	Pass	1401
1000	3000	1	RMS	2949	-49.61	-13	Pass	2001
3000	10000	1	RMS	7106	-44.09	-13	Pass	7001




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.64	-13	Pass	2986
30	814	0.1	RMS	725.2	-63.93	-13	Pass	7841
814	860	0.1	RMS	847.8	19.71	60	Pass	461
860	1000	0.1	RMS	891.2	-63.69	-13	Pass	1401
1000	3000	1	RMS	1695	-48.78	-13	Pass	2001
3000	10000	1	RMS	7110	-44	-13	Pass	7001




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2986
30	814	0.1	RMS	463.1	-63.93	-13	Pass	7841
814	860	0.1	RMS	847.8	18.89	60	Pass	461
860	1000	0.1	RMS	913.3	-63.74	-13	Pass	1401
1000	3000	1	RMS	1695	-49.49	-13	Pass	2001
3000	10000	1	RMS	8000	-44.08	-13	Pass	7001




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.84	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.99	-13	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	Pass	461
860	1000	0.1	RMS	874.8	-63.53	-13	Pass	1401
1000	3000	1	RMS	1648	-48.69	-13	Pass	2001
3000	10000	1	RMS	7110	-43.98	-13	Pass	7001




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.2	19.32	60	Pass	461
860	1000	0.1	RMS	880.6	-63.63	-13	Pass	1401
1000	3000	1	RMS	1648	-49.33	-13	Pass	2001
3000	10000	1	RMS	8009	-43.99	-13	Pass	7001




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	Pass	2986
30	814	0.1	RMS	469.3	-63.84	-13	Pass	7841
814	860	0.1	RMS	835.2	20.11	60	Pass	461
860	1000	0.1	RMS	860.1	-63.61	-13	Pass	1401
1000	3000	1	RMS	1670	-48.36	-13	Pass	2001
3000	10000	1	RMS	7107	-43.82	-13	Pass	7001




18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	814	0.1	RMS	625	-62.56	-13	Pass	7841
814	860	0.1	RMS	835.2	19.13	60	Pass	461
860	1000	0.1	RMS	863.5	-63.71	-13	Pass	1401
1000	3000	1	RMS	1670	-49.17	-13	Pass	2001
3000	10000	1	RMS	7108	-43.94	-13	Pass	7001




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.09	-13	Pass	2986
30	814	0.1	RMS	475.8	-63.81	-13	Pass	7841
814	860	0.1	RMS	846.2	20.16	60	Pass	461
860	1000	0.1	RMS	871.9	-63.68	-13	Pass	1401
1000	3000	1	RMS	1692	-48.35	-13	Pass	2001
3000	10000	1	RMS	7108	-44.06	-13	Pass	7001




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	Pass	2986
30	814	0.1	RMS	736.6	-64	-13	Pass	7841
814	860	0.1	RMS	846.2	19.19	60	Pass	461
860	1000	0.1	RMS	885.3	-63.74	-13	Pass	1401
1000	3000	1	RMS	1692	-49.06	-13	Pass	2001
3000	10000	1	RMS	8000	-43.98	-13	Pass	7001




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.03	-13	Pass	7841
814	860	0.1	RMS	824.3	20.11	60	Pass	461
860	1000	0.1	RMS	870.3	-63.6	-13	Pass	1401
1000	3000	1	RMS	1648	-48.78	-13	Pass	2001
3000	10000	1	RMS	7111	-44.06	-13	Pass	7001




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.46	-13	Pass	7841
814	860	0.1	RMS	824.3	19.23	60	Pass	461
860	1000	0.1	RMS	872.9	-63.67	-13	Pass	1401
1000	3000	1	RMS	1648	-49.47	-13	Pass	2001
3000	10000	1	RMS	7110	-44.04	-13	Pass	7001




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.41	-13	Pass	2986
30	814	0.1	RMS	723.7	-63.84	-13	Pass	7841
814	860	0.1	RMS	834.3	20	60	Pass	461
860	1000	0.1	RMS	881.5	-63.67	-13	Pass	1401
1000	3000	1	RMS	1668	-48.62	-13	Pass	2001
3000	10000	1	RMS	7109	-44.05	-13	Pass	7001




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.29	-13	Pass	2986
30	814	0.1	RMS	472.9	-63.99	-13	Pass	7841
814	860	0.1	RMS	834.3	19.35	60	Pass	461
860	1000	0.1	RMS	881.5	-63.74	-13	Pass	1401
1000	3000	1	RMS	1668	-49.17	-13	Pass	2001
3000	10000	1	RMS	7107	-43.86	-13	Pass	7001




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	Pass	401
0.15	30	0.01	RMS	3.84	-72.05	-13	Pass	2986
30	814	0.1	RMS	479.4	-62.39	-13	Pass	7841
814	860	0.1	RMS	844.3	20.17	60	Pass	461
860	1000	0.1	RMS	869	-63.66	-13	Pass	1401
1000	3000	1	RMS	1688	-48.38	-13	Pass	2001
3000	10000	1	RMS	8005	-43.9	-13	Pass	7001




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	Pass	401
0.15	30	0.01	RMS	4.13	-71.32	-13	Pass	2986
30	814	0.1	RMS	768.6	-62.59	-13	Pass	7841
814	860	0.1	RMS	844.3	19.39	60	Pass	461
860	1000	0.1	RMS	921	-62.48	-13	Pass	1401
1000	3000	1	RMS	1688	-48.96	-13	Pass	2001
3000	10000	1	RMS	7111	-43.86	-13	Pass	7001




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-13	Pass	2986
30	814	0.1	RMS	811.4	-59.92	-13	Pass	7841
814	860	0.1	RMS	824.6	20.54	60	Pass	461
860	1000	0.1	RMS	860.3	-63.62	-13	Pass	1401
1000	3000	1	RMS	1649	-49.06	-13	Pass	2001
3000	10000	1	RMS	8011	-44.07	-13	Pass	7001




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.41	-71.65	-13	Pass	2986
30	814	0.1	RMS	811.4	-60.62	-13	Pass	7841
814	860	0.1	RMS	824.6	19.78	60	Pass	461
860	1000	0.1	RMS	875.5	-63.63	-13	Pass	1401
1000	3000	1	RMS	2946	-49.63	-13	Pass	2001
3000	10000	1	RMS	8002	-44.01	-13	Pass	7001




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.63	-13	Pass	2986
30	814	0.1	RMS	810.1	-63.54	-13	Pass	7841
814	860	0.1	RMS	832.1	20.58	60	Pass	461
860	1000	0.1	RMS	883.2	-63.71	-13	Pass	1401
1000	3000	1	RMS	1664	-48.89	-13	Pass	2001
3000	10000	1	RMS	7109	-44.12	-13	Pass	7001




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.98	-13	Pass	2986
30	814	0.1	RMS	809.8	-63.74	-13	Pass	7841
814	860	0.1	RMS	832.1	19.57	60	Pass	461
860	1000	0.1	RMS	869	-63.7	-13	Pass	1401
1000	3000	1	RMS	2955	-49.62	-13	Pass	2001
3000	10000	1	RMS	7110	-43.96	-13	Pass	7001




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.77	-13	Pass	2986
30	814	0.1	RMS	489.1	-63.96	-13	Pass	7841
814	860	0.1	RMS	839.6	20.51	60	Pass	461
860	1000	0.1	RMS	871.6	-63.69	-13	Pass	1401
1000	3000	1	RMS	1679	-48.77	-13	Pass	2001
3000	10000	1	RMS	7109	-44.02	-13	Pass	7001




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	814	0.1	RMS	812.2	-64.02	-13	Pass	7841
814	860	0.1	RMS	839.6	19.67	60	Pass	461
860	1000	0.1	RMS	964.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2945	-49.46	-13	Pass	2001
3000	10000	1	RMS	8000	-43.89	-13	Pass	7001




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	Pass	2986
30	814	0.1	RMS	811.5	-56.26	-13	Pass	7841
814	860	0.1	RMS	824.8	19.98	60	Pass	461
860	1000	0.1	RMS	865.8	-62.18	-13	Pass	1401
1000	3000	1	RMS	1649	-48.74	-13	Pass	2001
3000	10000	1	RMS	7109	-43.95	-13	Pass	7001




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.96	-13	Pass	2986
30	814	0.1	RMS	811.5	-57.42	-13	Pass	7841
814	860	0.1	RMS	824.8	19.2	60	Pass	461
860	1000	0.1	RMS	872.8	-63.55	-13	Pass	1401
1000	3000	1	RMS	1649	-49.42	-13	Pass	2001
3000	10000	1	RMS	8007	-44.02	-13	Pass	7001




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	814	0.1	RMS	809.9	-60.48	-13	Pass	7841
814	860	0.1	RMS	829.8	20.11	60	Pass	461
860	1000	0.1	RMS	871.6	-63.75	-13	Pass	1401
1000	3000	1	RMS	1659	-48.55	-13	Pass	2001
3000	10000	1	RMS	8006	-44.09	-13	Pass	7001




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.66	-13	Pass	2986
30	814	0.1	RMS	809.8	-60.89	-13	Pass	7841
814	860	0.1	RMS	829.8	19.14	60	Pass	461
860	1000	0.1	RMS	987.4	-63.73	-13	Pass	1401
1000	3000	1	RMS	1659	-49.49	-13	Pass	2001
3000	10000	1	RMS	8001	-44.07	-13	Pass	7001




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2986
30	814	0.1	RMS	808.3	-63.77	-13	Pass	7841
814	860	0.1	RMS	834.8	19.91	60	Pass	461
860	1000	0.1	RMS	873.3	-63.64	-13	Pass	1401
1000	3000	1	RMS	1669	-48.61	-13	Pass	2001
3000	10000	1	RMS	8006	-44.13	-13	Pass	7001



**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	814	0.1	RMS	808.2	-63.72	-13	Pass	7841
814	860	0.1	RMS	834.8	19.09	60	Pass	461
860	1000	0.1	RMS	866.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	1669	-49.21	-13	Pass	2001
3000	10000	1	RMS	8001	-44.05	-13	Pass	7001



19. LTE_Band26(part90)


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.27	-62.04	-13	Pass	2986
30	809	0.1	Peak	808.9	-44.23	-13	Pass	7791
809	829	0.1	Peak	814.3	25.16	60	Pass	401
829	1000	0.1	Peak	883.3	-52.73	-13	Pass	1711
1000	3000	1	Peak	2829	-37.51	-13	Pass	2001
3000	10000	1	Peak	9558	-31.26	-13	Pass	7001




**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.49	-13	Pass	2986
30	809	0.1	Peak	808.8	-44.59	-13	Pass	7791
809	829	0.1	Peak	814.3	25.73	60	Pass	401
829	1000	0.1	Peak	846.3	-52.34	-13	Pass	1711
1000	3000	1	Peak	2850	-36.95	-13	Pass	2001
3000	10000	1	Peak	8249	-30.72	-13	Pass	7001




19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.16	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.83	-13	Pass	2986
30	809	0.1	Peak	805.4	-50.09	-13	Pass	7791
809	829	0.1	Peak	818.6	25.02	60	Pass	401
829	1000	0.1	Peak	882.7	-51.76	-13	Pass	1711
1000	3000	1	Peak	2961	-36.15	-13	Pass	2001
3000	10000	1	Peak	8814	-31.54	-13	Pass	7001




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.92	-13	Pass	401
0.15	30	0.01	Peak	0.4	-64	-13	Pass	2986
30	809	0.1	Peak	768.7	-52.46	-13	Pass	7791
809	829	0.1	Peak	818.55	25.39	60	Pass	401
829	1000	0.1	Peak	998.5	-51.98	-13	Pass	1711
1000	3000	1	Peak	2964	-37.42	-13	Pass	2001
3000	10000	1	Peak	7290	-32.01	-13	Pass	7001




19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.77	-13	Pass	2986
30	809	0.1	Peak	793.2	-52.71	-13	Pass	7791
809	829	0.1	Peak	822.9	25.16	60	Pass	401
829	1000	0.1	Peak	831	-51.05	-13	Pass	1711
1000	3000	1	Peak	2755	-37.34	-13	Pass	2001
3000	10000	1	Peak	8218	-31.32	-13	Pass	7001




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.58	-13	Pass	2986
30	809	0.1	Peak	356.8	-52.3	-13	Pass	7791
809	829	0.1	Peak	822.85	25.6	60	Pass	401
829	1000	0.1	Peak	831.1	-49.69	-13	Pass	1711
1000	3000	1	Peak	2967	-36.07	-13	Pass	2001
3000	10000	1	Peak	7112	-31.46	-13	Pass	7001




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.12	-13	Pass	401
0.15	30	0.01	Peak	19.26	-64.16	-13	Pass	2986
30	809	0.1	Peak	808.8	-45.59	-13	Pass	7791
809	829	0.1	Peak	814.2	25.01	60	Pass	401
829	1000	0.1	Peak	836.1	-51.68	-13	Pass	1711
1000	3000	1	Peak	2807	-37.67	-13	Pass	2001
3000	10000	1	Peak	7545	-31.57	-13	Pass	7001




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.81	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.87	-13	Pass	2986
30	809	0.1	Peak	808.8	-43.92	-13	Pass	7791
809	829	0.1	Peak	814.2	25.58	60	Pass	401
829	1000	0.1	Peak	844.6	-51.59	-13	Pass	1711
1000	3000	1	Peak	2830	-37.12	-13	Pass	2001
3000	10000	1	Peak	7758	-31.05	-13	Pass	7001




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.53	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.63	-13	Pass	2986
30	809	0.1	Peak	737.9	-51.75	-13	Pass	7791
809	829	0.1	Peak	817.75	25.17	60	Pass	401
829	1000	0.1	Peak	976.2	-52.14	-13	Pass	1711
1000	3000	1	Peak	2951	-37.17	-13	Pass	2001
3000	10000	1	Peak	8960	-31.55	-13	Pass	7001




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.78	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.11	-13	Pass	2986
30	809	0.1	Peak	263.1	-52.06	-13	Pass	7791
809	829	0.1	Peak	817.8	25.27	60	Pass	401
829	1000	0.1	Peak	948.3	-51.93	-13	Pass	1711
1000	3000	1	Peak	2829	-37.02	-13	Pass	2001
3000	10000	1	Peak	9271	-31.27	-13	Pass	7001




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.84	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.38	-13	Pass	2986
30	809	0.1	Peak	807.7	-52.57	-13	Pass	7791
809	829	0.1	Peak	821.25	25.27	60	Pass	401
829	1000	0.1	Peak	829.5	-51.57	-13	Pass	1711
1000	3000	1	Peak	2762	-37.06	-13	Pass	2001
3000	10000	1	Peak	8029	-30.86	-13	Pass	7001




19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.61	-13	Pass	2986
30	809	0.1	Peak	746.4	-52.3	-13	Pass	7791
809	829	0.1	Peak	821.25	25.48	60	Pass	401
829	1000	0.1	Peak	829.5	-50.48	-13	Pass	1711
1000	3000	1	Peak	2786	-37.58	-13	Pass	2001
3000	10000	1	Peak	7151	-31.68	-13	Pass	7001




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.05	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.87	-13	Pass	2986
30	809	0.1	Peak	808.9	-44.89	-13	Pass	7791
809	829	0.1	Peak	814.3	25.21	60	Pass	401
829	1000	0.1	Peak	997.7	-52.16	-13	Pass	1711
1000	3000	1	Peak	2945	-36.62	-13	Pass	2001
3000	10000	1	Peak	7107	-31.64	-13	Pass	7001




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.32	-13	Pass	401
0.15	30	0.01	Peak	0.71	-64.08	-13	Pass	2986
30	809	0.1	Peak	808.9	-45.83	-13	Pass	7791
809	829	0.1	Peak	814.3	25.62	60	Pass	401
829	1000	0.1	Peak	835.5	-52.51	-13	Pass	1711
1000	3000	1	Peak	2655	-36.59	-13	Pass	2001
3000	10000	1	Peak	8216	-30.88	-13	Pass	7001




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.69	-13	Pass	401
0.15	30	0.01	Peak	0.42	-62.95	-13	Pass	2986
30	809	0.1	Peak	809	-49.09	-13	Pass	7791
809	829	0.1	Peak	816.85	25.29	60	Pass	401
829	1000	0.1	Peak	901.7	-52.24	-13	Pass	1711
1000	3000	1	Peak	2856	-37.64	-13	Pass	2001
3000	10000	1	Peak	6759	-31.99	-13	Pass	7001




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.31	-13	Pass	2986
30	809	0.1	Peak	768	-52.43	-13	Pass	7791
809	829	0.1	Peak	816.8	25.68	60	Pass	401
829	1000	0.1	Peak	978.6	-52.25	-13	Pass	1711
1000	3000	1	Peak	2915	-37.17	-13	Pass	2001
3000	10000	1	Peak	7998	-31.18	-13	Pass	7001




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.84	-13	Pass	401
0.15	30	0.01	Peak	28.55	-64.08	-13	Pass	2986
30	809	0.1	Peak	361.4	-52.12	-13	Pass	7791
809	829	0.1	Peak	819.3	25.13	60	Pass	401
829	1000	0.1	Peak	830.2	-51.88	-13	Pass	1711
1000	3000	1	Peak	2753	-36.52	-13	Pass	2001
3000	10000	1	Peak	7841	-31.32	-13	Pass	7001




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.08	-13	Pass	401
0.15	30	0.01	Peak	4.02	-64.31	-13	Pass	2986
30	809	0.1	Peak	348.3	-52.27	-13	Pass	7791
809	829	0.1	Peak	819.3	25.38	60	Pass	401
829	1000	0.1	Peak	830.1	-52	-13	Pass	1711
1000	3000	1	Peak	2562	-36.97	-13	Pass	2001
3000	10000	1	Peak	8021	-31.26	-13	Pass	7001




19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.73	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.16	-13	Pass	2986
30	809	0.1	Peak	808.2	-37.1	-13	Pass	7791
809	829	0.1	Peak	814.6	25.25	60	Pass	401
829	1000	0.1	Peak	832.3	-50.61	-13	Pass	1711
1000	3000	1	Peak	2741	-37.07	-13	Pass	2001
3000	10000	1	Peak	9648	-31.72	-13	Pass	7001



19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.59	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.33	-13	Pass	2986
30	809	0.1	Peak	808.4	-36.37	-13	Pass	7791
809	829	0.1	Peak	814.55	25.71	60	Pass	401
829	1000	0.1	Peak	832.2	-50.81	-13	Pass	1711
1000	3000	1	Peak	2512	-36.6	-13	Pass	2001
3000	10000	1	Peak	8970	-31.53	-13	Pass	7001



20. LTE_Band38


20.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.37	-25	Pass	2986
30	1000	0.1	RMS	902.736	-63.78	-25	Pass	9700
1000	2550	1	RMS	2534	-50.34	-25	Pass	1551
2550	2640	1	RMS	2570.25	19.16	60	Pass	401
2640	3000	1	RMS	2947.8	-49.73	-25	Pass	401
3000	12000	1	RMS	11601	-52.79	-25	Pass	9001
12000	26500	1	RMS	25906	-40.18	-25	Pass	14501




**20.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-25	Pass	2986
30	1000	0.1	RMS	872.515	-63.86	-25	Pass	9700
1000	2550	1	RMS	2549	-50.28	-25	Pass	1551
2550	2640	1	RMS	2570.025	18.35	60	Pass	401
2640	3000	1	RMS	2948.7	-49.71	-25	Pass	401
3000	12000	1	RMS	11590	-52.94	-25	Pass	9001
12000	26500	1	RMS	25899	-40.12	-25	Pass	14501




**20.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.16	-25	Pass	2986
30	1000	0.1	RMS	894.03	-63.68	-25	Pass	9700
1000	2550	1	RMS	2511	-50.4	-25	Pass	1551
2550	2640	1	RMS	2592.525	19.58	60	Pass	401
2640	3000	1	RMS	2953.2	-49.7	-25	Pass	401
3000	12000	1	RMS	11518	-52.97	-25	Pass	9001
12000	26500	1	RMS	25899	-40.11	-25	Pass	14501



**20.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-25	Pass	2986
30	1000	0.1	RMS	866.612	-63.62	-25	Pass	9700
1000	2550	1	RMS	2534	-50.3	-25	Pass	1551
2550	2640	1	RMS	2592.75	18.65	60	Pass	401
2640	3000	1	RMS	2947.8	-49.7	-25	Pass	401
3000	12000	1	RMS	11521	-52.97	-25	Pass	9001
12000	26500	1	RMS	25903	-40.19	-25	Pass	14501



**20.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-25	Pass	2986
30	1000	0.1	RMS	886.325	-63.6	-25	Pass	9700
1000	2550	1	RMS	2534	-50.31	-25	Pass	1551
2550	2640	1	RMS	2615.025	19.63	60	Pass	401
2640	3000	1	RMS	2947.8	-49.66	-25	Pass	401
3000	12000	1	RMS	11602	-52.89	-25	Pass	9001
12000	26500	1	RMS	25886	-40.13	-25	Pass	14501




**20.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	Pass	2986
30	1000	0.1	RMS	891.928	-63.64	-25	Pass	9700
1000	2550	1	RMS	2534	-50.18	-25	Pass	1551
2550	2640	1	RMS	2615.25	18.73	60	Pass	401
2640	3000	1	RMS	2950.5	-49.65	-25	Pass	401
3000	12000	1	RMS	11600	-52.91	-25	Pass	9001
12000	26500	1	RMS	25880	-40.09	-25	Pass	14501



20.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.46	-72.05	-25	Pass	2986
30	1000	0.1	RMS	892.229	-63.67	-25	Pass	9700
1000	2550	1	RMS	2548	-50.33	-25	Pass	1551
2550	2640	1	RMS	2570.475	19.74	60	Pass	401
2640	3000	1	RMS	2949.6	-49.62	-25	Pass	401
3000	12000	1	RMS	11599	-52.93	-25	Pass	9001
12000	26500	1	RMS	25886	-40.1	-25	Pass	14501




**20.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2986
30	1000	0.1	RMS	878.82	-63.74	-25	Pass	9700
1000	2550	1	RMS	2534	-50.32	-25	Pass	1551
2550	2640	1	RMS	2570.475	19.07	60	Pass	401
2640	3000	1	RMS	2951.4	-49.69	-25	Pass	401
3000	12000	1	RMS	11599	-52.93	-25	Pass	9001
12000	26500	1	RMS	25898	-40.19	-25	Pass	14501



20.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.37	-72.05	-25	Pass	2986
30	1000	0.1	RMS	861.008	-63.52	-25	Pass	9700
1000	2550	1	RMS	2535	-50.41	-25	Pass	1551
2550	2640	1	RMS	2590.5	19.87	60	Pass	401
2640	3000	1	RMS	2946.9	-49.65	-25	Pass	401
3000	12000	1	RMS	11590	-52.93	-25	Pass	9001
12000	26500	1	RMS	25904	-40.2	-25	Pass	14501




**20.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.23	-25	Pass	2986
30	1000	0.1	RMS	854.804	-63.67	-25	Pass	9700
1000	2550	1	RMS	2534	-50.25	-25	Pass	1551
2550	2640	1	RMS	2590.275	18.49	60	Pass	401
2640	3000	1	RMS	2950.5	-49.68	-25	Pass	401
3000	12000	1	RMS	11597	-52.85	-25	Pass	9001
12000	26500	1	RMS	25876	-40.19	-25	Pass	14501



20.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	Pass	2986
30	1000	0.1	RMS	896.031	-63.62	-25	Pass	9700
1000	2550	1	RMS	2534	-50.23	-25	Pass	1551
2550	2640	1	RMS	2610.3	19.61	60	Pass	401
2640	3000	1	RMS	2942.4	-49.7	-25	Pass	401
3000	12000	1	RMS	11515	-52.97	-25	Pass	9001
12000	26500	1	RMS	25901	-40.12	-25	Pass	14501




**20.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-25	Pass	2986
30	1000	0.1	RMS	998.599	-63.69	-25	Pass	9700
1000	2550	1	RMS	2534	-50.33	-25	Pass	1551
2550	2640	1	RMS	2610.525	19.27	60	Pass	401
2640	3000	1	RMS	2951.4	-49.68	-25	Pass	401
3000	12000	1	RMS	11606	-52.98	-25	Pass	9001
12000	26500	1	RMS	25905	-40.09	-25	Pass	14501




20.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.76	-25	Pass	2986
30	1000	0.1	RMS	991.294	-63.83	-25	Pass	9700
1000	2550	1	RMS	2534	-50.11	-25	Pass	1551
2550	2640	1	RMS	2570.7	19.31	60	Pass	401
2640	3000	1	RMS	2947.8	-49.68	-25	Pass	401
3000	12000	1	RMS	11528	-52.87	-25	Pass	9001
12000	26500	1	RMS	25885	-40.2	-25	Pass	14501




**20.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-25	Pass	2986
30	1000	0.1	RMS	853.803	-63.76	-25	Pass	9700
1000	2550	1	RMS	2546	-50.35	-25	Pass	1551
2550	2640	1	RMS	2570.7	18.56	60	Pass	401
2640	3000	1	RMS	2950.5	-49.67	-25	Pass	401
3000	12000	1	RMS	11598	-52.91	-25	Pass	9001
12000	26500	1	RMS	25889	-40.18	-25	Pass	14501



20.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-25	Pass	2986
30	1000	0.1	RMS	977.285	-63.75	-25	Pass	9700
1000	2550	1	RMS	2549	-50.44	-25	Pass	1551
2550	2640	1	RMS	2588.25	19.9	60	Pass	401
2640	3000	1	RMS	2949.6	-49.65	-25	Pass	401
3000	12000	1	RMS	11606	-52.92	-25	Pass	9001
12000	26500	1	RMS	25902	-40.17	-25	Pass	14501




**20.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	Pass	2986
30	1000	0.1	RMS	889.727	-63.67	-25	Pass	9700
1000	2550	1	RMS	2535	-50.36	-25	Pass	1551
2550	2640	1	RMS	2588.25	18.79	60	Pass	401
2640	3000	1	RMS	2950.5	-49.69	-25	Pass	401
3000	12000	1	RMS	11612	-52.96	-25	Pass	9001
12000	26500	1	RMS	25896	-40.17	-25	Pass	14501




20.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-25	Pass	2986
30	1000	0.1	RMS	874.217	-63.59	-25	Pass	9700
1000	2550	1	RMS	2534	-50.33	-25	Pass	1551
2550	2640	1	RMS	2605.575	19.99	60	Pass	401
2640	3000	1	RMS	2847.9	-49.66	-25	Pass	401
3000	12000	1	RMS	11603	-52.98	-25	Pass	9001
12000	26500	1	RMS	25882	-40.14	-25	Pass	14501




**20.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.91	-25	Pass	2986
30	1000	0.1	RMS	849	-63.73	-25	Pass	9700
1000	2550	1	RMS	2534	-50.3	-25	Pass	1551
2550	2640	1	RMS	2605.575	19.05	60	Pass	401
2640	3000	1	RMS	2944.2	-49.69	-25	Pass	401
3000	12000	1	RMS	11601	-53.01	-25	Pass	9001
12000	26500	1	RMS	25894	-40.21	-25	Pass	14501



20.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-25	Pass	2986
30	1000	0.1	RMS	859.807	-63.76	-25	Pass	9700
1000	2550	1	RMS	2544	-49.89	-25	Pass	1551
2550	2640	1	RMS	2570.925	19.97	60	Pass	401
2640	3000	1	RMS	2950.5	-49.68	-25	Pass	401
3000	12000	1	RMS	11588	-52.96	-25	Pass	9001
12000	26500	1	RMS	25895	-40.06	-25	Pass	14501



20.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2986
30	1000	0.1	RMS	892.229	-53.04	-25	Pass	9700
1000	2550	1	RMS	2535	-50.15	-25	Pass	1551
2550	2640	1	RMS	2570.925	18.52	60	Pass	401
2640	3000	1	RMS	2946.9	-49.66	-25	Pass	401
3000	12000	1	RMS	11601	-52.87	-25	Pass	9001
12000	26500	1	RMS	25903	-40.09	-25	Pass	14501




20.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-25	Pass	2986
30	1000	0.1	RMS	865.411	-63.71	-25	Pass	9700
1000	2550	1	RMS	2534	-50.23	-25	Pass	1551
2550	2640	1	RMS	2585.775	19.44	60	Pass	401
2640	3000	1	RMS	2948.7	-49.62	-25	Pass	401
3000	12000	1	RMS	11526	-52.97	-25	Pass	9001
12000	26500	1	RMS	25861	-40.18	-25	Pass	14501




**20.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-25	Pass	2986
30	1000	0.1	RMS	871.014	-63.74	-25	Pass	9700
1000	2550	1	RMS	2549	-50.41	-25	Pass	1551
2550	2640	1	RMS	2585.775	18.69	60	Pass	401
2640	3000	1	RMS	2948.7	-49.68	-25	Pass	401
3000	12000	1	RMS	11606	-53	-25	Pass	9001
12000	26500	1	RMS	25898	-40.17	-25	Pass	14501




20.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.64	-25	Pass	2986
30	1000	0.1	RMS	866.912	-63.61	-25	Pass	9700
1000	2550	1	RMS	2534	-50.38	-25	Pass	1551
2550	2640	1	RMS	2600.85	19.94	60	Pass	401
2640	3000	1	RMS	2947.8	-49.69	-25	Pass	401
3000	12000	1	RMS	11602	-52.94	-25	Pass	9001
12000	26500	1	RMS	25901	-40.14	-25	Pass	14501



**20.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-25	Pass	2986
30	1000	0.1	RMS	640.375	-63.74	-25	Pass	9700
1000	2550	1	RMS	2535	-50.35	-25	Pass	1551
2550	2640	1	RMS	2601.075	18.99	60	Pass	401
2640	3000	1	RMS	2950.5	-49.7	-25	Pass	401
3000	12000	1	RMS	11605	-52.96	-25	Pass	9001
12000	26500	1	RMS	25885	-40.18	-25	Pass	14501



21. LTE_Band41 full


21.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	Pass	2986
30	1000	0.1	RMS	535.662	-62.76	-25	Pass	9700
1000	2486	1	RMS	2486	-45.39	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.16	60	Pass	401
2700	3000	1	RMS	2949	-49.62	-25	Pass	401
3000	12000	1	RMS	11605	-53	-25	Pass	9001
12000	27000	1	RMS	25900	-40.22	-25	Pass	15001



**21.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.25	-25	Pass	2986
30	1000	0.1	RMS	535.662	-63.33	-25	Pass	9700
1000	2486	1	RMS	2486	-45.29	-25	Pass	1487
2486	2700	1	RMS	2496.165	19.82	60	Pass	401
2700	3000	1	RMS	2949	-49.6	-25	Pass	401
3000	12000	1	RMS	11583	-52.94	-25	Pass	9001
12000	27000	1	RMS	25899	-40.15	-25	Pass	15001




**21.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-25	Pass	2986
30	1000	0.1	RMS	973.082	-63.63	-25	Pass	9700
1000	2486	1	RMS	2486	-50.78	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.14	60	Pass	401
2700	3000	1	RMS	2950.5	-49.62	-25	Pass	401
3000	12000	1	RMS	11608	-53	-25	Pass	9001
12000	27000	1	RMS	25878	-40.19	-25	Pass	15001



**21.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	Pass	2986
30	1000	0.1	RMS	871.615	-63.38	-25	Pass	9700
1000	2486	1	RMS	2484	-50.81	-25	Pass	1487
2486	2700	1	RMS	2590.86	19.85	60	Pass	401
2700	3000	1	RMS	2949	-49.59	-25	Pass	401
3000	12000	1	RMS	11610	-52.93	-25	Pass	9001
12000	27000	1	RMS	25901	-40.14	-25	Pass	15001



**21.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-25	Pass	2986
30	1000	0.1	RMS	878.62	-63.7	-25	Pass	9700
1000	2486	1	RMS	2482	-50.83	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.92	60	Pass	401
2700	3000	1	RMS	2700	-47.89	-25	Pass	401
3000	12000	1	RMS	11519	-52.89	-25	Pass	9001
12000	27000	1	RMS	25905	-40.15	-25	Pass	15001



**21.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.47	-25	Pass	2986
30	1000	0.1	RMS	888.926	-63.64	-25	Pass	9700
1000	2486	1	RMS	2484	-50.8	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.63	60	Pass	401
2700	3000	1	RMS	2700	-48.22	-25	Pass	401
3000	12000	1	RMS	11520	-52.99	-25	Pass	9001
12000	27000	1	RMS	25901	-40.13	-25	Pass	15001




21.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-25	Pass	2986
30	1000	0.1	RMS	535.962	-63.35	-25	Pass	9700
1000	2486	1	RMS	2485	-49.84	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.97	60	Pass	401
2700	3000	1	RMS	2949	-49.54	-25	Pass	401
3000	12000	1	RMS	11601	-52.86	-25	Pass	9001
12000	27000	1	RMS	25895	-40.18	-25	Pass	15001




**21.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-25	Pass	2986
30	1000	0.1	RMS	899.333	-63.53	-25	Pass	9700
1000	2486	1	RMS	2486	-49.39	-25	Pass	1487
2486	2700	1	RMS	2496.165	19.71	60	Pass	401
2700	3000	1	RMS	2949.75	-49.51	-25	Pass	401
3000	12000	1	RMS	11605	-52.8	-25	Pass	9001
12000	27000	1	RMS	25895	-40.1	-25	Pass	15001




21.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-25	Pass	2986
30	1000	0.1	RMS	879.32	-63.67	-25	Pass	9700
1000	2486	1	RMS	2479	-50.8	-25	Pass	1487
2486	2700	1	RMS	2588.72	19.94	60	Pass	401
2700	3000	1	RMS	2948.25	-49.56	-25	Pass	401
3000	12000	1	RMS	11606	-52.81	-25	Pass	9001
12000	27000	1	RMS	25903	-40.16	-25	Pass	15001



**21.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-25	Pass	2986
30	1000	0.1	RMS	989.893	-63.49	-25	Pass	9700
1000	2486	1	RMS	2482	-50.74	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.31	60	Pass	401
2700	3000	1	RMS	2946	-49.48	-25	Pass	401
3000	12000	1	RMS	11590	-52.84	-25	Pass	9001
12000	27000	1	RMS	25887	-40.12	-25	Pass	15001




21.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-25	Pass	2986
30	1000	0.1	RMS	885.424	-63.6	-25	Pass	9700
1000	2486	1	RMS	2486	-50.66	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.68	60	Pass	401
2700	3000	1	RMS	2953.5	-49.5	-25	Pass	401
3000	12000	1	RMS	11604	-52.9	-25	Pass	9001
12000	27000	1	RMS	25896	-40.14	-25	Pass	15001



**21.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.96	-25	Pass	2986
30	1000	0.1	RMS	858.206	-63.47	-25	Pass	9700
1000	2486	1	RMS	2486	-50.75	-25	Pass	1487
2486	2700	1	RMS	2680.74	19.68	60	Pass	401
2700	3000	1	RMS	2949.75	-49.52	-25	Pass	401
3000	12000	1	RMS	11526	-52.87	-25	Pass	9001
12000	27000	1	RMS	25899	-40.09	-25	Pass	15001




21.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2986
30	1000	0.1	RMS	861.808	-63.59	-25	Pass	9700
1000	2486	1	RMS	2483	-45.35	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.28	60	Pass	401
2700	3000	1	RMS	2945.25	-49.49	-25	Pass	401
3000	12000	1	RMS	11603	-52.84	-25	Pass	9001
12000	27000	1	RMS	25900	-40.09	-25	Pass	15001



**21.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.25	-25	Pass	2986
30	1000	0.1	RMS	536.162	-63.33	-25	Pass	9700
1000	2486	1	RMS	2483	-46.26	-25	Pass	1487
2486	2700	1	RMS	2496.165	18.28	60	Pass	401
2700	3000	1	RMS	2950.5	-49.55	-25	Pass	401
3000	12000	1	RMS	11601	-52.87	-25	Pass	9001
12000	27000	1	RMS	25893	-40.13	-25	Pass	15001



21.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2986
30	1000	0.1	RMS	867.412	-63.62	-25	Pass	9700
1000	2486	1	RMS	2485	-50.61	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.64	60	Pass	401
2700	3000	1	RMS	2949	-49.51	-25	Pass	401
3000	12000	1	RMS	11608	-52.89	-25	Pass	9001
12000	27000	1	RMS	25894	-40.1	-25	Pass	15001




**21.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.98	-25	Pass	2986
30	1000	0.1	RMS	867.212	-63.5	-25	Pass	9700
1000	2486	1	RMS	2486	-50.73	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.51	60	Pass	401
2700	3000	1	RMS	2950.5	-49.53	-25	Pass	401
3000	12000	1	RMS	11519	-52.87	-25	Pass	9001
12000	27000	1	RMS	25880	-40.16	-25	Pass	15001



21.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.56	-25	Pass	2986
30	1000	0.1	RMS	874.917	-63.63	-25	Pass	9700
1000	2486	1	RMS	2486	-50.7	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.31	60	Pass	401
2700	3000	1	RMS	2702.25	-43.41	-25	Pass	401
3000	12000	1	RMS	11605	-52.85	-25	Pass	9001
12000	27000	1	RMS	25899	-40.09	-25	Pass	15001



**21.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-25	Pass	2986
30	1000	0.1	RMS	899.633	-63.54	-25	Pass	9700
1000	2486	1	RMS	2474	-50.79	-25	Pass	1487
2486	2700	1	RMS	2675.39	20.4	60	Pass	401
2700	3000	1	RMS	2702.25	-44.88	-25	Pass	401
3000	12000	1	RMS	11601	-52.87	-25	Pass	9001
12000	27000	1	RMS	25908	-40.12	-25	Pass	15001




21.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.04	-25	Pass	2986
30	1000	0.1	RMS	869.714	-63.57	-25	Pass	9700
1000	2486	1	RMS	2480	-46.89	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.02	60	Pass	401
2700	3000	1	RMS	2948.25	-49.52	-25	Pass	401
3000	12000	1	RMS	11602	-52.78	-25	Pass	9001
12000	27000	1	RMS	25908	-40.08	-25	Pass	15001




**21.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-25	Pass	2986
30	1000	0.1	RMS	876.118	-63.52	-25	Pass	9700
1000	2486	1	RMS	2479	-46.59	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.67	60	Pass	401
2700	3000	1	RMS	2945.25	-49.55	-25	Pass	401
3000	12000	1	RMS	11603	-52.82	-25	Pass	9001
12000	27000	1	RMS	25899	-40.12	-25	Pass	15001



21.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-25	Pass	2986
30	1000	0.1	RMS	873.216	-63.5	-25	Pass	9700
1000	2486	1	RMS	2481	-50.58	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.21	60	Pass	401
2700	3000	1	RMS	2949	-49.51	-25	Pass	401
3000	12000	1	RMS	11520	-52.78	-25	Pass	9001
12000	27000	1	RMS	25905	-40	-25	Pass	15001




**21.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-25	Pass	2986
30	1000	0.1	RMS	900.434	-63.53	-25	Pass	9700
1000	2486	1	RMS	2486	-50.7	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.23	60	Pass	401
2700	3000	1	RMS	2952	-49.5	-25	Pass	401
3000	12000	1	RMS	11518	-52.76	-25	Pass	9001
12000	27000	1	RMS	25887	-40.14	-25	Pass	15001



21.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-25	Pass	2986
30	1000	0.1	RMS	889.827	-63.53	-25	Pass	9700
1000	2486	1	RMS	2486	-50.46	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.78	60	Pass	401
2700	3000	1	RMS	2706	-43.5	-25	Pass	401
3000	12000	1	RMS	8012.612	-52.52	-25	Pass	9001
12000	27000	1	RMS	25866	-40.16	-25	Pass	15001



**21.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.24	-25	Pass	2986
30	1000	0.1	RMS	856.305	-63.44	-25	Pass	9700
1000	2486	1	RMS	2486	-48.66	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.3	60	Pass	401
2700	3000	1	RMS	2706.75	-43.8	-25	Pass	401
3000	12000	1	RMS	8013.612	-52.04	-25	Pass	9001
12000	27000	1	RMS	25900	-40.09	-25	Pass	15001




CA

22. CA_41C_full


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	Pass	2986
30	1000	0.1	RMS	879.32	-63.58	-25	Pass	9700
1000	2486	1	RMS	2481	-50.38	-25	Pass	1487
2486	2700	1	RMS	2514.89	18.22	60	Pass	401
2700	3000	1	RMS	2951.25	-49.53	-25	Pass	401
3000	12000	1	RMS	11595	-52.73	-25	Pass	9001
12000	27000	1	RMS	25895	-40.05	-25	Pass	15001




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	Pass	2986
30	1000	0.1	RMS	886.825	-63.55	-25	Pass	9700
1000	2486	1	RMS	2481	-50.51	-25	Pass	1487
2486	2700	1	RMS	2514.89	16.79	60	Pass	401
2700	3000	1	RMS	2949.75	-49.5	-25	Pass	401
3000	12000	1	RMS	11521	-52.8	-25	Pass	9001
12000	27000	1	RMS	25896	-40.12	-25	Pass	15001




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2986
30	1000	0.1	RMS	876.618	-63.49	-25	Pass	9700
1000	2486	1	RMS	2479	-50.73	-25	Pass	1487
2486	2700	1	RMS	2599.42	17.63	60	Pass	401
2700	3000	1	RMS	2949.75	-49.48	-25	Pass	401
3000	12000	1	RMS	11604	-52.77	-25	Pass	9001
12000	27000	1	RMS	25887	-40.07	-25	Pass	15001




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2986
30	1000	0.1	RMS	890.627	-63.57	-25	Pass	9700
1000	2486	1	RMS	2477	-50.71	-25	Pass	1487
2486	2700	1	RMS	2599.955	15.84	60	Pass	401
2700	3000	1	RMS	2949	-49.49	-25	Pass	401
3000	12000	1	RMS	11597	-52.81	-25	Pass	9001
12000	27000	1	RMS	25901	-39.91	-25	Pass	15001




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-25	Pass	2986
30	1000	0.1	RMS	889.527	-63.47	-25	Pass	9700
1000	2486	1	RMS	2484	-50.72	-25	Pass	1487
2486	2700	1	RMS	2683.95	17.72	60	Pass	401
2700	3000	1	RMS	2946.75	-49.45	-25	Pass	401
3000	12000	1	RMS	11518	-52.8	-25	Pass	9001
12000	27000	1	RMS	25898	-40.11	-25	Pass	15001




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	Pass	2986
30	1000	0.1	RMS	897.632	-52.47	-25	Pass	9700
1000	2486	1	RMS	2481	-50.74	-25	Pass	1487
2486	2700	1	RMS	2684.485	15.96	60	Pass	401
2700	3000	1	RMS	2946.75	-49.49	-25	Pass	401
3000	12000	1	RMS	11597	-52.8	-25	Pass	9001
12000	27000	1	RMS	25882	-40.05	-25	Pass	15001




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-25	Pass	2986
30	1000	0.1	RMS	876.618	-63.56	-25	Pass	9700
1000	2486	1	RMS	2486	-50.59	-25	Pass	1487
2486	2700	1	RMS	2516.495	15.96	60	Pass	401
2700	3000	1	RMS	2950.5	-49.52	-25	Pass	401
3000	12000	1	RMS	11607	-52.81	-25	Pass	9001
12000	27000	1	RMS	25896	-40.09	-25	Pass	15001




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	Pass	2986
30	1000	0.1	RMS	883.823	-63.52	-25	Pass	9700
1000	2486	1	RMS	2485	-50.6	-25	Pass	1487
2486	2700	1	RMS	2514.89	14.43	60	Pass	401
2700	3000	1	RMS	2949.75	-49.53	-25	Pass	401
3000	12000	1	RMS	11609	-52.87	-25	Pass	9001
12000	27000	1	RMS	25901	-40.16	-25	Pass	15001




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-25	Pass	401
0.15	30	0.01	RMS	0.45	-72.1	-25	Pass	2986
30	1000	0.1	RMS	981.888	-63.57	-25	Pass	9700
1000	2486	1	RMS	2486	-50.74	-25	Pass	1487
2486	2700	1	RMS	2591.93	16.24	60	Pass	401
2700	3000	1	RMS	2939.25	-49.49	-25	Pass	401
3000	12000	1	RMS	11601	-52.84	-25	Pass	9001
12000	27000	1	RMS	25902	-40.11	-25	Pass	15001




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-25	Pass	2986
30	1000	0.1	RMS	882.522	-63.58	-25	Pass	9700
1000	2486	1	RMS	2485	-50.78	-25	Pass	1487
2486	2700	1	RMS	2593.535	15.27	60	Pass	401
2700	3000	1	RMS	2949	-49.48	-25	Pass	401
3000	12000	1	RMS	11597	-52.85	-25	Pass	9001
12000	27000	1	RMS	25895	-40.07	-25	Pass	15001




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-25	Pass	2986
30	1000	0.1	RMS	877.619	-63.56	-25	Pass	9700
1000	2486	1	RMS	2483	-50.66	-25	Pass	1487
2486	2700	1	RMS	2670.575	15.63	60	Pass	401
2700	3000	1	RMS	2950.5	-49.52	-25	Pass	401
3000	12000	1	RMS	11598	-52.82	-25	Pass	9001
12000	27000	1	RMS	25901	-40.06	-25	Pass	15001



**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-25	Pass	2986
30	1000	0.1	RMS	848.7	-63.51	-25	Pass	9700
1000	2486	1	RMS	2484	-50.7	-25	Pass	1487
2486	2700	1	RMS	2668.97	15	60	Pass	401
2700	3000	1	RMS	2949.75	-49.48	-25	Pass	401
3000	12000	1	RMS	11594	-52.76	-25	Pass	9001
12000	27000	1	RMS	25898	-40.09	-25	Pass	15001



END