



**LTE Band 66+NR n78L**  
**n78L,25MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	23.021	23.007

**n78L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n78L,25MHz Bandwidth,DFT-s-QPSK (99% BW)**




**LTE Band 66+NR n78L**  
**n78L,30MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.873	26.888

**n78L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n78L,30MHz Bandwidth,DFT-s-QPSK (99% BW)**




**LTE Band 66+NR n78L**  
**n78L,40MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	35.962	35.990

**n78L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n78L,40MHz Bandwidth,DFT-s-QPSK (99% BW)**




**LTE Band 66+NR n78L**  
**n78L,50MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.899	45.887

**n78L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n78L,50MHz Bandwidth,DFT-s-QPSK (99% BW)**




### LTE Band 66+NR n78L n78L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.932	58.024

### n78L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




### n78L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




**LTE Band 66+NR n78L**  
**n78L,80MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.655	77.806

**n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n78L,80MHz Bandwidth,DFT-s-QPSK (99% BW)**




**LTE Band 66+NR n78L**  
**n78L,90MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.127	87.214

**n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



**n78L,90MHz Bandwidth,DFT-s-QPSK (99% BW)**



## **A.5 Emission Bandwidth**

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set  $\geq 3 \times$  RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.




n77L


n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.680	9.590

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





**n77L,15MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	14.251	14.296

**n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**

**n77L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**




**n77L,20MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.720	19.540

**n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**

**n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**




**n77L,40MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.840	38.480

**n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**

**n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**



**n77L,50MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	49.600	49.150

**n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**

**n77L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**


**n77L,60MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	61.140	60.960

**n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**

**n77L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**
