




N77(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N77(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N77(60M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(60M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(60M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



N77(60M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N77(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(60M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(60M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N78

Transmitter Conducted Output Power And EIRP, (GT-LC)=0dB

NR	SCS	Bandwidth	Arfcn	Freq	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
Band	(kHz)	(MHz)		(MHz)					
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	25@12	24.31	24.31	0.2698
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	24.25	24.25	0.2661
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@49	24.32	24.32	0.2704
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	25@12	24.34	24.34	0.2716
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	24.24	24.24	0.2655
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@49	24.34	24.34	0.2716
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	25@12	23.46	23.46	0.2218
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	23.11	23.11	0.2046
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@49	23.17	23.17	0.2075
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	25@12	21.99	21.99	0.1581
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@1	21.77	21.77	0.1503
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@49	21.8	21.8	0.1514
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	25@12	19.87	19.87	0.0971
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@1	19.95	19.95	0.0989
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@49	19.99	19.99	0.0998
78	30	20	647334	3710.01	CP-OFDM QPSK	25@12	22.95	22.95	0.1972
78	30	20	647334	3710.01	CP-OFDM QPSK	1@1	22.91	22.91	0.1954
78	30	20	647334	3710.01	CP-OFDM QPSK	1@49	23.04	23.04	0.2014
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	25@12	24.28	24.28	0.2679
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	24.3	24.3	0.2692
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@49	24.32	24.32	0.2704
78	30	20	650000	3750	DFT-s-OFDM QPSK	25@12	24.32	24.32	0.2704
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@1	24.3	24.3	0.2692
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@49	24.28	24.28	0.2679
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	25@12	23.45	23.45	0.2213

78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	23.3	23.3	0.2138
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@49	23.34	23.34	0.2158
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	25@12	21.95	21.95	0.1567
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.57	21.57	0.1435
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@49	21.73	21.73	0.1489
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	25@12	19.87	19.87	0.0971
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.96	19.96	0.0991
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@49	19.95	19.95	0.0989
78	30	20	650000	3750	CP-OFDM QPSK	25@12	22.89	22.89	0.1945
78	30	20	650000	3750	CP-OFDM QPSK	1@1	22.96	22.96	0.1977
78	30	20	650000	3750	CP-OFDM QPSK	1@49	22.98	22.98	0.1986
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	25@12	24.26	24.26	0.2667
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	24.22	24.22	0.2642
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@49	24.31	24.31	0.2698
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	25@12	24.18	24.18	0.2618
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	24.12	24.12	0.2582
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@49	24.2	24.2	0.2630
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	25@12	23.34	23.34	0.2158
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	23.15	23.15	0.2065
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@49	23.26	23.26	0.2118
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	25@12	21.85	21.85	0.1531
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@1	21.58	21.58	0.1439
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@49	21.63	21.63	0.1455
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	25@12	19.84	19.84	0.0964
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@1	19.79	19.79	0.0953
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@49	19.86	19.86	0.0968
78	30	20	652666	3789.99	CP-OFDM QPSK	25@12	22.88	22.88	0.1941
78	30	20	652666	3789.99	CP-OFDM QPSK	1@1	22.78	22.78	0.1897
78	30	20	652666	3789.99	CP-OFDM QPSK	1@49	22.95	22.95	0.1972
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	36@18	23.96	23.96	0.2489
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@1	23.87	23.87	0.2438

78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@76	23.93	23.93	0.2472
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	36@18	23.93	23.93	0.2472
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	23.77	23.77	0.2382
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@76	23.89	23.89	0.2449
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	36@18	23.04	23.04	0.2014
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	22.85	22.85	0.1928
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@76	22.75	22.75	0.1884
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	36@18	21.51	21.51	0.1416
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@1	21.24	21.24	0.1330
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@76	21.33	21.33	0.1358
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	36@18	19.45	19.45	0.0881
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@1	19.44	19.44	0.0879
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@76	19.57	19.57	0.0906
78	30	30	647668	3715.02	CP-OFDM QPSK	39@19	22.53	22.53	0.1791
78	30	30	647668	3715.02	CP-OFDM QPSK	1@1	22.46	22.46	0.1762
78	30	30	647668	3715.02	CP-OFDM QPSK	1@76	22.49	22.49	0.1774
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	36@18	23.94	23.94	0.2477
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.87	23.87	0.2438
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@76	23.88	23.88	0.2443
78	30	30	650000	3750	DFT-s-OFDM QPSK	36@18	23.9	23.9	0.2455
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@1	23.78	23.78	0.2388
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@76	23.85	23.85	0.2427
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	36@18	23.04	23.04	0.2014
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.72	22.72	0.1871
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@76	22.81	22.81	0.1910
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	36@18	21.51	21.51	0.1416
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.22	21.22	0.1324
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@76	21.27	21.27	0.1340
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	36@18	19.67	19.67	0.0927
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.49	19.49	0.0889
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@76	19.56	19.56	0.0904

78	30	30	650000	3750	CP-OFDM QPSK	39@19	22.5	22.5	0.1778
78	30	30	650000	3750	CP-OFDM QPSK	1@1	22.51	22.51	0.1782
78	30	30	650000	3750	CP-OFDM QPSK	1@76	22.52	22.52	0.1786
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	36@18	24.19	24.19	0.2624
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@1	24.16	24.16	0.2606
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@76	24.22	24.22	0.2642
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	36@18	24.19	24.19	0.2624
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@1	24.14	24.14	0.2594
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@76	24.2	24.2	0.2630
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	36@18	23.32	23.32	0.2148
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@1	22.94	22.94	0.1968
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@76	23.12	23.12	0.2051
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	36@18	21.8	21.8	0.1514
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@1	21.57	21.57	0.1435
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@76	21.55	21.55	0.1429
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	36@18	19.71	19.71	0.0935
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@1	19.8	19.8	0.0955
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@76	19.86	19.86	0.0968
78	30	30	652332	3784.98	CP-OFDM QPSK	39@19	22.76	22.76	0.1888
78	30	30	652332	3784.98	CP-OFDM QPSK	1@1	22.85	22.85	0.1928
78	30	30	652332	3784.98	CP-OFDM QPSK	1@76	22.87	22.87	0.1936
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	50@25	24	24	0.2512
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	23.93	23.93	0.2472
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@104	23.86	23.86	0.2432
78	30	40	648000	3720	DFT-s-OFDM QPSK	50@25	23.88	23.88	0.2443
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	23.79	23.79	0.2393
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@104	23.83	23.83	0.2415
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	50@25	23.04	23.04	0.2014
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	22.63	22.63	0.1832
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@104	22.69	22.69	0.1858
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	50@25	21.5	21.5	0.1413

78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@1	21.13	21.13	0.1297
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@104	21.22	21.22	0.1324
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	50@25	19.43	19.43	0.0877
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@1	19.46	19.46	0.0883
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@104	19.53	19.53	0.0897
78	30	40	648000	3720	CP-OFDM QPSK	53@26	22.53	22.53	0.1791
78	30	40	648000	3720	CP-OFDM QPSK	1@1	22.49	22.49	0.1774
78	30	40	648000	3720	CP-OFDM QPSK	1@104	22.58	22.58	0.1811
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	50@25	23.89	23.89	0.2449
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.89	23.89	0.2449
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@104	23.88	23.88	0.2443
78	30	40	650000	3750	DFT-s-OFDM QPSK	50@25	23.9	23.9	0.2455
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@1	23.84	23.84	0.2421
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@104	23.91	23.91	0.2460
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	50@25	23.04	23.04	0.2014
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.67	22.67	0.1849
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@104	22.71	22.71	0.1866
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	50@25	21.52	21.52	0.1419
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.15	21.15	0.1303
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@104	21.22	21.22	0.1324
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	50@25	19.49	19.49	0.0889
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.52	19.52	0.0895
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@104	19.53	19.53	0.0897
78	30	40	650000	3750	CP-OFDM QPSK	53@26	22.53	22.53	0.1791
78	30	40	650000	3750	CP-OFDM QPSK	1@1	22.47	22.47	0.1766
78	30	40	650000	3750	CP-OFDM QPSK	1@104	22.56	22.56	0.1803
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	50@25	23.85	23.85	0.2427
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	23.81	23.81	0.2404
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@104	23.9	23.9	0.2455
78	30	40	652000	3780	DFT-s-OFDM QPSK	50@25	23.9	23.9	0.2455
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@1	23.79	23.79	0.2393

78	30	40	652000	3780	DFT-s-OFDM QPSK	1@104	23.8	23.8	0.2399
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	50@25	23.03	23.03	0.2009
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	22.63	22.63	0.1832
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@104	22.77	22.77	0.1892
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	50@25	21.52	21.52	0.1419
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@1	21.24	21.24	0.1330
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@104	21.4	21.4	0.1380
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	50@25	19.46	19.46	0.0883
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@1	19.42	19.42	0.0875
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@104	19.5	19.5	0.0891
78	30	40	652000	3780	CP-OFDM QPSK	53@26	22.49	22.49	0.1774
78	30	40	652000	3780	CP-OFDM QPSK	1@1	22.47	22.47	0.1766
78	30	40	652000	3780	CP-OFDM QPSK	1@104	22.6	22.6	0.1820
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	64@32	24.1	24.1	0.2570
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	24	24	0.2512
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@131	24.01	24.01	0.2518
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	64@32	24.15	24.15	0.2600
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	24.04	24.04	0.2535
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@131	23.88	23.88	0.2443
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	64@32	23.24	23.24	0.2109
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	22.98	22.98	0.1986
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@131	22.92	22.92	0.1959
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	64@32	21.74	21.74	0.1493
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@1	21.4	21.4	0.1380
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@131	21.28	21.28	0.1343
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	64@32	19.71	19.71	0.0935
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@1	19.68	19.68	0.0929
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@131	19.56	19.56	0.0904
78	30	50	648334	3725.01	CP-OFDM QPSK	67@33	22.75	22.75	0.1884
78	30	50	648334	3725.01	CP-OFDM QPSK	1@1	22.68	22.68	0.1854
78	30	50	648334	3725.01	CP-OFDM QPSK	1@131	22.64	22.64	0.1837

78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	64@32	24.09	24.09	0.2564
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	24.1	24.1	0.2570
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@131	24.05	24.05	0.2541
78	30	50	650000	3750	DFT-s-OFDM QPSK	64@32	24.1	24.1	0.2570
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@1	24.07	24.07	0.2553
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@131	23.93	23.93	0.2472
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	64@32	23.25	23.25	0.2113
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.89	22.89	0.1945
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@131	22.91	22.91	0.1954
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	64@32	21.72	21.72	0.1486
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.31	21.31	0.1352
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@131	21.15	21.15	0.1303
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	64@32	19.73	19.73	0.0940
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.81	19.81	0.0957
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@131	19.57	19.57	0.0906
78	30	50	650000	3750	CP-OFDM QPSK	67@33	22.72	22.72	0.1871
78	30	50	650000	3750	CP-OFDM QPSK	1@1	22.76	22.76	0.1888
78	30	50	650000	3750	CP-OFDM QPSK	1@131	22.59	22.59	0.1816
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	64@32	24.04	24.04	0.2535
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	24	24	0.2512
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@131	23.92	23.92	0.2466
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	64@32	24.07	24.07	0.2553
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	24	24	0.2512
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@131	23.89	23.89	0.2449
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	64@32	23.1	23.1	0.2042
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	22.83	22.83	0.1919
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@131	22.96	22.96	0.1977
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	64@32	21.59	21.59	0.1442
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@1	21.18	21.18	0.1312
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@131	21.2	21.2	0.1318
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	64@32	19.66	19.66	0.0925

78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@1	19.67	19.67	0.0927
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@131	19.55	19.55	0.0902
78	30	50	651666	3774.99	CP-OFDM QPSK	67@33	22.66	22.66	0.1845
78	30	50	651666	3774.99	CP-OFDM QPSK	1@1	22.65	22.65	0.1841
78	30	50	651666	3774.99	CP-OFDM QPSK	1@131	22.56	22.56	0.1803
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	81@40	24.11	24.11	0.2576
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@1	23.97	23.97	0.2495
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@160	24.04	24.04	0.2535
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	81@40	24.12	24.12	0.2582
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	23.93	23.93	0.2472
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@160	24.04	24.04	0.2535
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	81@40	23.23	23.23	0.2104
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	22.83	22.83	0.1919
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@160	22.92	22.92	0.1959
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	81@40	21.67	21.67	0.1469
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@1	21.35	21.35	0.1365
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@160	21.33	21.33	0.1358
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	81@40	19.74	19.74	0.0942
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@1	19.63	19.63	0.0918
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@160	19.6	19.6	0.0912
78	30	60	648668	3730.02	CP-OFDM QPSK	81@40	22.73	22.73	0.1875
78	30	60	648668	3730.02	CP-OFDM QPSK	1@1	22.57	22.57	0.1807
78	30	60	648668	3730.02	CP-OFDM QPSK	1@160	22.61	22.61	0.1824
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	81@40	24.1	24.1	0.2570
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	24.03	24.03	0.2529
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@160	24.02	24.02	0.2523
78	30	60	650000	3750	DFT-s-OFDM QPSK	81@40	24.13	24.13	0.2588
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@1	23.99	23.99	0.2506
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@160	24.02	24.02	0.2523
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	81@40	23.16	23.16	0.2070
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@1	23.06	23.06	0.2023

78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@160	22.93	22.93	0.1963
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	81@40	21.64	21.64	0.1459
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.42	21.42	0.1387
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@160	21.45	21.45	0.1396
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	81@40	19.62	19.62	0.0916
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.7	19.7	0.0933
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@160	19.67	19.67	0.0927
78	30	60	650000	3750	CP-OFDM QPSK	81@40	22.63	22.63	0.1832
78	30	60	650000	3750	CP-OFDM QPSK	1@1	22.6	22.6	0.1820
78	30	60	650000	3750	CP-OFDM QPSK	1@160	22.65	22.65	0.1841
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	81@40	24.06	24.06	0.2547
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@1	23.95	23.95	0.2483
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@160	24.01	24.01	0.2518
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	81@40	23.98	23.98	0.2500
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@1	23.96	23.96	0.2489
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@160	23.97	23.97	0.2495
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	81@40	23.07	23.07	0.2028
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@1	22.8	22.8	0.1905
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@160	23.03	23.03	0.2009
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	81@40	21.56	21.56	0.1432
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@1	21.2	21.2	0.1318
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@160	21.37	21.37	0.1371
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	81@40	19.57	19.57	0.0906
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@1	19.69	19.69	0.0931
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@160	19.69	19.69	0.0931
78	30	60	651332	3769.98	CP-OFDM QPSK	81@40	22.57	22.57	0.1807
78	30	60	651332	3769.98	CP-OFDM QPSK	1@1	22.64	22.64	0.1837
78	30	60	651332	3769.98	CP-OFDM QPSK	1@160	22.69	22.69	0.1858
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	90@45	23.95	23.95	0.2483
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@1	23.92	23.92	0.2466
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@187	23.8	23.8	0.2399

78	30	70	649000	3735	DFT-s-OFDM QPSK	90@45	22.38	22.38	0.1730
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	22.89	22.89	0.1945
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@187	22.66	22.66	0.1845
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	90@45	21	21	0.1259
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	21.86	21.86	0.1535
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@187	21.71	21.71	0.1483
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	90@45	19.69	19.69	0.0931
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@1	20.25	20.25	0.1059
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@187	20.07	20.07	0.1016
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	90@45	17.68	17.68	0.0586
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@1	18.39	18.39	0.0690
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@187	18.28	18.28	0.0673
78	30	70	649000	3735	CP-OFDM QPSK	95@47	22.71	22.71	0.1866
78	30	70	649000	3735	CP-OFDM QPSK	1@1	22.55	22.55	0.1799
78	30	70	649000	3735	CP-OFDM QPSK	1@187	22.48	22.48	0.1770
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	90@45	23.93	23.93	0.2472
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.94	23.94	0.2477
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@187	23.78	23.78	0.2388
78	30	70	650000	3750	DFT-s-OFDM QPSK	90@45	22.22	22.22	0.1667
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@1	22.75	22.75	0.1884
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@187	22.53	22.53	0.1791
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	90@45	21.32	21.32	0.1355
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@1	21.91	21.91	0.1552
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@187	21.68	21.68	0.1472
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	90@45	19.64	19.64	0.0920
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@1	19.84	19.84	0.0964
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@187	19.5	19.5	0.0891
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	90@45	17.56	17.56	0.0570
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@1	18.27	18.27	0.0671
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@187	18.08	18.08	0.0643
78	30	70	650000	3750	CP-OFDM QPSK	95@47	22.99	22.99	0.1991

78	30	70	650000	3750	CP-OFDM QPSK	1@1	22.52	22.52	0.1786
78	30	70	650000	3750	CP-OFDM QPSK	1@187	22.44	22.44	0.1754
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	90@45	23.92	23.92	0.2466
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@1	23.97	23.97	0.2495
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@187	23.84	23.84	0.2421
78	30	70	651000	3765	DFT-s-OFDM QPSK	90@45	22.53	22.53	0.1791
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@1	23.15	23.15	0.2065
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@187	23.02	23.02	0.2004
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	90@45	21.65	21.65	0.1462
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@1	22.24	22.24	0.1675
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@187	22.09	22.09	0.1618
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	90@45	19.6	19.6	0.0912
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@1	20.05	20.05	0.1012
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@187	19.85	19.85	0.0966
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	90@45	17.55	17.55	0.0569
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@1	18.28	18.28	0.0673
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@187	18.22	18.22	0.0664
78	30	70	651000	3765	CP-OFDM QPSK	95@47	22.48	22.48	0.1770
78	30	70	651000	3765	CP-OFDM QPSK	1@1	22.57	22.57	0.1807
78	30	70	651000	3765	CP-OFDM QPSK	1@187	22.54	22.54	0.1795
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	108@54	23.92	23.92	0.2466
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@1	23.84	23.84	0.2421
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@215	23.73	23.73	0.2360
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	108@54	23.91	23.91	0.2460
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	23.81	23.81	0.2404
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@215	23.75	23.75	0.2371
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	108@54	23.02	23.02	0.2004
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	22.85	22.85	0.1928
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@215	22.61	22.61	0.1824
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	108@54	21.51	21.51	0.1416
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@1	21.15	21.15	0.1303

78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@215	21.13	21.13	0.1297
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	108@54	19.59	19.59	0.0910
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@1	19.48	19.48	0.0887
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@215	19.41	19.41	0.0873
78	30	80	649334	3740.01	CP-OFDM QPSK	109@54	22.58	22.58	0.1811
78	30	80	649334	3740.01	CP-OFDM QPSK	1@1	22.52	22.52	0.1786
78	30	80	649334	3740.01	CP-OFDM QPSK	1@215	22.39	22.39	0.1734
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	108@54	23.93	23.93	0.2472
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.85	23.85	0.2427
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@215	23.76	23.76	0.2377
78	30	80	650000	3750	DFT-s-OFDM QPSK	108@54	23.95	23.95	0.2483
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@1	23.87	23.87	0.2438
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@215	23.75	23.75	0.2371
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	108@54	23.04	23.04	0.2014
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.74	22.74	0.1879
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@215	22.79	22.79	0.1901
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	108@54	21.53	21.53	0.1422
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.1	21.1	0.1288
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@215	21.15	21.15	0.1303
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	108@54	19.51	19.51	0.0893
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.55	19.55	0.0902
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@215	19.46	19.46	0.0883
78	30	80	650000	3750	CP-OFDM QPSK	109@54	22.49	22.49	0.1774
78	30	80	650000	3750	CP-OFDM QPSK	1@1	22.53	22.53	0.1791
78	30	80	650000	3750	CP-OFDM QPSK	1@215	22.41	22.41	0.1742
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	108@54	23.95	23.95	0.2483
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@1	23.83	23.83	0.2415
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@215	23.85	23.85	0.2427
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	108@54	23.83	23.83	0.2415
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@1	23.84	23.84	0.2421
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@215	23.79	23.79	0.2393

78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	108@54	22.99	22.99	0.1991
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@1	22.77	22.77	0.1892
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@215	22.77	22.77	0.1892
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	108@54	21.51	21.51	0.1416
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@1	21.12	21.12	0.1294
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@215	21.15	21.15	0.1303
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	108@54	19.47	19.47	0.0885
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@1	19.55	19.55	0.0902
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@215	19.5	19.5	0.0891
78	30	80	650666	3759.99	CP-OFDM QPSK	109@54	22.47	22.47	0.1766
78	30	80	650666	3759.99	CP-OFDM QPSK	1@1	22.53	22.53	0.1791
78	30	80	650666	3759.99	CP-OFDM QPSK	1@215	22.45	22.45	0.1758
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	120@60	23.97	23.97	0.2495
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@1	23.87	23.87	0.2438
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@243	23.87	23.87	0.2438
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	120@60	23.9	23.9	0.2455
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	23.84	23.84	0.2421
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@243	23.84	23.84	0.2421
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	120@60	23.06	23.06	0.2023
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	22.82	22.82	0.1914
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@243	22.86	22.86	0.1932
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	120@60	21.56	21.56	0.1432
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@1	21.26	21.26	0.1337
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@243	21.26	21.26	0.1337
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	120@60	19.53	19.53	0.0897
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@1	19.55	19.55	0.0902
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@243	19.52	19.52	0.0895
78	30	90	649668	3745.02	CP-OFDM QPSK	123@61	22.63	22.63	0.1832
78	30	90	649668	3745.02	CP-OFDM QPSK	1@1	22.56	22.56	0.1803
78	30	90	649668	3745.02	CP-OFDM QPSK	1@243	22.47	22.47	0.1766
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	120@60	23.97	23.97	0.2495

78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.85	23.85	0.2427
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@243	23.85	23.85	0.2427
78	30	90	650000	3750	DFT-s-OFDM QPSK	120@60	23.88	23.88	0.2443
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@1	23.72	23.72	0.2355
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@243	23.84	23.84	0.2421
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	120@60	23.08	23.08	0.2032
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.71	22.71	0.1866
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@243	22.72	22.72	0.1871
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	120@60	21.52	21.52	0.1419
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.18	21.18	0.1312
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@243	21.26	21.26	0.1337
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	120@60	19.55	19.55	0.0902
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.54	19.54	0.0899
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@243	19.52	19.52	0.0895
78	30	90	650000	3750	CP-OFDM QPSK	123@61	22.53	22.53	0.1791
78	30	90	650000	3750	CP-OFDM QPSK	1@1	22.52	22.52	0.1786
78	30	90	650000	3750	CP-OFDM QPSK	1@243	22.5	22.5	0.1778
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	120@60	23.93	23.93	0.2472
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@1	23.85	23.85	0.2427
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@243	23.84	23.84	0.2421
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	120@60	23.95	23.95	0.2483
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@1	23.8	23.8	0.2399
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@243	23.81	23.81	0.2404
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	120@60	23	23	0.1995
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@1	22.85	22.85	0.1928
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@243	22.76	22.76	0.1888
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	120@60	21.49	21.49	0.1409
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@1	21.23	21.23	0.1327
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@243	21.2	21.2	0.1318
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	120@60	19.45	19.45	0.0881
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@1	19.52	19.52	0.0895

78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@243	19.46	19.46	0.0883
78	30	90	650332	3754.98	CP-OFDM QPSK	123@61	22.47	22.47	0.1766
78	30	90	650332	3754.98	CP-OFDM QPSK	1@1	22.51	22.51	0.1782
78	30	90	650332	3754.98	CP-OFDM QPSK	1@243	22.47	22.47	0.1766
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	23.97	23.97	0.2495
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.8	23.8	0.2399
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	23.92	23.92	0.2466
78	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	24.01	24.01	0.2518
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	23.83	23.83	0.2415
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	23.89	23.89	0.2449
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	23.01	23.01	0.2000
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.83	22.83	0.1919
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	22.87	22.87	0.1936
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	21.54	21.54	0.1426
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	21.31	21.31	0.1352
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	21.37	21.37	0.1371
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	19.53	19.53	0.0897
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	19.48	19.48	0.0887
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	19.54	19.54	0.0899
78	30	100	650000	3750	CP-OFDM QPSK	137@68	22.48	22.48	0.1770
78	30	100	650000	3750	CP-OFDM QPSK	1@1	22.52	22.52	0.1786
78	30	100	650000	3750	CP-OFDM QPSK	1@271	22.57	22.57	0.1807


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00205	PASS	NV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00468	PASS	LV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00671	PASS	HV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00048	PASS	-30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00633	PASS	-20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00605	PASS	-10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00026	PASS	0°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00697	PASS	10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00284	PASS	20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00258	PASS	30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00539	PASS	40°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.00676	PASS	50°C


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	50@0	6.86	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@0	7.42	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	50@0	8.12	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	8.92	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	6.87	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	1@0	7.94	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	8.16	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	9.14	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	50@0	6.86	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@0	7.36	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	50@0	8.16	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	9.36	13	PASS


N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	17.777	19.04
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	17.788	19.46
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	18.184	19.84
78	30	20	650000	3750.0	CP-OFDM 16 QAM	51@0	18.197	19.11
78	30	20	650000	3750.0	CP-OFDM 64 QAM	51@0	18.179	19.48
78	30	20	650000	3750.0	CP-OFDM 256 QAM	51@0	18.198	19.47
78	30	30	650000	3750.0	DFT-s-OFDM PI/2 BPSK	75@0	26.767	28.51
78	30	30	650000	3750.0	DFT-s-OFDM QPSK	75@0	26.783	28.11
78	30	30	650000	3750.0	CP-OFDM QPSK	78@0	27.812	29.29
78	30	30	650000	3750.0	CP-OFDM 16 QAM	78@0	27.859	29.7
78	30	30	650000	3750.0	CP-OFDM 64 QAM	78@0	27.862	29.8
78	30	30	650000	3750.0	CP-OFDM 256 QAM	78@0	27.859	29.69
78	30	40	650000	3750.0	DFT-s-OFDM PI/2 BPSK	100@0	35.735	37.62
78	30	40	650000	3750.0	DFT-s-OFDM QPSK	100@0	35.745	37.49
78	30	40	650000	3750.0	CP-OFDM QPSK	106@0	37.812	39.66
78	30	40	650000	3750.0	CP-OFDM 16 QAM	106@0	37.802	39.85
78	30	40	650000	3750.0	CP-OFDM 64 QAM	106@0	37.849	39.73
78	30	40	650000	3750.0	CP-OFDM 256 QAM	106@0	37.863	39.59
78	30	50	650000	3750.0	DFT-s-OFDM PI/2 BPSK	128@0	45.735	47.62
78	30	50	650000	3750.0	DFT-s-OFDM QPSK	128@0	45.889	47.61
78	30	50	650000	3750.0	CP-OFDM QPSK	133@0	47.462	49.65
78	30	50	650000	3750.0	CP-OFDM 16 QAM	133@0	47.589	49.47
78	30	50	650000	3750.0	CP-OFDM 64 QAM	133@0	47.424	49.41
78	30	50	650000	3750.0	CP-OFDM 256 QAM	133@0	47.495	49.24


78	30	60	650000	3750.0	DFT-s-OFDM PI/2 BPSK	162@0	57.884	60.4
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	162@0	57.883	60.22
78	30	60	650000	3750.0	CP-OFDM QPSK	162@0	57.819	60.14
78	30	60	650000	3750.0	CP-OFDM 16 QAM	162@0	57.911	60.02
78	30	60	650000	3750.0	CP-OFDM 64 QAM	162@0	57.774	59.89
78	30	60	650000	3750.0	CP-OFDM 256 QAM	162@0	57.679	59.77
78	30	70	650000	3750.0	DFT-s-OFDM PI/2 BPSK	180@0	65.906	131.3
78	30	70	650000	3750.0	DFT-s-OFDM QPSK	180@0	64.789	130.8
78	30	70	650000	3750.0	CP-OFDM QPSK	189@0	68.497	137.6
78	30	70	650000	3750.0	CP-OFDM 16 QAM	189@0	68.32	127.4
78	30	70	650000	3750.0	CP-OFDM 64 QAM	189@0	68.662	135.9
78	30	70	650000	3750.0	CP-OFDM 256 QAM	189@0	68.005	126.5
78	30	80	650000	3750.0	DFT-s-OFDM PI/2 BPSK	216@0	77.138	80.04
78	30	80	650000	3750.0	DFT-s-OFDM QPSK	216@0	77.381	79.74
78	30	80	650000	3750.0	CP-OFDM QPSK	217@0	77.477	80.19
78	30	80	650000	3750.0	CP-OFDM 16 QAM	217@0	77.497	80.1
78	30	80	650000	3750.0	CP-OFDM 64 QAM	217@0	77.55	80.17
78	30	80	650000	3750.0	CP-OFDM 256 QAM	217@0	77.431	79.92
78	30	90	650000	3750.0	DFT-s-OFDM PI/2 BPSK	240@0	85.937	88.78
78	30	90	650000	3750.0	DFT-s-OFDM QPSK	240@0	85.731	88.68
78	30	90	650000	3750.0	CP-OFDM QPSK	245@0	87.495	90.5
78	30	90	650000	3750.0	CP-OFDM 16 QAM	245@0	87.607	90.48
78	30	90	650000	3750.0	CP-OFDM 64 QAM	245@0	87.553	90.45
78	30	90	650000	3750.0	CP-OFDM 256 QAM	245@0	87.552	90.39
78	30	100	650000	3750.0	DFT-s-OFDM PI/2 BPSK	270@0	96.63	99.82
78	30	100	650000	3750.0	DFT-s-OFDM	270@0	96.338	99.51

QPSK								
78	30	100	650000	3750.0	CP-OFDM QPSK	273@0	97.521	100.7
78	30	100	650000	3750.0	CP-OFDM 16 QAM	273@0	97.476	100.5
78	30	100	650000	3750.0	CP-OFDM 64 QAM	273@0	97.579	100.8
78	30	100	650000	3750.0	CP-OFDM 256 QAM	273@0	97.698	100.6


N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N78(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N78(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N78(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(50M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(50M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(60M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N78(60M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH



N78(60M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N78(70M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(70M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(80M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N78(80M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N78(80M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N78(90M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(90M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(100M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N78(100M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N78(100M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N78(100M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N78(100M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N78(100M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	---

78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH

