




11AC80SISO_Ant22_5610



11AC80SISO_Ant22_5690



11AC80SISO_Ant22_5775






Min emission bandwidth


Test Result

TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant22	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	15.16	5777.40	5792.56	0.5	PASS
		5825	15.16	5817.40	5832.56	0.5	PASS
11N20SISO	Ant22	5745	15.08	5737.44	5752.52	0.5	PASS
		5785	15.16	5777.40	5792.56	0.5	PASS
		5825	15.16	5817.40	5832.56	0.5	PASS
11N40SISO	Ant22	5755	35.12	5737.40	5772.52	0.5	PASS
		5795	35.12	5777.40	5812.52	0.5	PASS
11AC80SISO	Ant22	5775	75.20	5737.40	5812.60	0.5	PASS




Test Graphs B4







11N20SISO_Ant22_5745




11N20SISO_Ant22_5785




11N20SISO_Ant22_5825




11N40SISO_Ant22_5755



11N40SISO_Ant22_5795



11AC80SISO_Ant22_5775





Power spectral density


Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant22	5180	7.67	≤11.00	PASS
		5220	7.48	≤11.00	PASS
		5240	7.43	≤11.00	PASS
		5260	8.33	≤11.00	PASS
		5300	7.61	≤11.00	PASS
		5320	7.48	≤11.00	PASS
		5500	7.74	≤11.00	PASS
		5580	6.29	≤11.00	PASS
		5700	6.97	≤11.00	PASS
		5720	7.22	≤11.00	PASS
		5745	4.92	≤30.00	PASS
		5785	4.09	≤30.00	PASS
		5825	4.4	≤30.00	PASS
11N20SISO	Ant22	5180	6.53	≤11.00	PASS
		5220	6.14	≤11.00	PASS
		5240	6.32	≤11.00	PASS
		5260	6.43	≤11.00	PASS
		5300	6.04	≤11.00	PASS
		5320	6.54	≤11.00	PASS
		5500	6.13	≤11.00	PASS
		5580	5.03	≤11.00	PASS
		5700	5.45	≤11.00	PASS
		5720	5.6	≤11.00	PASS
		5745	3.44	≤30.00	PASS
		5785	3.41	≤30.00	PASS
		5825	2.64	≤30.00	PASS
11N40SISO	Ant22	5190	2.02	≤11.00	PASS
		5230	2.19	≤11.00	PASS
		5270	2.67	≤11.00	PASS
		5310	2.77	≤11.00	PASS
		5510	1.8	≤11.00	PASS
		5550	1.9	≤11.00	PASS
		5670	1.09	≤11.00	PASS
		5710	1.41	≤11.00	PASS
		5755	-1.09	≤30.00	PASS
		5795	-1.37	≤30.00	PASS
11AC80SISO	Ant22	5210	-3.2	≤11.00	PASS
		5290	-2.18	≤11.00	PASS
		5530	-3.56	≤11.00	PASS
		5610	-3.07	≤11.00	PASS
		5690	-4	≤11.00	PASS
		5775	-5.93	≤30.00	PASS




Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs






11A_Ant22_5240



Date: 15.JAN.2023 16:49:22


11A_Ant22_5260



Date: 15.JAN.2023 16:50:20




11A_Ant22_5300




Date: 15.JAN.2023 16:51:17

11A_Ant22_5320




Date: 15.JAN.2023 16:52:11


11A_Ant22_5500




11A_Ant22_5580




11A_Ant22_5700




11A_Ant22_5720




11A_Ant22_5745




11A_Ant22_5785




11A_Ant22_5825




11N20SISO_Ant22_5180




11N20SISO_Ant22_5220




11N20SISO_Ant22_5240




11N20SISO_Ant22_5260




11N20SISO_Ant22_5300




11N20SISO_Ant22_5320




11N20SISO_Ant22_5500




11N20SISO_Ant22_5580




11N20SISO_Ant22_5700




11N20SISO_Ant22_5720




11N20SISO_Ant22_5745




11N20SISO_Ant22_5785




11N20SISO_Ant22_5825




11N40SISO_Ant22_5190




11N40SISO_Ant22_5230




11N40SISO_Ant22_5270




11N40SISO_Ant22_5310




11N40SISO_Ant22_5510




11N40SISO_Ant22_5710




11N40SISO_Ant22_5755




11N40SISO_Ant22_5795




11AC80SISO_Ant22_5210




11AC80SISO_Ant22_5290




11AC80SISO_Ant22_5530




11AC80SISO_Ant22_5610



11AC80SISO_Ant22_5690




11AC80SISO_Ant22_5775





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Wang	Temperature :	22~25°C
		Relative Humidity :	50~55%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20220811_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.16	33.15	-22.15	55.30	12.30	10.20	10.65	Average
2	0.16	40.65	-24.65	65.30	19.80	10.20	10.65	QP
3	0.22	23.75	-28.91	52.66	3.20	10.19	10.36	Average
4	0.22	32.75	-29.91	62.66	12.20	10.19	10.36	QP
5	0.35	25.67	-23.29	48.96	4.40	10.08	11.19	Average
6	0.35	31.77	-27.19	58.96	10.50	10.08	11.19	QP
7	0.53	23.80	-22.20	46.00	2.00	10.11	11.69	Average
8	0.53	31.20	-24.80	56.00	9.40	10.11	11.69	QP
9	0.72	23.46	-22.54	46.00	2.29	10.16	11.01	Average
10	0.72	34.06	-21.94	56.00	12.89	10.16	11.01	QP
11	1.07	24.06	-21.94	46.00	3.70	10.13	10.23	Average
12 *	1.07	35.26	-20.74	56.00	14.90	10.13	10.23	QP



Test Engineer :	Lily Wang	Temperature :	22~25°C
		Relative Humidity :	50~55%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20220811_ N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.16	32.10	-23.33	55.43	11.10	10.31	10.69	Average
2	0.16	37.80	-27.63	65.43	16.80	10.31	10.69	QP
3	0.21	26.19	-27.17	53.36	5.70	10.28	10.21	Average
4	0.21	33.49	-29.87	63.36	13.00	10.28	10.21	QP
5	0.27	23.02	-28.23	51.25	2.10	10.24	10.68	Average
6	0.27	29.22	-32.03	61.25	8.30	10.24	10.68	QP
7	0.49	25.10	-21.09	46.19	3.10	10.19	11.81	Average
8	0.49	29.30	-26.89	56.19	7.30	10.19	11.81	QP
9	0.67	23.48	-22.52	46.00	2.09	10.23	11.16	Average
10	0.67	33.08	-22.92	56.00	11.69	10.23	11.16	QP
11	1.06	23.46	-22.54	46.00	3.00	10.23	10.23	Average
12 *	1.06	35.16	-20.84	56.00	14.70	10.23	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Temperature :	24~25°C
		Relative Humidity :	48~49%

U-NII-1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 22		(MHz)	(dBμV/m)	(dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11a CH 36 5180MHz		5144.82	57	-17	74	43.34	34.42	9.74	30.5	100	231	P	H
		5149.5	44.52	-9.48	54	30.86	34.42	9.74	30.5	100	231	A	H
	*	5180	103.58	-	-	89.85	34.45	9.78	30.5	100	231	P	H
	*	5180	96.07	-----	-----	82.34	34.45	9.78	30.5	100	231	A	H
		5148.98	56.35	-17.65	74	42.69	34.42	9.74	30.5	100	241	P	V
		5149.24	43.49	-10.51	54	29.83	34.42	9.74	30.5	100	241	A	V
	*	5180	98.52	-	-	84.79	34.45	9.78	30.5	100	241	P	V
	*	5180	90.99	-----	-----	77.26	34.45	9.78	30.5	100	241	A	V

U-NII-1 5150~5250MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 22		(MHz)	(dBμV/m)	(dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11a CH 36 5180MHz		10360	47.68	-20.62	68.3	56.93	37.62	13.48	60.35	-	-	P	H
		15540	50.93	-23.07	74	53.4	40.56	15.54	58.57	-	-	P	H
		10360	46.6	-21.7	68.3	55.85	37.62	13.48	60.35	-	-	P	V
		15540	50.21	-23.79	74	52.68	40.56	15.54	58.57	-	-	P	V
802.11a CH 44 5220MHz		10440	47.01	-21.29	68.3	56.21	37.66	13.51	60.37	-	-	P	H
		15660	50.5	-23.5	74	53.15	40.6	15.56	58.81	-	-	P	H
		10440	46.15	-22.15	68.3	55.35	37.66	13.51	60.37	-	-	P	V
		15660	50.19	-23.81	74	52.84	40.6	15.56	58.81	-	-	P	V
802.11a CH 48 5240MHz		10480	47.78	-20.52	68.3	56.95	37.69	13.53	60.39	-	-	P	H
		15720	50.71	-23.29	74	53.47	40.62	15.57	58.95	-	-	P	H
		10480	46	-22.3	68.3	55.17	37.69	13.53	60.39	-	-	P	V



		15720	50.89	-23.11	74	53.65	40.62	15.57	58.95	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-1 5150~5250MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 36 5180MHz		5148.46	58.28	-15.72	74	44.62	34.42	9.74	30.5	100	229	P	H
		5150	45.45	-8.55	54	31.79	34.42	9.74	30.5	100	229	A	H
	*	5180	102.42	-	-	88.69	34.45	9.78	30.5	100	229	P	H
	*	5180	94.97	-----	-----	81.24	34.45	9.78	30.5	100	229	A	H
		5118.3	54.05	-19.95	74	40.42	34.39	9.74	30.5	100	241	P	V
		5148.98	43.54	-10.46	54	29.88	34.42	9.74	30.5	100	241	A	V
	*	5180	98.01	-	-	84.28	34.45	9.78	30.5	100	241	P	V
*	5180	91.25	-----	-----	77.52	34.45	9.78	30.5	100	241	A	V	

**U-NII-1 5150~5250MHz
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 36 5180MHz		10360	45.9	-22.4	68.3	55.15	37.62	13.48	60.35	-	-	P	H
		15540	50.52	-23.48	74	52.99	40.56	15.54	58.57	-	-	P	H
		10360	46.51	-21.79	68.3	55.76	37.62	13.48	60.35	-	-	P	V
		15540	50.51	-23.49	74	52.98	40.56	15.54	58.57	-	-	P	V
802.11n HT20 CH 44 5220MHz		10440	47.44	-20.86	68.3	56.64	37.66	13.51	60.37	-	-	P	H
		15660	50.2	-23.8	74	52.85	40.6	15.56	58.81	-	-	P	H
		10440	47.42	-20.88	68.3	56.62	37.66	13.51	60.37	-	-	P	V
		15660	50.59	-23.41	74	53.24	40.6	15.56	58.81	-	-	P	V
802.11n HT20 CH 48 5240MHz		10480	46.91	-21.39	68.3	56.08	37.69	13.53	60.39	-	-	P	H
		15720	50.95	-23.05	74	53.71	40.62	15.57	58.95	-	-	P	H
		10480	47.27	-21.03	68.3	56.44	37.69	13.53	60.39	-	-	P	V
		15720	50.3	-23.7	74	53.06	40.62	15.57	58.95	-	-	P	V



Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.
---------------	---

**U-NII-1 5150~5250MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 38 5190MHz		5130.78	57.05	-16.95	74	43.4	34.41	9.74	30.5	100	236	P	H
		5149.76	49.48	-4.52	54	35.82	34.42	9.74	30.5	100	236	A	H
	*	5190	99.53	-	-	85.8	34.45	9.78	30.5	100	236	P	H
	*	5190	91.99	-----	-----	78.26	34.45	9.78	30.5	100	236	A	H
		5368.16	49.63	-24.37	74	35.7	34.59	9.84	30.5	100	236	P	H
		5455.8	42.33	-11.67	54	28.29	34.66	9.88	30.5	100	236	A	H
		5139.62	56.07	-17.93	74	42.41	34.42	9.74	30.5	100	247	P	V
	*	5150	46.16	-7.84	54	32.5	34.42	9.74	30.5	100	247	A	V
	*	5190	93.72	-	-	79.99	34.45	9.78	30.5	100	247	P	V
		5190	86.24	-----	-----	72.51	34.45	9.78	30.5	100	247	A	V
		5414.08	50.57	-23.43	74	36.6	34.63	9.84	30.5	100	247	P	V
	5448.24	42.41	-11.59	54	28.37	34.66	9.88	30.5	100	247	A	V	

Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.
---------------	---



**U-NII-1 5150~5250MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n		10380	46.45	-21.85	68.3	55.67	37.63	13.5	60.35	-	-	P	H
HT40		15570	50.03	-23.97	74	52.55	40.57	15.55	58.64	-	-	P	H
CH 38		10380	46.06	-22.24	68.3	55.28	37.63	13.5	60.35	-	-	P	V
5190MHz		15570	50.03	-23.97	74	52.55	40.57	15.55	58.64	-	-	P	V
802.11n		10460	47.32	-20.98	68.3	56.5	37.67	13.53	60.38	-	-	P	H
HT40		15690	50.29	-23.71	74	52.99	40.61	15.57	58.88	-	-	P	H
CH 46		10460	46.68	-21.62	68.3	55.86	37.67	13.53	60.38	-	-	P	V
5230MHz		15690	50.93	-23.07	74	53.63	40.61	15.57	58.88	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac VHT80 CH 42 5210MHz		5146.64	59.09	-14.91	74	45.43	34.42	9.74	30.5	100	237	P	H
		5142.74	48.98	-5.02	54	35.32	34.42	9.74	30.5	100	237	A	H
	*	5210	94.52	-	-	80.73	34.47	9.82	30.5	100	237	P	H
	*	5210	87.04	-----	-----	73.25	34.47	9.82	30.5	100	237	A	H
		5387.76	50.07	-23.93	74	36.12	34.61	9.84	30.5	100	237	P	H
		5401.2	44.15	-9.85	54	30.19	34.62	9.84	30.5	100	237	A	H
		5145.08	56.21	-17.79	74	42.55	34.42	9.74	30.5	100	235	P	V
		5147.68	46.92	-7.08	54	33.26	34.42	9.74	30.5	100	235	A	V
	*	5210	90.85	-	-	77.06	34.47	9.82	30.5	100	235	P	V
	*	5210	83.94	-----	-----	70.15	34.47	9.82	30.5	100	235	A	V
	5355.84	49.27	-24.73	74	35.35	34.58	9.84	30.5	100	235	P	V	
	5455.44	43.73	-10.27	54	29.69	34.66	9.88	30.5	100	235	A	V	



Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.
---------------	---

U-NII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT80 CH 42 5210MHz		10420	46.42	-21.88	68.3	55.63	37.65	13.51	60.37	-	-	P	H
		15630	50.53	-23.47	74	53.16	40.59	15.56	58.78	-	-	P	H
		10420	46.06	-22.24	68.3	55.27	37.65	13.51	60.37	-	-	P	V
		15630	50.48	-23.52	74	53.11	40.59	15.56	58.78	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

U-NII-2A - 5250~5350MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 64 5320MHz	*	5320	103.31	-	-	89.43	34.55	9.83	30.5	100	242	P	H
	*	5320	96.04	-----	-----	82.16	34.55	9.83	30.5	100	242	A	H
		5351.36	55.53	-18.47	74	41.61	34.58	9.84	30.5	100	242	P	H
		5351.04	42.98	-11.02	54	29.06	34.58	9.84	30.5	100	242	A	H
	*	5320	95.18	-	-	81.3	34.55	9.83	30.5	100	235	P	V
	*	5320	88.41	-----	-----	74.53	34.55	9.83	30.5	100	235	A	V
		5450.88	51.17	-22.83	74	37.13	34.66	9.88	30.5	100	235	P	V
		5451.52	41.57	-12.43	54	27.53	34.66	9.88	30.5	100	235	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2A 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 52 5260MHz		10520	46.81	-21.49	68.3	55.87	37.71	13.55	60.32	-	-	P	H
		15780	50.19	-23.81	74	53.02	40.63	15.59	59.05	-	-	P	H
		10520	47.39	-20.91	68.3	56.45	37.71	13.55	60.32	-	-	P	V
		15780	50.96	-23.04	74	53.79	40.63	15.59	59.05	-	-	P	V
802.11a CH 60 5300MHz		10600	47.23	-26.77	74	55.81	37.78	13.58	59.94	-	-	P	H
		15900	50.68	-23.32	74	53.69	40.67	15.61	59.29	-	-	P	H
		10600	47.65	-26.35	74	56.23	37.78	13.58	59.94	-	-	P	V
		15900	49.91	-24.09	74	52.92	40.67	15.61	59.29	-	-	P	V
802.11a CH 64 5320MHz		10640	46.96	-27.04	74	55.34	37.81	13.6	59.79	-	-	P	H
		15960	50.7	-23.3	74	53.81	40.69	15.63	59.43	-	-	P	H
		10640	48.44	-25.56	74	56.82	37.81	13.6	59.79	-	-	P	V
		15960	50.95	-23.05	74	54.06	40.69	15.63	59.43	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2A 5250~5350MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 64 5320MHz	*	5320	102.99	-	-	89.11	34.55	9.83	30.5	100	258	P	H
	*	5320	96.04	-----	-----	82.16	34.55	9.83	30.5	100	258	A	H
		5351.36	56.79	-17.21	74	42.87	34.58	9.84	30.5	100	258	P	H
		5350.08	44.73	-9.27	54	30.81	34.58	9.84	30.5	100	258	A	H
	*	5320	97.8	-	-	83.92	34.55	9.83	30.5	100	229	P	V
	*	5320	90.13	-----	-----	76.25	34.55	9.83	30.5	100	229	A	V
		5386.72	49.91	-24.09	74	35.96	34.61	9.84	30.5	100	229	P	V
		5350.24	42.22	-11.78	54	28.3	34.58	9.84	30.5	100	229	A	V



Remark	1. No other spurious found.
	2. All results are PASS against Peak and Average limit line.

U-NII-2A 5250~5350MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20		10520	46.28	-22.02	68.3	55.34	37.71	13.55	60.32	-	-	P	H
		15780	49.66	-24.34	74	52.49	40.63	15.59	59.05	-	-	P	H
5260MHz CH 52		10520	48.17	-20.13	68.3	57.23	37.71	13.55	60.32	-	-	P	V
		15780	49.28	-24.72	74	52.11	40.63	15.59	59.05	-	-	P	V
5300MHz CH 60		10600	46.88	-27.12	74	55.46	37.78	13.58	59.94	-	-	P	H
		15900	49.87	-24.13	74	52.88	40.67	15.61	59.29	-	-	P	H
		10600	47.33	-26.67	74	55.91	37.78	13.58	59.94	-	-	P	V
5320MHz CH 64		15900	50.06	-23.94	74	53.07	40.67	15.61	59.29	-	-	P	V
		10640	45.96	-28.04	74	54.34	37.81	13.6	59.79	-	-	P	H
5320MHz CH 64		15960	49.7	-24.3	74	52.81	40.69	15.63	59.43	-	-	P	H
		10640	47.44	-26.56	74	55.82	37.81	13.6	59.79	-	-	P	V
		15960	48.95	-25.05	74	52.06	40.69	15.63	59.43	-	-	P	V

Remark	1. No other spurious found.
	2. All results are PASS against Peak and Average limit line.

U-NII-2A 5250~5350MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40		5061.25	52.25	-21.75	74	38.74	34.35	9.66	30.5	100	258	P	H
		5053.9	43.95	-10.05	54	30.45	34.34	9.66	30.5	100	258	A	H
5310MHz CH 62	*	5310	97.48	-	-	83.6	34.55	9.83	30.5	100	258	P	H
	*	5310	90.14	-----	-----	76.26	34.55	9.83	30.5	100	258	A	H
5310MHz CH 62		5350.56	53.43	-20.57	74	39.51	34.58	9.84	30.5	100	258	P	H
		5350.08	47.86	-6.14	54	33.94	34.58	9.84	30.5	100	258	A	H



		5042	52	-22	74	38.5	34.34	9.66	30.5	100	241	P	V
		5098	44.06	-9.94	54	30.48	34.38	9.7	30.5	100	241	A	V
	*	5310	91.75	-	-	77.87	34.55	9.83	30.5	100	241	P	V
	*	5310	84.01	-----	-----	70.13	34.55	9.83	30.5	100	241	A	V
		5358.72	50.3	-23.7	74	36.38	34.58	9.84	30.5	100	241	P	V
		5350.8	43.14	-10.86	54	29.22	34.58	9.84	30.5	100	241	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2A 5250~5350MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n		10540	46.5	-21.8	68.3	55.45	37.73	13.57	60.25	-	-	P	H
HT40		15810	48.94	-25.06	74	51.82	40.64	15.6	59.12	-	-	P	H
CH 54		10540	46.33	-21.97	68.3	55.28	37.73	13.57	60.25	-	-	P	V
5270MHz		15810	49.8	-24.2	74	52.68	40.64	15.6	59.12	-	-	P	V
802.11n		10620	46	-28	74	54.47	37.8	13.6	59.87	-	-	P	H
HT40		15930	50.47	-23.53	74	53.53	40.68	15.62	59.36	-	-	P	H
CH 62		10620	45.88	-28.12	74	54.35	37.8	13.6	59.87	-	-	P	V
5310MHz		15930	50.87	-23.13	74	53.93	40.68	15.62	59.36	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac		5063.7	52.31	-21.69	74	38.8	34.35	9.66	30.5	100	241	P	H
VHT80		5058.45	45.55	-8.45	54	32.04	34.35	9.66	30.5	100	241	A	H
CH 58	*	5290	93.19	-	-	79.33	34.53	9.83	30.5	100	241	P	H
5290MHz	*	5290	84.09	-----	-----	70.23	34.53	9.83	30.5	100	241	A	H



		5350.32	55.55	-18.45	74	41.63	34.58	9.84	30.5	100	241	P	H
		5351.04	48.38	-5.62	54	34.46	34.58	9.84	30.5	100	241	A	H
		5004.55	51.74	-22.26	74	38.31	34.31	9.62	30.5	100	247	P	V
		5112.7	45.26	-8.74	54	31.67	34.39	9.7	30.5	100	247	A	V
	*	5290	87.88	-	-	74.02	34.53	9.83	30.5	100	247	P	V
	*	5290	81.1	-----	-----	67.24	34.53	9.83	30.5	100	247	A	V
		5446.8	49.62	-24.38	74	35.58	34.66	9.88	30.5	100	247	P	V
		5350.08	44.6	-9.4	54	30.68	34.58	9.84	30.5	100	247	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac		10580	45.4	-22.9	68.3	54.07	37.77	13.58	60.02	-	-	P	H
VHT80		15870	50.28	-23.72	74	53.27	40.66	15.61	59.26	-	-	P	H
CH 58		10580	46.42	-21.88	68.3	55.09	37.77	13.58	60.02	-	-	P	V
5290MHz		15870	50.71	-23.29	74	53.7	40.66	15.61	59.26	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 100 5500MHz		5452.56	51.96	-22.04	74	37.92	34.66	9.88	30.5	100	120	P	H
		5467.76	52.54	-15.76	68.3	38.45	34.67	9.92	30.5	100	120	P	H
		5459.76	43.59	-10.41	54	29.55	34.66	9.88	30.5	100	120	A	H
	*	5500	104.49	-	-	90.37	34.7	9.92	30.5	100	120	P	H
	*	5500	97.56	-----	-----	83.44	34.7	9.92	30.5	100	120	A	H
		5459.12	51.73	-22.27	74	37.69	34.66	9.88	30.5	260	70	P	V
		5465.04	51.62	-16.68	68.3	37.57	34.67	9.88	30.5	260	70	P	V
		5449.68	42.16	-11.84	54	28.12	34.66	9.88	30.5	260	70	A	V
	*	5500	100.92	-	-	86.8	34.7	9.92	30.5	260	70	P	V
	*	5500	93.78	-----	-----	79.66	34.7	9.92	30.5	260	70	A	V
802.11a CH 140 5700MHz	*	5700	104.44	-	-	89.9	35	10.12	30.58	100	119	P	H
	*	5700	96.96	-----	-----	82.42	35	10.12	30.58	100	119	A	H
		5726.6	59.42	-8.88	68.3	44.83	35.06	10.12	30.59	100	119	P	H
	*	5700	101.58	-	-	87.04	35	10.12	30.58	258	70	P	V
	*	5700	94.93	-----	-----	80.39	35	10.12	30.58	258	70	A	V
		5726.6	54.56	-13.74	68.3	39.97	35.06	10.12	30.59	258	70	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 100 5500MHz		11000	48.92	-25.08	74	55.26	38.1	13.76	58.2	-	-	P	H
		16500	47.84	-20.46	68.3	48.29	40.95	16.1	57.5	-	-	P	H
		11000	49.05	-24.95	74	55.39	38.1	13.76	58.2	-	-	P	V
		16500	48.12	-20.18	68.3	48.57	40.95	16.1	57.5	-	-	P	V
802.11a CH 116 5580MHz		11160	49.6	-24.4	74	55.69	38.27	13.74	58.1	-	-	P	H
		16740	48.74	-19.56	68.3	48.38	41.07	16.36	57.07	-	-	P	H
		11160	49.16	-24.84	74	55.25	38.27	13.74	58.1	-	-	P	V
		16740	49.13	-19.17	68.3	48.77	41.07	16.36	57.07	-	-	P	V
802.11a CH 140 5700MHz		11400	49.26	-24.74	74	55.01	38.5	13.71	57.96	-	-	P	H
		17100	50.74	-17.56	68.3	49.64	41.24	16.56	56.7	-	-	P	H
		11400	49.44	-24.56	74	55.19	38.5	13.71	57.96	-	-	P	V
		17100	50.12	-18.18	68.3	49.02	41.24	16.56	56.7	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2C - 5470~5725MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 100 5500MHz		5368.56	51.56	-22.44	74	37.63	34.59	9.84	30.5	100	118	P	H
		5460.56	52.5	-15.8	68.3	38.46	34.66	9.88	30.5	100	118	P	H
		5459.44	42.77	-11.23	54	28.73	34.66	9.88	30.5	100	118	A	H
	*	5500	103.77	-	-	89.65	34.7	9.92	30.5	100	118	P	H
	*	5500	96.78	-----	-----	82.66	34.7	9.92	30.5	100	118	A	H
		5452.24	50.86	-23.14	74	36.82	34.66	9.88	30.5	257	76	P	V
		5464.4	51.42	-16.88	68.3	37.37	34.67	9.88	30.5	257	76	P	V
		5460	41.82	-12.18	54	27.78	34.66	9.88	30.5	257	76	A	V
	*	5500	99.4	-	-	85.28	34.7	9.92	30.5	257	76	P	V
	*	5500	92.57	-----	-----	78.45	34.7	9.92	30.5	257	76	A	V



802.11n HT20 CH 140 5700MHz	*	5700	104.19	-	-	89.65	35	10.12	30.58	100	118	P	H
	*	5700	97	-----	-----	82.46	35	10.12	30.58	100	118	A	H
		5725.24	56.97	-11.33	68.3	42.38	35.06	10.12	30.59	100	118	P	H
	*	5700	99.92	-	-	85.38	35	10.12	30.58	259	71	P	V
	*	5700	92.76	-----	-----	78.22	35	10.12	30.58	259	71	A	V
		5725.32	55.13	-13.17	68.3	40.54	35.06	10.12	30.59	259	71	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

U-NII-2C - 5470~5725MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n		11000	49.72	-24.28	74	56.06	38.1	13.76	58.2	-	-	P	H
HT20		16500	47.67	-20.63	68.3	48.12	40.95	16.1	57.5	-	-	P	H
CH 100		11000	49.3	-24.7	74	55.64	38.1	13.76	58.2	-	-	P	V
5500MHz		16500	47.87	-20.43	68.3	48.32	40.95	16.1	57.5	-	-	P	V
802.11n		11160	50.37	-23.63	74	56.46	38.27	13.74	58.1	-	-	P	H
HT20		16740	49.47	-18.83	68.3	49.11	41.07	16.36	57.07	-	-	P	H
CH 116		11160	49.08	-24.92	74	55.17	38.27	13.74	58.1	-	-	P	V
5580MHz		16740	49.51	-18.79	68.3	49.15	41.07	16.36	57.07	-	-	P	V
802.11n		11400	49.45	-24.55	74	55.2	38.5	13.71	57.96	-	-	P	H
HT20		17100	50.64	-17.66	68.3	49.54	41.24	16.56	56.7	-	-	P	H
CH 140		11400	49.41	-24.59	74	55.16	38.5	13.71	57.96	-	-	P	V
5700MHz		17100	50.74	-17.56	68.3	49.64	41.24	16.56	56.7	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C - 5470~5725MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT40 CH 102 5510MHz		5355.28	51.07	-22.93	74	37.15	34.58	9.84	30.5	100	118	P	H
		5466.88	51.46	-16.84	68.3	37.37	34.67	9.92	30.5	100	118	P	H
		5458.24	43.46	-10.54	54	29.42	34.66	9.88	30.5	100	118	A	H
	*	5510	99.45	-	-	85.29	34.7	9.97	30.51	100	118	P	H
	*	5510	92.7	-----	-----	78.54	34.7	9.97	30.51	100	118	A	H
		5746.41	52.12	-16.18	68.3	37.49	35.09	10.14	30.6	100	113	P	H
		5455.84	51.68	-22.32	74	37.64	34.66	9.88	30.5	258	74	P	V
		5462.32	50.14	-18.16	68.3	36.1	34.66	9.88	30.5	258	74	P	V
		5456.56	42.3	-11.7	54	28.26	34.66	9.88	30.5	258	74	A	V
	*	5510	94.15	-	-	79.99	34.7	9.97	30.51	258	74	P	V
	*	5510	86.79	-----	-----	72.63	34.7	9.97	30.51	258	74	A	V
		5751.77	51.68	-16.62	68.3	37.03	35.11	10.14	30.6	258	74	P	V
802.11n HT40 CH 134 5670MHz		5440.65	51.3	-22.7	74	37.27	34.65	9.88	30.5	100	120	P	H
		5461.3	50.81	-17.49	68.3	36.77	34.66	9.88	30.5	100	120	P	H
		5456.05	42.59	-11.41	54	28.55	34.66	9.88	30.5	100	120	A	H
	*	5670	101.06	-	-	86.56	34.98	10.09	30.57	100	120	P	H
	*	5670	93.98	-----	-----	79.48	34.98	10.09	30.57	100	120	A	H
		5731.57	55.01	-13.29	68.3	40.42	35.06	10.12	30.59	100	120	P	H
		5384.65	51.66	-22.34	74	37.71	34.61	9.84	30.5	258	72	P	V
		5468.65	50.7	-17.6	68.3	36.61	34.67	9.92	30.5	258	72	P	V
		5450.1	42.38	-11.62	54	28.34	34.66	9.88	30.5	258	72	A	V
	*	5670	100.27	-	-	85.77	34.98	10.09	30.57	258	72	P	V
	*	5670	93.35	-----	-----	78.85	34.98	10.09	30.57	258	72	A	V
		5725.62	52.96	-15.34	68.3	38.37	35.06	10.12	30.59	258	72	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n		11020	49.73	-24.27	74	56.04	38.12	13.76	58.19	-	-	P	H
HT40		16530	48.34	-19.96	68.3	48.68	40.97	16.13	57.44	-	-	P	H
CH 102		11020	49.17	-24.83	74	55.48	38.12	13.76	58.19	-	-	P	V
5510MHz		16530	49.55	-18.75	68.3	49.89	40.97	16.13	57.44	-	-	P	V
802.11n		11100	49.23	-24.77	74	55.42	38.2	13.75	58.14	-	-	P	H
HT40		16650	49.12	-19.18	68.3	49.06	41.03	16.25	57.22	-	-	P	H
CH 110		11100	49.61	-24.39	74	55.8	38.2	13.75	58.14	-	-	P	V
5550MHz		16650	49.22	-19.08	68.3	49.16	41.03	16.25	57.22	-	-	P	V
802.11n		11340	48.35	-25.65	74	54.2	38.43	13.72	58	-	-	P	H
HT40		17010	50.41	-17.89	68.3	49.24	41.21	16.58	56.62	-	-	P	H
CH 134		11340	48.94	-25.06	74	54.79	38.43	13.72	58	-	-	P	V
5670MHz		17010	50.43	-17.87	68.3	49.26	41.21	16.58	56.62	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

U-NII-2C - 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac VHT80 CH 106 5530MHz		5452.24	56.08	-17.92	74	42.04	34.66	9.88	30.5	100	120	P	H
		5469.28	54.83	-13.47	68.3	40.74	34.67	9.92	30.5	100	120	P	H
		5456.8	47.35	-6.65	54	33.31	34.66	9.88	30.5	100	120	A	H
	*	5530	98.12	-	-	83.93	34.73	9.97	30.51	100	120	P	H
	*	5530	90.94	-----	-----	76.75	34.73	9.97	30.51	100	120	A	H
		5728.77	52.88	-15.42	68.3	38.29	35.06	10.12	30.59	100	120	P	H
		5456.8	51.98	-22.02	74	37.94	34.66	9.88	30.5	257	72	P	V
		5463.52	51.6	-16.7	68.3	37.55	34.67	9.88	30.5	257	72	P	V
		5453.68	44.78	-9.22	54	30.74	34.66	9.88	30.5	257	72	A	V
*	5530	93.39	-	-	79.2	34.73	9.97	30.51	257	72	P	V	



	*	5530	86.54	-----	-----	72.35	34.73	9.97	30.51	257	72	A	V
		5741.69	52.31	-15.99	68.3	37.68	35.09	10.14	30.6	257	72	P	V
802.11ac VHT80 CH 122 5610MHz		5443.12	52.24	-21.76	74	38.21	34.65	9.88	30.5	100	117	P	H
		5462.8	51.17	-17.13	68.3	37.12	34.67	9.88	30.5	100	117	P	H
		5458.96	44.35	-9.65	54	30.31	34.66	9.88	30.5	100	117	A	H
	*	5610	99.31	-	-	84.94	34.87	10.05	30.55	100	117	P	H
	*	5610	92.1	-----	-----	77.73	34.87	10.05	30.55	100	117	A	H
		5726.5	54.3	-14	68.3	39.71	35.06	10.12	30.59	100	117	P	H
		5388.88	50.9	-23.1	74	36.95	34.61	9.84	30.5	264	74	P	V
		5466.88	51.45	-16.85	68.3	37.36	34.67	9.92	30.5	264	74	P	V
		5422.72	44.07	-9.93	54	30.1	34.63	9.84	30.5	264	74	A	V
	*	5610	95.77	-	-	81.4	34.87	10.05	30.55	264	74	P	V
	*	5610	88.78	-----	-----	74.41	34.87	10.05	30.55	264	74	A	V
			5732.625	53.4	-14.9	68.3	38.81	35.06	10.12	30.59	264	74	P
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT80		11060	49.08	-24.92	74	55.32	38.17	13.75	58.16	-	-	P	H
		16590	48.41	-19.89	68.3	48.54	41	16.21	57.34	-	-	P	H
5530MHz CH 106		11060	48.98	-25.02	74	55.22	38.17	13.75	58.16	-	-	P	V
		16590	48.04	-20.26	68.3	48.17	41	16.21	57.34	-	-	P	V
802.11ac VHT80 CH 122 5610MHz		11220	49.36	-24.64	74	55.38	38.32	13.73	58.07	-	-	P	H
		16830	50.36	-17.94	68.3	49.71	41.12	16.44	56.91	-	-	P	H
		11220	49.86	-24.14	74	55.88	38.32	13.73	58.07	-	-	P	V
		16830	50.25	-18.05	68.3	49.6	41.12	16.44	56.91	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 144 5720MHz		5401.7	52.2	-21.8	74	38.24	34.62	9.84	30.5	100	185	P	H
		5469.35	48.09	-20.21	68.3	34	34.67	9.92	30.5	100	185	P	H
	*	5720	106.75	-----	-----	92.16	35.06	10.12	30.59	100	185	P	H
		5885.7	51.14	-17.16	68.3	36.27	35.31	10.21	30.65	100	185	P	H
		5454.5	41.77	-12.23	54	27.73	34.66	9.88	30.5	100	185	A	H
	*	5720	100.67	-----	-----	86.08	35.06	10.12	30.59	100	185	A	H
		5413.25	49.86	-24.14	74	35.89	34.63	9.84	30.5	100	166	P	V
		5467.7	49.91	-18.39	68.3	35.82	34.67	9.92	30.5	100	166	P	V
	*	5720	100.24	-----	-----	85.65	35.06	10.12	30.59	100	166	P	V
		5866.45	51.68	-16.62	68.3	36.83	35.28	10.21	30.64	100	166	P	V
		5454.5	41.87	-12.13	54	27.83	34.66	9.88	30.5	100	166	A	V
	*	5720	94.02	-----	-----	79.43	35.06	10.12	30.59	100	166	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

U-NII-2C - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 144 5720MHz		11440	49.11	-24.89	74	54.81	38.53	13.71	57.94	-	-	P	H
		17160	50.83	-17.47	68.3	49.78	41.27	16.55	56.77	-	-	P	H
		11440	48.14	-25.86	74	53.84	38.53	13.71	57.94	-	-	P	V
		17160	50.41	-17.89	68.3	49.36	41.27	16.55	56.77	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C - Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 144 5720MHz		5412.7	50.01	-23.99	74	36.04	34.63	9.84	30.5	100	187	P	H
		5468.8	49.15	-19.15	68.3	35.06	34.67	9.92	30.5	100	187	P	H
	*	5720	104.73	-----	-----	90.14	35.06	10.12	30.59	100	187	P	H
		5882.4	51.93	-16.37	68.3	37.06	35.31	10.21	30.65	100	187	P	H
		5452.3	41.75	-12.25	54	27.71	34.66	9.88	30.5	100	187	A	H
	*	5720	98.27	-----	-----	83.68	35.06	10.12	30.59	100	187	A	H
		5416	50.4	-23.6	74	36.43	34.63	9.84	30.5	100	166	P	V
		5460.55	50.13	-18.17	68.3	36.09	34.66	9.88	30.5	100	166	P	V
	*	5720	99.09	-----	-----	84.5	35.06	10.12	30.59	100	166	P	V
		5893.95	50.71	-17.59	68.3	35.82	35.33	10.21	30.65	100	166	P	V
	5449	41.68	-12.32	54	27.64	34.66	9.88	30.5	100	166	A	V	
*	5720	91.86	-----	-----	77.27	35.06	10.12	30.59	100	166	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2C - Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 144 5720MHz		11440	48.27	-25.73	74	53.97	38.53	13.71	57.94	-	-	P	H
		17160	50.28	-18.02	68.3	49.23	41.27	16.55	56.77	-	-	P	H
		11440	48.74	-25.26	74	54.44	38.53	13.71	57.94	-	-	P	V
		17160	50.9	-17.4	68.3	49.85	41.27	16.55	56.77	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C - Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT40 CH 142 5710MHz		5433.6	49.67	-24.33	74	35.64	34.65	9.88	30.5	100	187	P	H
		5466.05	48.34	-19.96	68.3	34.25	34.67	9.92	30.5	100	187	P	H
	*	5710	101.46	-----	-----	86.89	35.03	10.12	30.58	100	187	P	H
		5857.1	51.02	-17.28	68.3	36.17	35.28	10.21	30.64	100	187	P	H
		5448.45	42.23	-11.77	54	28.19	34.66	9.88	30.5	100	187	A	H
	*	5710	94.71	-----	-----	80.14	35.03	10.12	30.58	100	187	A	H
		5452.85	49.31	-24.69	74	35.27	34.66	9.88	30.5	100	162	P	V
		5469.9	49.28	-19.02	68.3	35.19	34.67	9.92	30.5	100	162	P	V
	*	5710	95.6	-----	-----	81.03	35.03	10.12	30.58	100	162	P	V
		5886.25	52.14	-16.16	68.3	37.27	35.31	10.21	30.65	100	162	P	V
	5427	42.25	-11.75	54	28.24	34.63	9.88	30.5	100	162	A	V	
*	5710	88.89	-----	-----	74.32	35.03	10.12	30.58	100	162	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2C - Straddle Channel
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT40 CH 142 5710MHz		11420	48.75	-25.25	74	54.47	38.52	13.71	57.95	-	-	P	H
		17130	50.21	-18.09	68.3	49.14	41.25	16.55	56.73	-	-	P	H
		11420	48.69	-25.31	74	54.41	38.52	13.71	57.95	-	-	P	V
		17130	50.65	-17.65	68.3	49.58	41.25	16.55	56.73	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C - Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac VHT80 CH 138 5690MHz		5375.85	50.29	-23.71	74	36.36	34.59	9.84	30.5	100	187	P	H
		5466.05	49.52	-18.78	68.3	35.43	34.67	9.92	30.5	100	187	P	H
	*	5690	95.78	-----	-----	81.27	35	10.09	30.58	100	187	P	H
		5865.35	51.36	-16.94	68.3	36.51	35.28	10.21	30.64	100	187	P	H
		5455.6	43.91	-10.09	54	29.87	34.66	9.88	30.5	100	187	A	H
	*	5690	89.48	-----	-----	74.97	35	10.09	30.58	100	187	A	H
		5432.5	49.38	-24.62	74	35.35	34.65	9.88	30.5	100	162	P	V
		5464.95	49.53	-18.77	68.3	35.48	34.67	9.88	30.5	100	162	P	V
	*	5690	91.53	-----	-----	77.02	35	10.09	30.58	100	162	P	V
		5868.1	51.88	-16.42	68.3	37.03	35.28	10.21	30.64	100	162	P	V
		5427	43.61	-10.39	54	29.6	34.63	9.88	30.5	100	162	A	V
*		5690	84.71	-----	-----	70.2	35	10.09	30.58	100	162	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-2C - Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ac VHT80 CH 138 5690MHz		11380	49.25	-24.75	74	55.02	38.48	13.72	57.97	-	-	P	H
		17070	50.57	-17.73	68.3	49.44	41.23	16.57	56.67	-	-	P	H
		11380	49.61	-24.39	74	55.38	38.48	13.72	57.97	-	-	P	V
		17070	50.11	-18.19	68.3	48.98	41.23	16.57	56.67	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
WIFI 802.11n HT40 (LF @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include frequency data for 802.11n HT40 LF and a Remark section.



U-NII-3 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 5745MHz		5630.6	51.42	-16.88	68.3	37.01	34.89	10.07	30.55	173	298	P	H
		5693.4	54.86	-45.49	100.35	40.35	35	10.09	30.58	173	298	P	H
		5719.8	61.06	-49.68	110.74	46.47	35.06	10.12	30.59	173	298	P	H
		5725	65.19	-57.01	122.2	50.6	35.06	10.12	30.59	173	298	P	H
	*	5745	107.85	-	-	93.22	35.09	10.14	30.6	173	298	P	H
	*	5745	100.86	-----	-----	86.23	35.09	10.14	30.6	173	298	A	H
		5625.2	51.34	-16.96	68.3	36.93	34.89	10.07	30.55	163	285	P	V
		5699.6	53.71	-51.2	104.91	39.17	35	10.12	30.58	163	285	P	V
		5718.8	65.71	-44.75	110.46	51.12	35.06	10.12	30.59	163	285	P	V
		5723.8	71.6	-47.86	119.46	57.01	35.06	10.12	30.59	163	285	P	V
	*	5745	109.75	-	-	95.12	35.09	10.14	30.6	163	285	P	V
	*	5745	102.77	-----	-----	88.14	35.09	10.14	30.6	163	285	A	V

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 165 5825MHz	*	5825	108.71	-	-	93.93	35.22	10.19	30.63	165	295	P	H
	*	5825	101.46	-----	-----	86.68	35.22	10.19	30.63	165	295	A	H
		5851.2	67.41	-52.05	119.46	52.61	35.25	10.19	30.64	165	295	P	H
		5855	63.74	-47.06	110.8	48.91	35.28	10.19	30.64	165	295	P	H
		5878.6	60.89	-41.64	102.53	46.02	35.31	10.21	30.65	165	295	P	H
		5928.6	53.37	-14.93	68.3	38.41	35.39	10.24	30.67	165	295	P	H
	*	5825	109.53	-	-	94.75	35.22	10.19	30.63	164	287	P	V
	*	5825	102.41	-----	-----	87.63	35.22	10.19	30.63	164	287	A	V
		5850	68.6	-53.6	122.2	53.8	35.25	10.19	30.64	164	287	P	V
		5855.8	65.68	-44.9	110.58	50.83	35.28	10.21	30.64	164	287	P	V
		5879.4	55.58	-46.35	101.93	40.71	35.31	10.21	30.65	164	287	P	V
		5942.4	53.01	-15.29	68.3	38	35.42	10.26	30.67	164	287	P	V



Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.
---------------	---

**U-NII-3 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 22	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 5745MHz		11490	49.23	-24.77	74	54.86	38.58	13.7	57.91	-	-	P	H
		17235	50.68	-17.62	68.3	49.69	41.29	16.53	56.83	-	-	P	H
		11490	49.65	-24.35	74	55.28	38.58	13.7	57.91	-	-	P	V
		17235	50.97	-17.33	68.3	49.98	41.29	16.53	56.83	-	-	P	V
802.11a CH 157 5785MHz		11570	49.59	-24.41	74	55.12	38.68	13.7	57.91	-	-	P	H
		17355	50.67	-17.63	68.3	49.78	41.34	16.5	56.95	-	-	P	H
		11570	49.34	-24.66	74	54.87	38.68	13.7	57.91	-	-	P	V
		17355	50.82	-17.48	68.3	49.93	41.34	16.5	56.95	-	-	P	V
802.11a CH 165 5825MHz		11650	49.95	-24.05	74	55.42	38.77	13.69	57.93	-	-	P	H
		17475	50.9	-17.4	68.3	50.11	41.39	16.47	57.07	-	-	P	H
		11650	49.41	-24.59	74	54.88	38.77	13.69	57.93	-	-	P	V
		17475	50.99	-17.31	68.3	50.2	41.39	16.47	57.07	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-3 5725~5850MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 149 5745MHz		5616.6	51.09	-17.21	68.3	36.7	34.89	10.05	30.55	167	296	P	H
		5668.4	52.58	-29.34	81.92	38.08	34.98	10.09	30.57	167	296	P	H
		5714.8	63.41	-45.94	109.35	48.85	35.03	10.12	30.59	167	296	P	H
		5724.6	70.84	-50.45	121.29	56.25	35.06	10.12	30.59	167	296	P	H
	*	5745	106.73	-	-	92.1	35.09	10.14	30.6	167	296	P	H
	*	5745	100.26	-----	-----	85.63	35.09	10.14	30.6	167	296	A	H
		5629	51.56	-16.74	68.3	37.15	34.89	10.07	30.55	164	284	P	V
		5691.6	52.11	-46.91	99.02	37.6	35	10.09	30.58	164	284	P	V
		5715.8	64.85	-44.78	109.63	50.29	35.03	10.12	30.59	164	284	P	V
		5724.4	68.28	-52.55	120.83	53.69	35.06	10.12	30.59	164	284	P	V
	*	5745	108.16	-	-	93.53	35.09	10.14	30.6	164	284	P	V
	*	5745	101.36	-----	-----	86.73	35.09	10.14	30.6	164	284	A	V

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 165 5825MHz	*	5825	106.77	-	-	91.99	35.22	10.19	30.63	172	295	P	H
	*	5825	99.28	-----	-----	84.5	35.22	10.19	30.63	172	295	A	H
		5851.2	63.69	-55.77	119.46	48.89	35.25	10.19	30.64	172	295	P	H
		5855.8	64.41	-46.17	110.58	49.56	35.28	10.21	30.64	172	295	P	H
		5901	54.07	-31.85	85.92	39.16	35.33	10.24	30.66	172	295	P	H
		5933.6	52.51	-15.79	68.3	37.53	35.39	10.26	30.67	172	295	P	H
	*	5825	107.76	-	-	92.98	35.22	10.19	30.63	168	285	P	V
	*	5825	100.45	-----	-----	85.67	35.22	10.19	30.63	168	285	A	V
		5850.4	66.74	-54.55	121.29	51.94	35.25	10.19	30.64	168	285	P	V
		5863.4	61.34	-47.11	108.45	46.49	35.28	10.21	30.64	168	285	P	V
	5876.4	55.07	-49.09	104.16	40.2	35.31	10.21	30.65	168	285	P	V	
	5944.8	52.03	-16.27	68.3	37.02	35.42	10.26	30.67	168	285	P	V	

Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.
---------------	---



U-NII-3 5725~5850MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT20 CH 149		11490	49.16	-24.84	74	54.79	38.58	13.7	57.91	-	-	P	H
		17235	50.67	-17.63	68.3	49.68	41.29	16.53	56.83	-	-	P	H
5745MHz		11490	49.26	-24.74	74	54.89	38.58	13.7	57.91	-	-	P	V
		17235	50.37	-17.93	68.3	49.38	41.29	16.53	56.83	-	-	P	V
802.11n HT20 CH 157 5785MHz		11570	49.2	-24.8	74	54.73	38.68	13.7	57.91	-	-	P	H
		17355	50.68	-17.62	68.3	49.79	41.34	16.5	56.95	-	-	P	H
		11570	49.3	-24.7	74	54.83	38.68	13.7	57.91	-	-	P	V
		17355	50.44	-17.86	68.3	49.55	41.34	16.5	56.95	-	-	P	V
802.11n HT20 CH 165 5825MHz		11650	49.44	-24.56	74	54.91	38.77	13.69	57.93	-	-	P	H
		17475	50.12	-18.18	68.3	49.33	41.39	16.47	57.07	-	-	P	H
		11650	49.75	-24.25	74	55.22	38.77	13.69	57.93	-	-	P	V
		17475	50.35	-17.95	68.3	49.56	41.39	16.47	57.07	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

U-NII-3 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT40 CH 151 5755MHz		5644.4	52.58	-15.72	68.3	38.15	34.92	10.07	30.56	169	294	P	H
		5698.8	61.35	-42.97	104.32	46.84	35	10.09	30.58	169	294	P	H
		5719	72.15	-38.37	110.52	57.56	35.06	10.12	30.59	169	294	P	H
		5724.4	76.3	-44.53	120.83	61.71	35.06	10.12	30.59	169	294	P	H
	*	5755	103.86	-	-	89.21	35.11	10.14	30.6	169	294	P	H
	*	5755	96.73	-----	-----	82.08	35.11	10.14	30.6	169	294	A	H
		5853.6	51.68	-62.31	113.99	36.85	35.28	10.19	30.64	169	294	P	H
		5864	52.78	-55.5	108.28	37.93	35.28	10.21	30.64	169	294	P	H
		5875.2	52.63	-52.42	105.05	37.76	35.31	10.21	30.65	169	294	P	H



	5931	51.73	-16.57	68.3	36.77	35.39	10.24	30.67	169	294	P	H
	5637	53	-15.3	68.3	38.57	34.92	10.07	30.56	172	287	P	V
	5699	61.55	-42.92	104.47	47.04	35	10.09	30.58	172	287	P	V
	5718.4	72.32	-38.03	110.35	57.73	35.06	10.12	30.59	172	287	P	V
	5722.8	75.92	-41.26	117.18	61.33	35.06	10.12	30.59	172	287	P	V
*	5755	105.13	-	-	90.48	35.11	10.14	30.6	172	287	P	V
*	5755	98.1	-----	-----	83.45	35.11	10.14	30.6	172	287	A	V
	5853	51.96	-63.4	115.36	37.16	35.25	10.19	30.64	172	287	P	V
	5856.4	52.26	-58.15	110.41	37.41	35.28	10.21	30.64	172	287	P	V
	5915.2	52.34	-23.09	75.43	37.4	35.36	10.24	30.66	172	287	P	V
	5934.2	53.27	-15.03	68.3	38.29	35.39	10.26	30.67	172	287	P	V

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
22		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT40 CH 159 5795MHz		5625.8	51.92	-16.38	68.3	37.51	34.89	10.07	30.55	163	294	P	H
		5699.8	53.66	-51.39	105.05	39.12	35	10.12	30.58	163	294	P	H
		5719.4	54.38	-56.25	110.63	39.79	35.06	10.12	30.59	163	294	P	H
		5724.8	54.7	-67.04	121.74	40.11	35.06	10.12	30.59	163	294	P	H
	*	5795	103.56	-	-	88.85	35.17	10.16	30.62	163	294	P	H
	*	5795	96.14	-----	-----	81.43	35.17	10.16	30.62	163	294	A	H
		5850.2	59.26	-62.48	121.74	44.46	35.25	10.19	30.64	163	294	P	H
		5856.4	60.21	-50.2	110.41	45.36	35.28	10.21	30.64	163	294	P	H
		5875.4	54.45	-50.45	104.9	39.58	35.31	10.21	30.65	163	294	P	H
		5949.2	52.06	-16.24	68.3	37.06	35.42	10.26	30.68	163	294	P	H
		5617.2	52.49	-15.81	68.3	38.1	34.89	10.05	30.55	165	287	P	V
		5697	54.62	-48.38	103	40.11	35	10.09	30.58	165	287	P	V
		5709.6	55.59	-52.3	107.89	41.02	35.03	10.12	30.58	165	287	P	V
		5724.4	52.85	-67.98	120.83	38.26	35.06	10.12	30.59	165	287	P	V
	*	5795	104.87	-	-	90.16	35.17	10.16	30.62	165	287	P	V
	*	5795	97.98	-----	-----	83.27	35.17	10.16	30.62	165	287	A	V
		5850.6	60.07	-60.76	120.83	45.27	35.25	10.19	30.64	165	287	P	V
	5856.4	59.56	-50.85	110.41	44.71	35.28	10.21	30.64	165	287	P	V	
	5888.8	55.32	-39.64	94.96	40.43	35.33	10.21	30.65	165	287	P	V	



		5946.2	52.08	-16.22	68.3	37.07	35.42	10.26	30.67	165	287	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-3 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 151 5755MHz		11510	48.99	-25.01	74	54.59	38.6	13.7	57.9	-	-	P	H
		17265	50.83	-17.47	68.3	49.87	41.31	16.52	56.87	-	-	P	H
		11510	49.8	-24.2	74	55.4	38.6	13.7	57.9	-	-	P	V
		17265	50.87	-17.43	68.3	49.91	41.31	16.52	56.87	-	-	P	V
802.11n HT40 CH 159 5795MHz		11590	49.02	-24.98	74	54.55	38.7	13.69	57.92	-	-	P	H
		17385	50.84	-17.46	68.3	49.97	41.36	16.49	56.98	-	-	P	H
		11590	49.59	-24.41	74	55.12	38.7	13.69	57.92	-	-	P	V
		17385	50.98	-17.32	68.3	50.11	41.36	16.49	56.98	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**U-NII-3 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT80 CH 155 5775MHz		5649.2	52.29	-16.01	68.3	37.86	34.92	10.07	30.56	165	294	P	H
		5699.8	57.81	-47.24	105.05	43.27	35	10.12	30.58	165	294	P	H
		5719.8	62.59	-48.15	110.74	48	35.06	10.12	30.59	165	294	P	H
		5720.6	65.41	-46.76	112.17	50.82	35.06	10.12	30.59	165	294	P	H
	*	5775	97.35	-	-	82.68	35.14	10.14	30.61	165	294	P	H
	*	5775	90.15	-----	-----	75.48	35.14	10.14	30.61	165	294	A	H
		5854.8	58.92	-52.34	111.26	44.09	35.28	10.19	30.64	165	294	P	H
		5858.8	59.62	-50.11	109.73	44.77	35.28	10.21	30.64	165	294	P	H
		5875.4	55.95	-48.95	104.9	41.08	35.31	10.21	30.65	165	294	P	H



**Emission below 1GHz
5GHz WIFI 802.11ac VHT80 (LF)**

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
5GHz 802.11ac VHT80 LF		45.52	17.63	-22.37	40	31.37	19.61	1.61	34.96	-	-	P	H
		184.23	21.18	-22.32	43.5	36.4	16.93	2.55	34.7	-	-	P	H
		300.63	25.95	-20.05	46	38.2	19.14	3.21	34.6	-	-	P	H
		493.66	23.72	-22.28	46	31.55	23.28	3.39	34.5	-	-	P	H
		676.02	26.06	-19.94	46	30.11	26.69	3.71	34.45	-	-	P	H
		861.29	29.16	-16.84	46	30.31	28.76	4.39	34.3	-	-	P	H
		95.96	19.26	-24.24	43.5	37.6	14.42	2.04	34.8	-	-	P	V
		185.2	18.66	-24.84	43.5	33.93	16.87	2.56	34.7	-	-	P	V
		311.3	21.11	-24.89	46	33.08	19.37	3.26	34.6	-	-	P	V
		513.06	23.75	-22.25	46	31.27	23.57	3.41	34.5	-	-	P	V
		669.23	26.74	-19.26	46	30.92	26.58	3.7	34.46	-	-	P	V
	831.22	28.47	-17.53	46	29.95	28.44	4.38	34.3	-	-	P	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



<Simultaneous transmission>
802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx
(Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	Factor	Loss	Factor	Pos	Pos	Avg.	(H/V)
802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx		5149.76	62.2	-11.8	74	48.54	34.42	9.74	30.5	101	52	P	H
		5150	46.54	-7.46	54	32.88	34.42	9.74	30.5	101	52	A	H
	*	5190	99.05	-	-	85.32	34.45	9.78	30.5	101	52	P	H
	*	5190	91.61	-----	-----	77.88	34.45	9.78	30.5	101	52	A	H
		5458.32	47.07	-26.93	74	33.03	34.66	9.88	30.5	101	52	P	H
		5457.48	37.76	-16.24	54	23.72	34.66	9.88	30.5	101	52	A	H
		5149.76	56.13	-17.87	74	42.47	34.42	9.74	30.5	106	65	P	V
		5150	41.82	-12.18	54	28.16	34.42	9.74	30.5	106	65	A	V
	*	5190	91.73	-	-	78	34.45	9.78	30.5	106	65	P	V
	*	5190	84.76	-----	-----	71.03	34.45	9.78	30.5	106	65	A	V
		5449.92	46.91	-27.09	74	32.87	34.66	9.88	30.5	106	65	P	V
	5453	37.82	-16.18	54	23.78	34.66	9.88	30.5	106	65	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx
(Harmonic @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	Factor	Loss	Factor	Pos	Pos	Avg.	(H/V)
802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx		1559.5	36.94	-37.06	74	36.05	28.99	5.01	33.11	-	-	P	H
		2339.25	38.83	-35.17	74	32.04	32.34	6.3	31.85	-	-	P	H
		3119	40.09	-28.21	68.3	30.99	33.42	7.5	31.82	-	-	P	H
		10380	46.75	-21.55	68.3	55.97	37.63	13.5	60.35	-	-	P	H
		15570	50.07	-23.93	74	52.59	40.57	15.55	58.64	-	-	P	H
		1559.5	37.77	-36.23	74	36.88	28.99	5.01	33.11	-	-	P	V
		2339.25	39.8	-34.2	74	33.01	32.34	6.3	31.85	-	-	P	V
		3119	41	-27.3	68.3	31.9	33.42	7.5	31.82	-	-	P	V



		10380	47.76	-20.54	68.3	56.98	37.63	13.5	60.35	-	-	P	V
		15570	49.77	-24.23	74	52.29	40.57	15.55	58.64	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx + Bluetooth normal link (signaling test mode)
(Band Edge @ 3m)**

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx + Bluetooth normal link (signaling test mode)		5149.76	62.77	-11.23	74	49.11	34.42	9.74	30.5	102	53	P	H
		5150	48.49	-5.51	54	34.83	34.42	9.74	30.5	102	53	A	H
	*	5190	98.88	-	-	85.15	34.45	9.78	30.5	102	53	P	H
	*	5190	91.59	-----	-----	77.86	34.45	9.78	30.5	102	53	A	H
		5432.28	46.93	-27.07	74	32.9	34.65	9.88	30.5	102	53	P	H
		5427.24	37.96	-16.04	54	23.95	34.63	9.88	30.5	102	53	A	H
		5149.76	59.03	-14.97	74	45.37	34.42	9.74	30.5	103	62	P	V
		5150	43.49	-10.51	54	29.83	34.42	9.74	30.5	103	62	A	V
	*	5190	91.99	-	-	78.26	34.45	9.78	30.5	103	62	P	V
	*	5190	85.47	-----	-----	71.74	34.45	9.78	30.5	103	62	A	V
		5449.08	46.64	-27.36	74	32.6	34.66	9.88	30.5	103	62	P	V
		5451.32	37.88	-16.12	54	23.84	34.66	9.88	30.5	103	62	A	V

Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												
---------------	---	--	--	--	--	--	--	--	--	--	--	--	--



802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx + Bluetooth normal link (signaling test mode) (Harmonic @ 3m)

Table with 14 columns: Note, Frequency, Level, Margin, Limit, Read, Antenna, Cable, Preamp, Ant, Table, Peak, Pol. It contains test data for 802.11n HT40 CH38 (5190MHz) Tx + LTE Band13 Tx + Bluetooth normal link (signaling test mode) and a Remark section.

Note symbol

Table with 2 columns: Symbol and Description. Symbols include *, !, P/A, and H/V with their corresponding meanings.



A calculation example for radiated spurious emission is shown as below:

Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 74(dBμV/m)
 = -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54 (dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54(dBμV/m) – 54(dBμV/m)
 = -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission

Note symbol

-L	Low channel location
-R	High channel location



U-NII-1 - 5150~5250MHz
WIFI 802.11a (Band Edge @ 3m)




WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11a CH36 5180MHz	
22	Horizontal	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VIEW 3000.000kHz Project : 311104 Mode : Mode 1 IMEI : 868848069193409 Plane : X with Accessory GM power setting 14</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VIEW 3000.000kHz Project : 311104 Mode : Mode 1 IMEI : 868848069193409 Plane : Y with Accessory GM power setting 14</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VIEW 1.000kHz Project : 311104 Mode : Mode 1 IMEI : 868848069193409 Plane : X with Accessory GM power setting 14</p>	Left blank



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11a CH36 5180MHz	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 1 IMEI : 86884060193409 Plane : X with Accessory : GM power setting 14</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 1 IMEI : 86884060193409 Plane : X with Accessory : GM power setting 14</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 1 IMEI : 86884060193409 Plane : X with Accessory : GM power setting 14</p>	Left blank



**U-NII-1 5150~5250MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11n HT20 CH36 5180MHz	
22	Horizontal	Fundamental
Peak	 <p>Date: 1 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.0000kHz VBW:3000.0000kHz Project : 311104 Mode : Mode 4 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>	 <p>Date: 3 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.0000kHz VBW:3000.0000kHz Project : 311104 Mode : Mode 4 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>
Avg.	 <p>Date: 2 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.0000kHz VBW:1.0000kHz Project : 311104 Mode : Mode 4 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11n HT20 CH36 5180MHz	
22	Vertical	Fundamental
Peak	<p>Date: 4 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 4 IMEI : 868849069193409 Plane : X with Accessory MCS0 power setting 14</p>	<p>Date: 6 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 4 IMEI : 868849069193409 Plane : X with Accessory MCS0 power setting 14</p>
Avg.	<p>Date: 5 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 4 IMEI : 868849069193409 Plane : X with Accessory MCS0 power setting 14</p>	Left blank



**U-NII-1 5150~5250MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11n HT40 CH38 5190MHz - L	
22	Horizontal	Fundamental
Peak	<p>Date: 1 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 7 MEI : 96884060193409 Plane : X with Accessory MCS0 power setting 12.5</p>	<p>Date: 3 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 7 MEI : 96884060193409 Plane : X with Accessory MCS0 power setting 12.5</p>
Avg.	<p>Date: 2 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3.000kHz Project : 311104 Mode : Mode 7 MEI : 96884060193409 Plane : X with Accessory MCS0 power setting 12.5</p>	Left blank





WIFI	U-NII-1 5150-5250MHz Band Edge @ 3m	
ANT	802.11n HT40 CH38 5190MHz - R	
22	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 4 Date: 2023.01.31</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site Condition : 63CH02-SZ : PART 15.407 3m HF ANT 3117 0187 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 311104 Mode : Mode 7 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 5 Date: 2023.01.31</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF ANT 3117 0187 HORIZONTAL : RBW 1000.000kHz VBW 3.000kHz Project : 311104 Mode : Mode 7 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>






WIFI	U-NII-1 5150-5250MHz Band Edge @ 3m	
ANT	802.11n HT40 CH38 5190MHz - L	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 7 IMEI : 86884060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 7 IMEI : 86884060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 7 IMEI : 86884060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	Left blank



WIFI	U-NII-1 5150-5250MHz Band Edge @ 3m	
ANT	802.11n HT40 CH38 5190MHz - R	
22	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 9 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 3m HF ANT 3111 0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 7 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 10 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF ANT 3111 0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 311104 Mode : Mode 7 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>



**U-NII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH42 5210MHz - L	
22	Horizontal	Fundamental
Peak	 <p>Date: 1 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 9 MEI : 96884900193409 Plane : X with Accessory MCS0 power setting 12</p>	 <p>Date: 3 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 9 MEI : 96884900193409 Plane : X with Accessory MCS0 power setting 12</p>
Avg.	 <p>Date: 2 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 10.000kHz Project : 311104 Mode : Mode 9 MEI : 96884900193409 Plane : X with Accessory MCS0 power setting 12</p>	Left blank



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH42 5210MHz - R	
22	Horizontal	Fundamental
<p>Peak</p>	<p>Date: 4 Date: 2023-01-31</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : 311104 Mode : Mode 9 IMEI : 86868060193409 Plane : X with Accessory MCS9 power setting 12</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Date: 5 Date: 2023-01-31</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : 311104 Mode : Mode 9 IMEI : 86868060193409 Plane : X with Accessory MCS9 power setting 12</p>	<p>Left blank</p>



WIFI	U-NII-1 5150-5250MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH42 5210MHz - L	
22	Vertical	Fundamental
<p>Peak</p>	<p>Date: 6 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 9 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 12</p>	<p>Date: 8 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 9 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 12</p>
<p>Avg.</p>	<p>Date: 7 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 9 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 12</p>	<p>Left blank</p>



WIFI	U-NII-1 5150-5250MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH42 5210MHz - R	
22	Vertical	Fundamental
Peak	<p>Site Condition : 63CH02-SZ : PART 15.407 3m HF_ANT_3111_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 9 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12</p>	Left blank
Avg.	<p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF_ANT_3111_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 9 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12</p>	Left blank





U-NII-1 - 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH36 5180MHz	
22	Horizontal	Vertical
Peak Avg.	<p> Date: 7 Level (dBu/1m) Date: 2023-01-17 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 1 IMEI : 86884905193409 Plane : X with Accessory : GM power setting 14 </p>	<p> Date: 8 Level (dBu/1m) Date: 2023-01-17 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 1 IMEI : 86884905193409 Plane : X with Accessory : GM power setting 14 </p>



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH44 5220MHz	
22	Horizontal	Vertical
Peak Avg.	<p>Date: 7 Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 2 MEI : 868840069193409 Plane : X with Accessory : 6M power setting 17.5</p>	<p>Date: 8 Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 2 MEI : 868840069193409 Plane : X with Accessory : 6M power setting 17.5</p>



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH48 5240MHz	
22	Horizontal	Vertical
Peak Avg.	 <p>Date: 7 Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 3 MEI : 865843050193409 Plane : X with Accessory : 6M power setting 17.5</p>	 <p>Date: 8 Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 3 MEI : 865843050193409 Plane : X with Accessory : 6M power setting 17.5</p>





U-NII-1 5150~5250MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Rows include WIFI, ANT, 22, and Peak Avg. Each cell contains a spectral plot and technical details like Date, Level (dBuV/m), Frequency (MHz), and Site/Condition information.



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11n HT20 CH44 5220MHz	
22	Horizontal	Vertical
Peak Avg.		





WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11n HT20 CH48 5240MHz	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;">  <p style="font-size: small;">Date: 7 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : F9407 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode B MEI : 869848069193409 Plane : X with Accessory : MCS0 power setting 16</p> </div> <div style="width: 45%;">  <p style="font-size: small;">Date: 8 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : F9407 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode B MEI : 869848069193409 Plane : X with Accessory : MCS0 power setting 16</p> </div> </div>	



**U-NII-1 5150~5250MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11n HT40 CH38 5190MHz	
22	Horizontal	Vertical
Peak Avg.	<p> Date: 11 Level (dBuV/m) Date: 2023-01-17 PART 15.407 PART 15.407 AVG </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 7 MEI : 96884969193409 Plane : X with Accessory MCS0 power setting 12.5 </p>	<p> Date: 12 Level (dBuV/m) Date: 2023-01-17 PART 15.407 PART 15.407 AVG </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 7 MEI : 96884969193409 Plane : X with Accessory MCS0 power setting 12.5 </p>



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11n HT40 CH46 5230MHz	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;">  <p style="font-size: small;">Date: 7 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode B MEI : 869848069193409 Plane : X with Accessory : MCS0 power setting 15</p> </div> <div style="width: 45%;">  <p style="font-size: small;">Date: 8 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode B MEI : 869848069193409 Plane : X with Accessory : MCS0 power setting 15</p> </div> </div>	



**U-NII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11ac VHT80 CH42 5210MHz	
22	Horizontal	Vertical
Peak Avg.	<p> Date: 29 Level (dBuV/m) Date: 2023-01-17 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 9 MEI : 968849069193409 Plane : X with Accessory : MCS0 power setting 12.5 </p>	<p> Date: 30 Level (dBuV/m) Date: 2023-01-17 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 9 MEI : 968849069193409 Plane : X with Accessory : MCS0 power setting 12.5 </p>



U-NII-2A - 5250~5350MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11a CH64 5320MHz	
22	Horizontal	Fundamental
Peak	<p>Date: 2 Level (dBm) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSBW 1000.000kHz VIEW 3000.000kHz Project : 311104 Mode : Mode 12 IMEI : 868848069193409 Plane : X with Accessory GM power setting 15</p>	<p>Date: 1 Level (dBm) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSBW 1000.000kHz VIEW 3000.000kHz Project : 311104 Mode : Mode 12 IMEI : 868848069193409 Plane : X with Accessory GM power setting 15</p>
Avg.	<p>Date: 3 Level (dBm) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSBW 1000.000kHz VIEW 3000.000kHz Project : 311104 Mode : Mode 12 IMEI : 868848069193409 Plane : X with Accessory GM power setting 15</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11a CH64 5320MHz	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 12 IMEI : 86884060193409 Plane : X with Accessory GM power setting 15</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 12 IMEI : 86884060193409 Plane : X with Accessory GM power setting 15</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 12 IMEI : 86884060193409 Plane : X with Accessory GM power setting 15</p>	Left blank



**U-NII-2A 5250~5350MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**




WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT20 CH64 5320MHz	
22	Horizontal	Fundamental
Peak		
Avg.		Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT20 CH64 5320MHz	
22	Vertical	Fundamental
<p>Peak</p>	<p>Date: 5 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 15 IMEI : 86884060193409 Plane : X with Accessory MCS0 power setting 15</p>	<p>Date: 4 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 15 IMEI : 86884060193409 Plane : X with Accessory MCS0 power setting 15</p>
<p>Avg.</p>	<p>Date: 6 Date: 2023.01.31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 15 IMEI : 86884060193409 Plane : X with Accessory MCS0 power setting 15</p>	<p>Left blank</p>



**U-NII-2A 5250~5350MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - L	
22	Horizontal	Fundamental
<p align="center">Peak</p>	 <p>Date: 1 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 17 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 12.5</p>	 <p>Date: 3 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 17 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 12.5</p>
<p align="center">Avg.</p>	 <p>Date: 2 Level (dBuV/m) Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 311104 Mode : Mode 17 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 12.5</p>	<p align="center">Left blank</p>





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - R	
22	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 4 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 5 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Left blank</p>



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - L	
22	Vertical	Fundamental
Peak	<p>Date: 6 Date: 2023.01.31</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VEW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	<p>Date: 8 Date: 2023.01.31</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VEW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 12.5</p>
Avg.	<p>Date: 7 Date: 2023.01.31</p> <p>Site Condition : 03CH02-SZ : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VEW: 3.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - R	
22	Vertical	Fundamental
Peak	 <p>Date: 9 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 3m HF ANT 3117 0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	Left blank
Avg.	 <p>Date: 10 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF ANT 3117 0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz</p> <p>Project : 311104 Mode : Mode 17 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 12.5</p>	Left blank



**U-NII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz - L	
22	Horizontal	Fundamental
Peak	<p>Date: 1 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 18 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11.5</p>	<p>Date: 3 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 311104 Mode : Mode 18 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11.5</p>
Avg.	<p>Date: 2 Date: 2023-01-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 10.000kHz Project : 311104 Mode : Mode 18 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11.5</p>	Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz - R	
22	Horizontal	Fundamental
<p>Peak</p>	<p>Site : 63CH02-SZ Condition : PART 15.407 3m HF ANT 3111 0107 HORIZONTAL Project : 311104 Mode : Mode 18 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 11.5</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site : 63CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3111 0107 HORIZONTAL Project : 311104 Mode : Mode 18 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 11.5</p>	<p>Left blank</p>



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz - L	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 18 IMEI : 868849069193409 Plane : X with Accessory MCS9 power setting 11.5</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 18 IMEI : 868849069193409 Plane : X with Accessory MCS9 power setting 11.5</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3111_0107 VERTICAL Project : 311104 Mode : Mode 18 IMEI : 868849069193409 Plane : X with Accessory MCS9 power setting 11.5</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz - R	
22	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 9 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 3m HF_ANT_3111_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 18 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 11.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 10 Date: 2023.01.31</p> <p>Site Condition : 63CH02-SZ : PART 15.407 AVG 3m HF_ANT_3111_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 18 IMEI : 868848060193409 Plane : X with Accessory : MCS9 power setting 11.5</p>	<p>Left blank</p>





U-NII-2A - 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11a CH52 5260MHz	
22	Horizontal	Vertical
Peak Avg.	<p> Date: 7 Date: 2023-01-16 Level (dBm/1m) Frequency (MHz) PART 15.407 PART 15.407 AVG </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 10 MEI : 95864960193409 Plane : X with Accessory : GM power setting 17.5 </p>	<p> Date: 8 Date: 2023-01-16 Level (dBm/1m) Frequency (MHz) PART 15.407 PART 15.407 AVG </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 10 MEI : 95864960193409 Plane : X with Accessory : GM power setting 17.5 </p>



WIFI	U-NII-2A 5250-5350MHz Harmonic @ 3m	
ANT	802.11a CH60 5300MHz	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p data-bbox="448 479 794 719"> Date: 7 Level (dBm/1m) vs Frequency (MHz) Date: 2023.01.17 PART 15.407 PART 15.407 AVG </p> <p data-bbox="432 723 663 790"> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 11 MEI : 86884306193409 Plane : X with Accessory : 6M power setting 17.5 </p> </div> <div style="width: 45%;"> <p data-bbox="927 479 1273 719"> Date: 8 Level (dBm/1m) vs Frequency (MHz) Date: 2023.01.16 PART 15.407 PART 15.407 AVG </p> <p data-bbox="911 723 1126 790"> Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 11 MEI : 86884306193409 Plane : X with Accessory : 6M power setting 17.5 </p> </div> </div>	



WIFI	U-NII-2A 5250-5350MHz Harmonic @ 3m	
ANT	802.11a CH64 5320MHz	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;">  <p><small>Date: 7 Level (dBuV/m) Date: 2023.01.16</small></p> <p><small>Site : 03CH02-SZ Condition : PARET 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 12 MEI : 868643069193409 Plane : X with Accessory : 6M power setting 15</small></p> </div> <div style="width: 45%;">  <p><small>Date: 8 Level (dBuV/m) Date: 2023.01.16</small></p> <p><small>Site : 03CH02-SZ Condition : PARET 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 12 MEI : 868643069193409 Plane : X with Accessory : 6M power setting 15</small></p> </div> </div>	





U-NII-2A 5250~5350MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Rows include WIFI, ANT, and 22. Contains two line graphs showing Level (dBuV/m) vs Frequency (MHz) for Peak and Avg. measurements. Includes metadata like Date, Site, Condition, Project, Mode, MEI, and Plane.



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11n HT20 CH60 5300MHz	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p style="font-size: small;">Date: 7 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 14 MEI : 86864360193409 Plane : X with Accessory : MCS0 power setting 16</p> </div> <div style="width: 45%;"> <p style="font-size: small;">Date: 8 Date: 2023.01.17</p> <p style="font-size: x-small;">Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 14 MEI : 86864360193409 Plane : X with Accessory : MCS0 power setting 16</p> </div> </div>	





WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11n HT20 CH64 5320MHz	
22	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 15 IMEI : 868848069193409 Plane : X with Accessory : MCS9 power setting 15</p>	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 15 IMEI : 868848069193409 Plane : X with Accessory : MCS9 power setting 15</p>



**U-NII-2A 5250~5350MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11n HT40 CH54 5270	
22	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 16 IMEI : 86884060193409 Plane : X with Accessory MCS0 power setting 15</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 16 IMEI : 86884060193409 Plane : X with Accessory MCS0 power setting 15</p>



WIFI	U-NII-2A 5250-5350MHz Harmonic @ 3m	
ANT	802.11n HT40 CH62 5310	
22	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;">  <p>Peak</p> <p>Date: 11 Level (dBm/1m) Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 17 MEI : 868843060193409 Plane : X with Accessory MACSD power setting 12.5</p> </div> <div style="width: 45%;">  <p>Avg.</p> <p>Date: 12 Level (dBm/1m) Date: 2023.01.17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 17 MEI : 868843060193409 Plane : X with Accessory MACSD power setting 12.5</p> </div> </div>	



U-NII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Rows include WIFI, ANT, 22, and Peak Avg. Each cell contains a spectral plot and technical details for the harmonic test.




U-NII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

Table with 2 columns: WIFI, ANT. Row 1: WIFI, U-NII-2C 5470~5725MHz Band Edge @ 3m. Row 2: ANT, 802.11a CH100 5500MHz. Row 3: 22, Horizontal, Fundamental. Row 4: Peak, [Graphs and Metadata for Horizontal and Fundamental plots]





<p>Avg.</p>	<p>Date: 2 Level (dBuV/m) Date: 2023-01-30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL : 311104 Project : 311104 Mode : Mode 19 MEI : 958843060193409 Plane : X with Accessory : GM power setting 14</p>	<p>Left blank</p>
<p>WIFI</p>	<p>U-NII-2C 5470~5725MHz Band Edge @ 3m</p>	
<p>ANT</p>	<p>802.11a CH100 5500MHz</p>	
<p>22</p>	<p>Vertical</p>	<p>Fundamental</p>
<p>Peak</p>	<p>Date: 4 Level (dBuV/m) Date: 2023-01-30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT 3117_0107 VERTICAL : 311104 Project : 311104 Mode : Mode 19 MEI : 958843060193409 Plane : X with Accessory : GM power setting 14</p>	<p>Date: 6 Level (dBuV/m) Date: 2023-01-30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT 3117_0107 VERTICAL : 311104 Project : 311104 Mode : Mode 19 MEI : 958843060193409 Plane : X with Accessory : GM power setting 14</p>





WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
22	Horizontal	Fundamental
Peak	<p>Date: 2 Level (dBm/1m) Date: 2023.01.30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 21 Plane : X with Accessory : GM power setting 12</p>	<p>Date: 1 Level (dBm/1m) Date: 2023.01.30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 311104 Mode : Mode 21 Plane : X with Accessory : GM power setting 12</p>



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
22	Vertical	Fundamental
Peak	 <p>Date: 4 Date: 2023.01.30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 21 Plane : X with Accessory EM power setting 12</p>	 <p>Date: 3 Date: 2023.01.30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 21 Plane : X with Accessory EM power setting 12</p>





**U-NII-2C 5470~5725MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH100 5500MHz	
22	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 22 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>	<p>Date: 3 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 22 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:1.000kHz Project : 311104 Mode : Mode 22 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 14</p>	Left blank





WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH100 5500MHz	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 22 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 14</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 22 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 14</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 22 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 14</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH140 5700MHz	
22	Horizontal	Fundamental
Peak	 <p> Date: 2 Level (dBm/1m) Date: 2023.01.30 Frequency (MHz) PART 15.407 Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Condition : REW 1000 0000Hz VEW 3000 0000Hz Project : 311104 Mode : Mode 24 IMEI : 868849069193409 Plane : Y with Accessory Plane : MCS9 power setting 12 </p>	 <p> Date: 1 Level (dBm/1m) Date: 2023.01.30 Frequency (MHz) PART 15.407 Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Condition : REW 1000 0000Hz VEW 3000 0000Hz Project : 311104 Mode : Mode 24 IMEI : 868849069193409 Plane : Y with Accessory Plane : MCS9 power setting 12 </p>



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH140 5700MHz	
22	Vertical	Fundamental
Peak.	 <p> Date: 4 Date: 2023.01.30 Site : 03CH02-SZ Condition : PART 15.407 3m HF_ ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 24 IMEI : 86884060193409 Plane : Y with Accessory : MCS0 power setting 12 </p>	 <p> Date: 3 Date: 2023.01.30 Site : 03CH02-SZ Condition : PART 15.407 3m HF_ ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 24 IMEI : 86884060193409 Plane : Y with Accessory : MCS0 power setting 12 </p>



**U-NII-2C 5470~5725MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - L	
22	Horizontal	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 25 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 10</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 25 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 10</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3.000kHz Project : 311104 Mode : Mode 25 MEI : 98884909193409 Plane : X with Accessory MCS0 power setting 10</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - R	
22	Horizontal	Fundamental
Peak	<p>Date: 4 Date: 2023.01.30</p> <p>Site : 63CH02-SZ Condition : PMRT 15.407 3m H* ANT_3111 @107 HORIZONTAL Project : 311104 Mode : Mode 25 IMEI : 868849060193409 Plane : X with Accessory MCS9 power setting 10</p>	Left blank






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - L	
22	Vertical	Fundamental
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 25 IMEI : 86884060193409 Plane : X with Accessory : MCS0 power setting 10</p>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 25 IMEI : 86884060193409 Plane : X with Accessory : MCS0 power setting 10</p>
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 25 IMEI : 86884060193409 Plane : X with Accessory : MCS0 power setting 10</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - R	
22	Vertical	Fundamental
Peak	<p>Site : 63CH02-SZ Condition : PWR1 15.407 3m 1# ANT_3111 @107 VERTICAL Project : 311104 Mode : 25 IMEI : 868849060193409 Plane : X with Accessory MCS9 power setting 10</p>	Left blank






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH134 5670MHz - L	
22	Horizontal	Fundamental
Peak	 <p>Date: 1 Date: 2023.01.30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VEW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 27 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 13</p>	 <p>Date: 3 Date: 2023.01.30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VEW: 3000.000kHz</p> <p>Project : 311104 Mode : Mode 27 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 13</p>
Avg.	 <p>Date: 2 Date: 2023.01.30</p> <p>Site Condition : 03CH02-SZ : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VEW: 3.000kHz</p> <p>Project : 311104 Mode : Mode 27 IMEI : 868849069193409 Plane : X with Accessory : MCS9 power setting 13</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH134 5670MHz - R	
22	Horizontal	Fundamental
Peak	<p>Date: 4 Date: 2023.01.30</p> <p>Level (dBm/100)</p> <p>Frequency (MHz)</p> <p>15.407</p> <p>Site : 63CH02-SZ Condition : PWR1 15.407 3m H* ANT_3111 @107 HORIZONTAL Project : 311104 Mode : Mode 27 IMEI : 868849060193409 Plane : X with Accessory MCS9 power setting 13</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH134 5670MHz - L	
22	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 27 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 13</p>	 <p>Date: 7 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 27 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 13</p>
<p>Avg.</p>	 <p>Date: 6 Level (dBuV/m) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 311104 Mode : Mode 27 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 13</p>	<p>Left blank</p>




WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH134 5670MHz - R	
22	Vertical	Fundamental
Peak	<p>Site : 63CH02-SZ Condition : P4RT 15.407 3m 14° ANT_3111 @107 VERTICAL Project : 311104 Mode : Mode 27 IMEI : 86884060193409 Plane : 3 with Accessory MCS9 power setting 13</p>	Left blank



**U-NII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH106 5530MHz - L	
22	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBm/Vm) vs Frequency (MHz) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 28 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11</p>	<p>Date: 3 Level (dBm/Vm) vs Frequency (MHz) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:3000.000kHz Project : 311104 Mode : Mode 28 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11</p>
Avg.	<p>Date: 2 Level (dBm/Vm) vs Frequency (MHz) Date: 2023-01-30</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW:10.000kHz Project : 311104 Mode : Mode 28 MEI : 96884909193409 Plane : X with Accessory MCS0 power setting 11</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH106 5530MHz - R	
22	Horizontal	Fundamental
Peak	 <p>Site : 63CH02-S2 Condition : PWR1 15.407 3m HF ANT 3111 @107 HORIZONTAL Project : 311104 Mode : 28 IMEI : 86884060193409 Plane : X with Accessory MCS9 power setting 11</p>	Left blank