Report No.: Page: ZEWM2303000343RG03 1 of 94

TEST REPORT

Date of Test: Date of Issue:	2023/04/21 to 2023/05/18 2023/05/19
Date of Receipt:	2023/04/21
Standarus.	FCC 47 CFR Part 2, Subpart J FCC 47 CFR Part 15, Subpart C
Standards:	
FCC ID:	2AUCY-V2247
Trade Mark:	vivo
Model No.:	V2247
EUT Description:	Mobile Phone
Address of Manufacturer:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
Manufacturer:	vivo Mobile Communication Co., Ltd.
Address of Applicant:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
Applicant:	vivo Mobile Communication Co., Ltd.
Application No.:	ZEWM2303000343RG

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

rum 11

Ervin Li Regulatory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf	i.
available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability	ł
indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects	i
the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole	ŀ.
responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations	į
under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any	l
unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted	L
to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such	Ē
sample(s) are retained for 30 days only.	
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443	h

www.sgsgroup.com.cn

sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 2 of 94

1 Version

		Revision Record		
Version	Chapter	Date	Modifier	Remark
01		2023/05/19		Original

Prepared By	Dee . Zheng (Dee Zheng) / Test Engineer	
Checked By	Daniel Wang (Daniel Wang) / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 3 of 94

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result	Test Lab*		
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS			
AC Power Line Conducted Emission	15.207	ANSI C63.10-2020 Section 6.2	Clause 4.3	PASS	В		
Conducted Peak Output Power	15.247 (b)(1)	ANSI C63.10-2020 Section 11.9.1.2	Clause 4.4	PASS	А		
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10-2020 Section 6.9.2/6.9.3	Clause 4.5	For Report Purpose	А		
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10-2020 Section 7.8.2	Clause 4.6	PASS	А		
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10-2020 Section 7.8.3	Clause 4.7	PASS	А		
Dwell Time	15.247 (a)(1)	ANSI C63.10-2020 Section 7.8.4	Clause 4.8	PASS	А		
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2020 Section 7.8.7.2	Clause 4.9	PASS	А		
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2020 Section 7.8.7.1	Clause 4.10	PASS	А		
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6	Clause 4.11	PASS	В		
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10-2020 Section 6.10.5	Clause 4.12	PASS	В		
*Remark: Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CN. Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: Page:

ZEWM2303000343RG03 4 of 94

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment	9
	3.6	Description of Support Units	9
4	Test re	esults and Measurement Data	10
	4.1	Antenna Requirement	10
	4.2	Other requirements Frequency Hopping Spread Spectrum System	Hopping
	Seque	ence	11
	4	.2.1 Test Requirement:	11
	4	.2.2 Conclusion	11
	4.3	AC Power Line Conducted Emissions	13
	4.4	Conducted Output Power	17
	4.5	20dB Emission Bandwidth & 99% Occupied Bandwidth	18
	4.6	Carrier Frequencies Separation	19
	4.7	Hopping Channel Number	20
	4.8	Dwell Time	21
	4.9	Band-edge for RF Conducted Emissions	22
	4.10	Spurious RF Conducted Emissions	23
	4.11	Radiated Spurious Emissions	24
	4.12	Restricted bands around fundamental frequency	27
5	Measu	rement Uncertainty (95% confidence levels, k=2)	29
6	Equipr	ment List	30
7	Photog	graphs - Setup Photos	32



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.on 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com

t (86-755) 26012053

Report No.: Page: ZEWM2303000343RG03 5 of 94

3 General Information

3.1 Details of Client

Applicant:	vivo Mobile Communication Co., Ltd.
Address of Applicant:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
Manufacturer:	vivo Mobile Communication Co., Ltd.
Address of Manufacturer:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China

3.2 Test Location

Lab A:	
Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China
Post code:	518057
Test engineer:	Jerry Zeng
Lab B:	
Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Ken Liu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page:

ZEWM2303000343RG03 6 of 94

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an accredited testing laboratory.

Designation Number: CN1336.

Test Firm Registration Number: 787754

Lab B:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC – Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's signature of the instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's source responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, foregory of faitification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are related for 30 days only. Attention: To be previde weather the test of the previde access the same test. (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

1 (86-755) 26012053

www.sgsgroup.com.cn

sgs.china@sgs.com

Report No.: Page:

ZEWM2303000343RG03 7 of 94

3.4 General Description of EUT

EUT Description:	Mobile Phone	Mobile Phone		
Model No.:	V2247	V2247		
Trade Mark:	vivo			
Hardware Version:	MP_0.1			
Software Version:	PD2280IF_EX_A_13.0.0	6.1.W30		
IMEI:	RF Conducted	IMEI1:863548060194275 IMEI2:863548060194267		
	RSE & AC power line	863548060194937		
Operation Frequency:	-fc = "Operating Freque	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.		
Bluetooth version:	Bluetooth V5.0	Bluetooth V5.0		
Modulation Technique:	Frequency Hopping Spr	Frequency Hopping Spread Spectrum(FHSS)		
Modulation Type:	GFSK, π/4DQPSK, 8DF	GFSK, π/4DQPSK, 8DPSK		
Number of Channel:	79	79		
Hopping Channel Type:	Adaptive Frequency Ho	Adaptive Frequency Hopping systems		
Antenna Type:	PIFA Antenna	PIFA Antenna		
	-3.3dBi(Ant22)			
Antenna Gain:	Note: The antenna gain are de by the manufacturer.	The antenna gain are derived from the gain information report provided		
RF Cable:	2000MHz ~ 3000MHz(1	2000MHz ~ 3000MHz(1.1dB)		
Remark:	lad and confirmed by the ann	licant SGS is not liable to the accuracy		

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Saction, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 1 (86-755) 26012053

sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 8 of 94

Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document can be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; ro check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443,

or email: <u>CN_Doccheck@ss.com</u> Nat/Worksby, M. Middle Sedino, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 9 of 94

3.5 Test Environment

Environment Parameter	96~101 kPa Selected Values During Tests			
Relative Humidity	40-60 % RH Ambient			
Value	Temperature(℃) Voltage(V)			
NTNV	22~25	3.89		
Remark:				
NV: Normal Voltage				
NT: Normal Temperature				

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 10 of 94

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement:	47 CFR Part 15C Section 15.203 /247(b)		
15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.			
on the use of antennas with o this section, if transmitting ar power from the intentional ra	15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.		

The antenna is PIFA Antenna and no consideration of replacement. The best case gain of the antenna is -3.3dBi.*

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instruvention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document, and document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and doffenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To plack the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)8307 1443.

Na1 Wortshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: ZEV Page: 11

ZEWM2303000343RG03 11 of 94

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals. Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudo random sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64	8 73	16 75 1
		1	
	14 1 14	111	
		L. L. Lawrence	

Each frequency used equally on the average by each transmitter.



 Report No.:
 ZEWM2303000343RG03

 Page:
 12 of 94

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the

simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sos.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized allaration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or smail: CD. Doccheck@wss.com

Na1 Wortshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


Report No.: Page: ZEWM2303000343RG03 13 of 94

4.3 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207		
Test Method:	ANSI C63.10-2020 Section 6.2		
Test Frequency Range:	150kHz to 30MHz		
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz	
Limit:		Limit (d	BuV)
	Frequency range (MHz)	Quasi-peak	Average
	0.15-0.5	66 to 56*	56 to 46*
	0.5-5	56	46
	5-30	60	50
	* Decreases with the loga	arithm of the frequency.	
Test Procedure:	 5-30 60 50 * Decreases with the logarithm of the frequency. 1) The mains terminal disturbance voltage test was conducted in a shielded room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50µH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment 		



Report No.: Page: ZEWM2303000343RG03 14 of 94






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forcery or falsification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755)8307 1443,

or email: <u>CN_Doccheck@sea.com</u> AN Workshok, M. Middle Sedino.Scenez & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 15 of 94

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



3. Margin = Limit[$dB\mu V$] – Value[$dB\mu V$]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Altention; **rotenets, the authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,**

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 16 of 94



3 0.9648 9.81 25.90 35.71 56.00 20.29 22.03 31.84 46.00 14.16 PASS 4 3.0420 9.97 21.98 31.95 56.00 24.05 13.20 23.17 46.00 22.83 PASS 5.1375 29.68 60.00 22.26 32.22 50.00 17.78 PASS 5 9.96 39.64 20.36 12.5634 10.19 26.47 36.66 60.00 23.34 19.88 30.07 50.00 19.93 PASS 6

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[$dB\mu V$] – Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction formeworksing all their rights and obligations under the transaction documents. This document cannot be reproduced accept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN. Doccheck@sgs.com No.1 Workshop, W-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com

1 (86-755) 26012053

Report No.: Page: ZEWM2303000343RG03 17 of 94

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cance to exoper nate dexcept in fully. Without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)8307 1443,

of enant-<u>Encodences.egs.com</u> An Workshop, M-10, Midde Section, Scenes & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 ZEWM2303000343RG03

 Page:
 18 of 94

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth


Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10-2020 Section 6.9.2 and 6.9.3	
Test Setup:	PC PC PC PC PC PC PC PC PC PC	
Instruments Used:	Refer to section 6 for details	
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.	
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 	
Limit:	NA	
Test Results:	Pass	
The detailed test data see: A	ppendix	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

Report No.: Page: ZEWM2303000343RG03 19 of 94

4.6 Carrier Frequencies Separation



1	216条有限公司
1	ALC WALLER
運	检验检测专用章 舌
STEEL B	检验检测专用章 rspection & Testing Services
SGS-OST Shenzhen	Bangards Technical Services / Lio Brancal Services / Interests Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cance be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and forders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)/8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 tt (86-755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 20 of 94

4.7 Hopping Channel Number






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forcery or falsification of the content or appearance of this document is unavful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)8307 1443,

Na1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 5180-57 t (86-755) 26012053 www.sgsgroup.com.cn 中国。广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 5180-57 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 21 of 94

4.8 Dwell Time






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's spice responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's spidunder the transaction forcery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fulles tectent of the law. Unless otherwise stated the results shown in this less terport refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)8307 1443,

Na1 Wortshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 5180-57 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 5180-57 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 22 of 94

4.9 Band-edge for RF Conducted Emissions






Report No.: Page:

ZEWM2303000343RG03 23 of 94

4.10 Spurious RF Conducted Emissions





Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn


sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 24 of 94

4.11 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10-2020 Sectio	on 6.4 / 6.5 / 6.6				
Test Site:	Measurement Distance: 3	m (Semi-Anechoic	Chamber)			
Test Frequency:	9kHz ~ 25GHz					
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300	
	0.490MHz-1.705MHz 24000/F(kHz)					
	1.705MHz-30MHz 30 - - 30MHz-88MHz 100 40.0 Quasi-peak				30	
					3	
	88MHz-216MHz 150 43.5 Quasi-peak 3				3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
	Above 1GHz 500 54.0 Average 3					
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency					
	emissions is 20dB above the maximum permitted average emission limit					
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					

Test Setup:





Report No.: Page: ZEWM2303000343RG03 25 of 94

	Figure 3. Above 1 GHz
Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz). c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Test the EUT in the lowest channel, the middle channel ,the Highest channel. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete. j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. l. At a measurement distance of 1 mete
Test Configuration:	Measurements below 30MHz • RBW = 10 kHz • VBW = 30 kHz • Detector = Peak & Average & Quasi-peak • Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnificiation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Clent's instructions, if any. The Company's solution is a state contained hereion contained hereion contained hereion contained hereion and purisdiction issues document. This document cannot be reproduced scept in fully, without prior written approval of the Company's policy of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullies extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test extent of the adultenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 80012053 www.sgsgroup.com.cn Not. Workshow, Mt0, Mide Section, Sense & Tenhology Park, Nanshan Dishid, Shenzhen, Guangdong, China 518057 t (86-755) 20012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: Page:

ZEWM2303000343RG03 26 of 94

	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz
	Use duty cycle correction factor method per 15.35(c). Duty cycle = On time / 100 milliseconds On time = $N_1^*L_1 + N_2^*L_2+N_{N-1}^*L_{N-1} + N_N^*L_N$
	Where N₁ is number of type 1 pulese, L₁ is length of type 1 pulses, etc. Average Value = Peak Value +20*log(Duty cycle).
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	a see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.on 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053


sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 27 of 94

4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205			
Test Method:	ANSI C63.10-2020 Section 6.10.5			
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)			
Limit:	Frequency Limit (dBuV/m) Remark			
	30MHz-88MHz	40.0	Quasi-peak	
	88MHz-216MHz	43.5	Quasi-peak	
	216MHz-960MHz 46.0 Quasi-pe		Quasi-peak	
	960MHz-1GHz 54.0 Quasi-p		Quasi-peak	
	Above 1GHz	54.0	Average Value	
	Above IGHZ	74.0	Peak Value	

Test Setup:



	rigure		rigue z. Above i Gliz	
Test Procedure:		abov	below 1GHz, the EUT was placed on the top of a rotating table 0.8 r ve the ground at a 3 or 10 meter semi-anechoic camber. The table v ted 360 degrees to determine the position of the highest radiation.	
		mete	above 1GHz, the EUT was placed on the top of a rotating table 1.5 ers above the ground at a 3 meter semi-anechoic camber. The table ted 360 degrees to determine the position of the highest radiation.	was
			EUT was set 3 or 10 meters away from the interference-receiving nna, which was mounted on the top of a variable-height antenna to	wer.
		to de	antenna height is varied from one meter to four meters above the g etermine the maximum value of the field strength. Both horizontal ar cal polarizations of the antenna are set to make the measurement.	
		then rotat	each suspected emission, the EUT was arranged to its worst case a the antenna was tuned to heights from 1 meter to 4 meters and the table table was turned from 0 degrees to 360 degrees to find the imum reading.	
			test-receiver system was set to Peak Detect Function and Specified dwidth with Maximum Hold Mode.	ł



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Altention: To check the authenticity of **testing (inspection report & certificate, please contact us at telephone: (86-755) 8007 1443, or small: <u>Ch.Doccheck@sas.com</u> Nei Workslow, M(J), Middis Section, Science & Brandong, China 518057 to (86-755) 28012053 www.sgsgroup.com.on**

No.1 Wortshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdorg, China 518057 t (86–755) 26012053 www.sgsgroup.com. 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

Report No.: Page:

ZEWM2303000343RG03 28 of 94

	 g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW \ge 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz Use duty cycle correction factor method per 15.35(c). Duty cycle = On time / 100 milliseconds On time = N ₁ *L ₁ + N ₂ *L ₂ +N _{N-1} *L _{N-1} + N _N *L _N Where N ₁ is number of type 1 pulese, L ₁ is length of type 1 pulses, etc. Average Value = Peak Value +20*log(Duty cycle).
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

1 (86-755) 26012053 sgs.china@sgs.com

Report No.: Z Page: 2

ZEWM2303000343RG03 29 of 94

5 Measurement Uncertainty (95% confidence levels, k=2)

	Lab A				
No.	Item	Measurement Uncertainty			
1	Radio Frequency	± 9.84Hz			
2	Duty cycle	± 0.185%			
3	Occupied Bandwidth	± 0.20%			
4	RF conducted power	± 0.42dB			
5	RF power density	± 1.97dB			
6	Conducted Spurious emissions	± 0.42dB			

Remark:


The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Lab B					
No.	Item	Measurement Uncertainty			
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)			
		± 4.6dB (9kHz to 30MHz)			
	Radiated Emission	± 4.9dB (30MHz to 1GHz)			
2		± 4.9dB (1GHz to 6GHz)			
		± 4.7dB (6GHz to 18GHz)			
		± 5.26dB (Above 18GHz)			
Remark:					

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results – compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit; – non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Report No.: Page: ZEWM2303000343RG03 30 of 94

6 Equipment List

Lab A						
RF Test System						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Spectrum Analyzer	Keysight	N9020A	SZ-WRG-M-002	2022/11/18	2023/11/17	
Signal Generator	Keysight	N5181A	SZ-WRG-M-005	2022/11/18	2023/11/17	
DC power supply	Tonscend	TS0806- 4ADC	SZ-WRG-A-007	NCR	NCR	
RF Control Unit	Tonscend	JS0806-2	SZ-WRG-M-008	2022/11/18	2023/11/17	
Radio Communication Tester	Rohde & Schwarz	CMW270	SZ-WRG-M-009	2023/02/16	2024/02/15	
Radio Communication Tester	Rohde & Schwarz	CMW-Z800A	SZ-WRG-M-010	NCR	NCR	
Signal Generator	Rohde & Schwarz	SMM100A	SZ-WRG-M-011	2023/02/22	2024/02/21	
Test Software	Tonscend	JS1120 V3.2.22	N/A	NCR	NCR	
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	SZ-WRG-M-077	2022/07/06	2023/07/05	
Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-012	2023/02/16	2024/02/15	

Lab B CE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2022/09/08	2023/09/07
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2022/06/30	2023/06/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2022/09/18	2023/09/17
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2022/06/30	2023/06/29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 31 of 94

Lab B RSE Test System						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08	
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15	
Spectrum Analyzer	ROHDE &SCHWARZ	FSV3044	XAW01-13-05	2022/05/24	2023/05/23	
Test receiver	ROHDE &SCHWARZ	ESR	XAW01-08-01	2022/09/08	2023/09/07	
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27	
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27	
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22	
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR	
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR	
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR	
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR	
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2022/05/24	2023/05/23	
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2022/09/14	2023/09/13	
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2022/09/14	2023/09/13	
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2022/09/14	2023/09/13	
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2022/09/18	2023/09/17	
Radio communication analyzer	ROHDE&SCH WARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15	
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR	
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2022/05/26	2023/05/25	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057

t (86–755) 26012053 www.sgsgroup.com. t (86–755) 26012053 sgs.china@sgs.com

Report No.: Page:

ZEWM2303000343RG03 32 of 94

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



Report No.: Page: ZEWM2303000343RG03 33 of 94

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document can be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. **Attention; roches the submenticity of testing /inspection report & certificate**, please contact us at telephone; (86-755)8307 1443,

of enant <u>Chrotocheskogsse.com</u> http://withiou.Wito.Midde Section.Scenes & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: ZEWM2 Page: 34 of 94

ZEWM2303000343RG03 34 of 94

20dB Emission Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	20dB EBW[MHz]	FL[MHz]	FH[MHz]	Verdict
DH5	Ant22	2402	0.94	2401.53	2402.48	
		2441	0.94	2440.53	2441.47	
		2480	0.95	2479.53	2480.47	
2DH5	Ant22	2402	1.29	2401.36	2402.65	For Report Purpose
		2441	1.30	2440.35	2441.65	
		2480	1.31	2479.34	2480.65	Fulpose
3DH5	Ant22	2402	1.30	2401.35	2402.65	
		2441	1.30	2440.35	2441.65	
		2480	1.30	2479.35	2480.65	





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CM-December 2015 CM-10 december 201


Report No.: Page: ZEWM2303000343RG03 35 of 94

Test Graphs







Report No.: Page: ZEWM2303000343RG03 36 of 94






Report No.: Page: ZEWM2303000343RG03 37 of 94






Report No.: Page: ZEWM2303000343RG03 38 of 94





Report No.: Page: ZEWM2303000343RG03 39 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Z Page: Z

ZEWM2303000343RG03 40 of 94

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict		
DH5	Ant22	2402	0.863	2401.5624	2402.4256			
		2441	0.86	2440.5624	2441.4226			
		2480	0.86	2479.5594	2480.4196	For Doport		
2DH5	Ant22	2402	1.193	2401.4006	2402.5934			
		Ant22	2441	1.193	2440.4006	2441.5934	For Report Purpose	
		2480	1.208	2479.3916	2480.5994	Fulpose		
3DH5	Ant22			2402	1.199	2401.3946	2402.5934	
		2441	1.199	2440.3946	2441.5934			
		2480	1.22	2479.3796	2480.5994			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CM-December 2015 CM-10 december 201


Report No.: Page: ZEWM2303000343RG03 41 of 94


Test Graphs






Report No.: Page: ZEWM2303000343RG03 42 of 94






Report No.: Page: ZEWM2303000343RG03 43 of 94






Report No.: Page: ZEWM2303000343RG03 44 of 94





Report No.: Page: ZEWM2303000343RG03 45 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 46 of 94

Maximum conducted output power Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
		2402	11.93	≤20.97	PASS
DH5	Ant22	2441	12.59	≤20.97	PASS
		2480	11.62	≤20.97	PASS
2DH5	Ant22	2402	11.25	≤20.97	PASS
		2441	11.92	≤20.97	PASS
		2480	11.32	≤20.97	PASS
3DH5		2402	11.46	≤20.97	PASS
	Ant22	2441	12.01	≤20.97	PASS
		2480	11.38	≤20.97	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CM_DEGENERANCESES Not Northolo, Mildia Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 47 of 94

Carrier frequency separation Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant22	Нор	1.012	≥0.950	PASS
2DH5	Ant22	Нор	1.006	≥0.873	PASS
3DH5	Ant22	Нор	0.988	≥0.867	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: <u>CN_Doccheck@sgs.com</u> No1Worksbo, MtolModeSedino,Seines & Tachology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


Report No.: Page: ZEWM2303000343RG03 48 of 94

Test Graphs





Report No.: Page: ZEWM2303000343RG03 49 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 50 of 94

Time of occupancy Test Result

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant22	Нор	0.370	320	0.118	≤0.4	PASS
DH3	Ant22	Нор	1.620	160	0.259	≤0.4	PASS
DH5	Ant22	Нор	2.870	106.67	0.306	≤0.4	PASS
2DH1	Ant22	Нор	0.360	320	0.115	≤0.4	PASS
2DH3	Ant22	Нор	1.630	160	0.261	≤0.4	PASS
2DH5	Ant22	Нор	2.880	106.67	0.307	≤0.4	PASS
3DH1	Ant22	Нор	0.370	320	0.118	≤0.4	PASS
3DH3	Ant22	Нор	1.620	160	0.259	≤0.4	PASS
3DH5	Ant22	Нор	2.870	106.67	0.306	≤0.4	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CM_DOEnteckagesa.com No1 Workshop, M-10, Middie Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 51 of 94

Test Graphs






Report No.: Page: ZEWM2303000343RG03 52 of 94






Report No.: Page: ZEWM2303000343RG03 53 of 94






Report No.: Page: ZEWM2303000343RG03 54 of 94





Report No.: Page: ZEWM2303000343RG03 55 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

or email: <u>CN_Doccheck@sgs.com</u> No1Worksbo, MtolModeSedino,Seines & Tachology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 56 of 94

Number of hopping channels Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant22	Нор	79	≥15	PASS
2DH5	Ant22	Нор	79	≥15	PASS
3DH5	Ant22	Нор	79	≥15	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

or email: CM_DOEnteckagesa.com No1 Workshop, M-10, Middie Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


Report No.: Page: ZEWM2303000343RG03 57 of 94

Test Graphs





Report No.: Page: ZEWM2303000343RG03 58 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's source responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company's unauthorized alteration, foregory of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@ws.com

or email: <u>CN_Doccheck@sgs.com</u> No1Worksbo, MtolModeSedino,Seines & Tachology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


Report No.: Page: ZEWM2303000343RG03 59 of 94

Band edge measurements Test Graphs






Report No.: Page: ZEWM2303000343RG03 60 of 94






Report No.: Page: ZEWM2303000343RG03 61 of 94






Report No.: Page: ZEWM2303000343RG03 62 of 94






Report No.: Page: ZEWM2303000343RG03 63 of 94






Report No.: Page: ZEWM2303000343RG03 64 of 94







Report No.: Page: ZEWM2303000343RG03 65 of 94

Conducted Spurious Emission Test Graphs







Report No.: Page: ZEWM2303000343RG03 66 of 94






Report No.: Page: ZEWM2303000343RG03 67 of 94






Report No.: Page: ZEWM2303000343RG03 68 of 94







Report No.: Page: ZEWM2303000343RG03 69 of 94







Report No.: Page: ZEWM2303000343RG03 70 of 94






Report No.: Page: ZEWM2303000343RG03 71 of 94







Report No.: Page: ZEWM2303000343RG03 72 of 94







Report No.: Page: ZEWM2303000343RG03 73 of 94






Report No.: Page: ZEWM2303000343RG03 74 of 94






Report No.: Page: ZEWM2303000343RG03 75 of 94






Report No.: Page: ZEWM2303000343RG03 76 of 94






Report No.: Page: ZEWM2303000343RG03 77 of 94





Report No.: Page: ZEWM2303000343RG03 78 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 79 of 94

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant22	2402	2.89	3.76	76.86	1.14
2DH5	Ant22	2402	2.89	3.75	77.07	1.13
3DH5	Ant22	2402	2.89	3.75	77.07	1.13

Note:

Duty cycle = on time / 100ms = 2 * 2.89 / 100 = 5.78% Duty cycle Correction factor = 20*log(Duty cycle) = -24.76dB




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midde Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com


Report No.: Page: ZEWM2303000343RG03 80 of 94

Test Graphs





Report No.: Page: ZEWM2303000343RG03 81 of 94





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Midda Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋/号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 82 of 94

		On time(Chan	inel number)		
Agilent Spectrum Analyzer - Swept SA					
XI RL RF 50Ω AC		SENSE:INT	ALIGN OFF	02:14:14 PM Apr 27, 2023	Sweep/Control
Sweep Time 100.0 ms	PNO: Fast	Trig: Free Run Atten: 24 dB	wavg Type. Amo	TRACE 12345 TYPE WWWWWWWW DET PNNNNN	Sweep Time
10 dB/div Ref 13.00 dBm					100.0 ms
			T		
3.00					
7.00					
-7.00		2			
-17.0					
-27:0					
37.0					
47.0 Handler manus of monthly had al	nologianalitala	Web grand by the short as the poly	hill mush water to provide the second	departed many more and an horizontal	
-57.0					
					Gate
-67 0					[Off,LO]
-77.0					
					Points
Center 2.402000000 GHz				Span 0 Hz	1001
Res BW 8 MHz	#VBW	8.0 MHz	Sweep 1	00.0 ms (1001 pts)	
ASG			STATU	3	

	Unless otherwise agreed in writing, this document is issued by the Co available on request or accessible at <u>https://www.sgs.com/enTerm</u> indemnification and jurisdiction issues defined therein. Any holder of the Company's findings at the time of its intervention only and will responsibility is to its Client and this document does not exonerate pu- under the transaction documents. This document cannot be reproduc unauthorized alteration, forgery or falsification of the content or appea- to the fullest extent of the law. Unless otherwise stated the results a sample(s) are retained for 30 days only.	ns-and-Conditions. A this document is advi- thin the limits of Clie arties to a transaction ced except in full, with arance of this docume	ttention is drawn to th ised that information co- nt's instructions, if any from exercising all thei out prior written approv nt is unlawful and offend ort refer only to the sam	e limitation of liability, ntained hereon reflects . The Company's sole r rights and obligations al of the Company. Any lers may be prosecuted
--	--	---	---	---


Report No.: Page:

ZEWM2303000343RG03 83 of 94

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: GFSK_Channel 39




Final I	Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBµV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	47.4687	14.07	-27.77	32.41	18.71	40.00	21.29	169	115	Horizontal
2	65.4227	12.02	-27.63	35.41	19.80	40.00	20.20	248	166	Horizontal
3	100.3602	11.70	-27.12	35.87	20.45	43.50	23.05	134	282	Horizontal
4	203.7169	11.25	-26.53	40.26	24.98	43.50	18.52	256	277	Horizontal
5	289.1196	13.10	-25.68	39.56	26.98	46.00	19.02	327	229	Horizontal
6	440.5153	16.19	-25.23	32.91	23.87	46.00	22.13	328	130	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the litter of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cancel do except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and fordners may be prosecuted to the fullate scient of the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443.

of email: <u>CM_Doccheck@sgs.com</u> Mo.1 Worksby, UM, Midd Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China <u>518057</u> t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Report No.: ZEWM2303000343RG03 Page: 84 of 94



Final I	Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBµV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	33.8819	11.30	-28.00	44.69	27.99	40.00	12.01	133	358	Vertical
2	46.9835	14.30	-27.78	39.45	25.97	40.00	14.03	154	201	Vertical
3	93.0815	10.72	-27.46	39.15	22.41	43.50	21.09	252	95	Vertical
4	200.3202	11.39	-26.33	35.82	20.88	43.50	22.62	237	5	Vertical
5	336.1881	14.27	-25.81	33.89	22.35	46.00	23.65	391	293	Vertical
6	440.5153	16.19	-25.23	36	26.96	46.00	19.04	393	240	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

QP Detector

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)


2) All channels have been tested, but only the worst case data displayed in this report.



sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 85 of 94

Transmitter emission Above 1GHz GFSK_Channel 0



Final [Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804	56.40	30.78	-42.95	44.23	74.00	29.77	156	309	Horizontal				
2	4804	-	-	-	19.47	54.00	34.53	-	-	-				
3	7206	51.85	36.56	-38.71	49.70	74.00	24.30	138	309	Horizontal				
4	7206	-	-	-	24.94	54.00	29.06	-	-	-				
5	9608	50.81	37.85	-35.70	52.96	74.00	21.04	109	277	Horizontal				
6	9608	-	-	-	28.20	54.00	25.80	-	-	-				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sas.com/en/Terms-and-Conditions_Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not excorrets parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offinders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: Choccheck/858.com

or small: <u>CN_Doccheck@sgs.com</u> No1Worksbg.MtgMddsSedino.Skares Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t(86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t(86-755) 26012053 sgs.china@sgs.com

Report No.: Page:

ZEWM2303000343RG03 86 of 94



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804	55.13	30.78	-42.95	42.96	74.00	31.04	388	269	Vertical				
2	4804	-	-	-	18.2	54.00	35.84	-	-	-				
3	7206	51.02	36.56	-38.71	48.87	74.00	25.13	370	332	Vertical				
4	7206	-	-	-	24.11	54.00	29.89	-	-	-				
5	9608	51.50	37.85	-35.70	53.65	74.00	20.35	395	54	Vertical				
6	9608	-	-	-	28.89	54.00	25.11	-	-	-				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 87 of 94




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4882	55.29	30.79	-42.89	43.19	74.00	30.81	153	242	Horizontal				
2	4882	-	-	-	18.43	54.00	35.57	-	-	-				
3	7323	52.26	36.45	-38.74	49.97	74.00	24.03	168	306	Horizontal				
4	7323	-	-	-	25.21	54.00	28.79	-	-	-				
5	9764	50.57	38.36	-35.94	52.99	74.00	21.01	205	316	Horizontal				
6	9764	-	-	-	28.23	54.00	25.77	-	-					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's soresponsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: <u>CN_Doccheck@sgs.com</u> No1Worksbo, MtolModeSedino,Seines & Tachology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 88 of 94



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4882	55.11	30.79	-42.89	43.01	74.00	30.99	335	165	Vertical				
2	4882		-	-	18.25	54.00	35.75	-	-	-				
3	7323	52.85	36.45	-38.74	50.56	74.00	23.44	365	230	Vertical				
4	7323	-	-	-	25.80	54.00	28.20	-	-	-				
5	9764	50.37	38.36	-35.94	52.79	74.00	21.21	322	143	Vertical				
6	9764	-	-	-	28.03	54.00	25.97	-	-	-				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: CN_Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

No. 1 Wonking), Mi-10, Minute Section, Science's rectanology rain, naristian bising, Scienczieri, Suangoong, Cana 518057 1 (66-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 1 (66-755) 26012053

sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 89 of 94




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4960	55.43	31.04	-42.78	43.69	74.00	30.31	165	226	Horizontal				
2	4960	-	-	-	18.93	54.00	35.07	-	-	-				
3	7440	53.51	36.78	-38.28	52.01	74.00	21.99	175	214	Horizontal				
4	7440	-	-	-	27.25	54.00	26.75	-	-	-				
5	9220	51.94	37.50	-36.04	53.40	74.00	20.60	142	160	Horizontal				
6	9220	-	-	-	28.64	54.00	25.36	-	-	-				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: <u>CN-Doccheckgisga.com</u> No1 Worksbo, <u>Milodia Section, Science & Technology</u> Park, Nanshan District, Shenzhen, Guangdong, China <u>518057</u> t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 90 of 94



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4960	55.27	31.04	-42.78	43.53	74.00	30.47	381	177	Vertical				
2	4960	-	-	-	18.77	54.00	35.23	-	-	-				
3	7440	52.37	36.78	-38.28	50.87	74.00	23.13	377	317	Vertical				
4	7440	-	-	-	26.11	54.00	27.89	-	-	-				
5	9220	51.49	37.50	-36.04	52.95	74.00	21.05	365	295	Vertical				
6	9220	-	-	-	28.19	54.00	25.81	-	-	-				

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBµV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)


Margin = Limit(dB μ V/m) – Level(dB μ V/m)

2) All channels have been tested, but only the worst case data displayed in this report.



Report No.: Page: ZEWM2303000343RG03 91 of 94

Restricted bands around fundamental frequency GFSK_Channel 0




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2377.7589	47.93	27.49	-23.04	52.38	74.00	21.62	120	215	Horizontal				
2	2377.7589	-	-	-	27.62	54.00	26.38	-	-	-				
3	2387.5888	47.68	27.45	-23.02	52.11	74.00	21.89	120	215	Horizontal				
4	2387.5888	-	-	-	27.35	54.00	26.65	-	-	-				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document client only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cancel be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance dexcept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance this document is unawful and offenders may be prosecuted to the fulliast extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443.

or email: <u>CN-Doccheck@sgs.com</u> No1 Worksby, <u>H1</u>, Midda Sedin, Sairea & Technology Pari, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 92 of 94




Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2375.3577	47.79	27.50	-23.04	52.25	74.00	21.75	377	169	Vertical
2	2375.3577	-	-	-	27.49	54.00	26.51	-	-	-
3	2386.3882	48.17	27.45	-23.02	52.60	74.00	21.40	377	169	Vertical
4	2386.3882	-	-	-	27.84	54.00	26.16	-	-	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

or email: <u>CN_Doccheck@sgs.com</u> Na Worksbo, <u>W10466 section.sciencex & Technology Park</u>, Nanshan Diatrict, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (66-755) 26012053 sgs.china@sgs.com

Report No.: Page: ZEWM2303000343RG03 93 of 94



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5918	56.77	27.73	-23.12	61.38	74.00	12.62	140	47	Horizontal
2	2483.5918	-	-	-	36.62	54.00	17.38	-	-	-
3	2485.5928	48.42	27.74	-23.12	53.04	74.00	20.96	140	47	Horizontal
4	2485.5928	-	-	-	28.28	54.00	25.72	-	-	-




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sas.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. . Attention: To check the autienticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CM_Doccheck@wss.com

North Charlen Control Contro

Report No.: Page:

ZEWM2303000343RG03 94 of 94



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.6418	53.30	27.73	-23.12	57.91	74.00	16.09	385	165	Vertical
2	2483.6418	-	-	-	33.15	54.00	20.85	-	-	-
3	2484.5923	49.75	27.74	-23.12	54.37	74.00	19.63	385	165	Vertical
4	2484.5923	-	-	-	29.61	54.00	24.39	-	-	-

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB) Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction forom exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. ort & certificate, please contact us at telephone: (86-755) 8307 1443

t (86-755) 26012053 邮编: 518057 1 (86-755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com