Report No.: SEWM2306000194RG07

Rev.: 01 Page: 1 of 27

TEST REPORT

Application No.: SEWM2306000194RG

Applicant: vivo Mobile Communication Co., Ltd.

Address of Applicant: No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

Manufacturer: vivo Mobile Communication Co., Ltd.

Address of Manufacturer: No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

EUT Description: Mobile Phone

Model No.: V2302 Trade Mark: vivo

FCC ID: 2AUCY-V2248

Standard(s): FCC 47 CFR Part 15, Subpart B


Date of Receipt: 2023/05/01 (for original report SEWM2305000177RG07)

Date of Test: 2023/06/14 to 2023/06/15

Date of Issue: 2023/06/16

Test Result: Pass*

Authorized Signature:



Well Wei Wireless Laboratory Manager



or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2306000194RG07

Rev.: 2 of 27 Page:

		Revision Record		
Version	Chapter	Date	Modifier	Remark
01		2023/06/16		Original

Prepared By	(King-p Li) / Test Engineer
Checked By	Stone Ju (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 3 of 27

Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 4 of 27 Page:

Contents

1	General Information	.5
	1 Description of Support Units 2 Test Location 3 Test Facility 4 Deviation from Standards 5 Abnormalities from Standard Conditions	.7 .7 .7
2	Emission Test Results	.8
	1 Conducted Emissions at Mains Terminals (150kHz-30MHz)	.8 .9 .9 !4 !5 !5
	2.3.1 E.U.T. Operation	
	2.3.2 Test Setup Procedures22.3.3 Measurement Data2	
3	Equipment List	24
4	Measurement Uncertainty2	26
5	Photographs2	27
	1 Test Setup2	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 5 of 27

1 General Information

EUT Description:	Mobile Phone	Mobile Phone		
Model No.:	V2302	V2302		
Trade Mark:	vivo	vivo		
Hardware Version:	MP_0.1			
Software Version:	PD2279F_EX_A_13.0.	2.6.W30		
IMEI:	860323069990716(IME 860323069990708(IME	860323069990716(IMEI1) 860323069990708(IMEI2)		
	Band	Tx (MHz)	Rx (MHz)	
	GSM850	824~849	869~894	
	GSM1900	1850~1910	1930~1990	
	WCDMA Band II	1850~1910	1930~1990	
	WCDMA Band IV	1710~1755	2110~2155	
	WCDMA Band V	824~849	869~894	
	LTE Band 2	1850~1910	1930~1990	
	LTE Band 4	1710~1755	2110~2155	
	LTE Band 5	824~849	869~894	
	LTE Band 7	2500~2570	2620~2690	
	LTE Band 12	699~716	729~746	
	LTE Band 13	777~787	746~756	
Fraguency Bands:	LTE Band 17	704~716	734~746	
Frequency Bands:	LTE Band 18 (815 to 824 MHz)	815~824	860~869	
	LTE Band 18 (824 to 830 MHz)	824~830	869~875	
	LTE Band 19	830~845	875~890	
	LTE Band 26 (814 to 824 MHz)	814~824	859~869	
	LTE Band 26 (824 to 849 MHz)	824~849	869~894	
	LTE Band 38	2570~2620	2570~2620	
	LTE Band 41	2496~2690	2496~2690	
	LTE Band 66	1710~1780	2110~2200	
	NR Band n2	1850~1910	1930~1990	
	NR Band n5	824~849	869~894	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and for electronic format documents. At conditions aspx and for electronic format documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervience only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unjewful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Pant, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 6 of 27

	NR Band n7	2500~2570	2620~2690
	NR Band n26 (814 to 824 MHz)	814~824	859~869
	NR Band n26 (824 to 849 MHz)	824~849	869~894
	NR Band n38	2570~2620	2570~2620
	NR Band n41	2496~2690	2496~2690
	NR Band n66	1710~1780	2110~2180
		3450-3550	3450-3550
	NR Band n77	3700-3980	3700-3980
	NR Band n78	3450-3550	3450-3550
		3700-3800	3700-3800
	Wi-Fi 2.4G	2412~2462	2412~2462
	Bluetooth	2402~2480	2402~2480
	Wi-Fi 5G	5150~5850	5150~5850
	FM	1	88~108
	GNSS(GPS/Galileo /GLONASS/Beidou/ SBAS)	1	1559~1610

LTE CA:

LTE UL CA 7C; LTE UL CA 38C;LTE UL CA 41C;

LTE UL CA_4A-5A; LTE UL CA_4A-7A; LTE UL CA_5A-7A;

ENDC:

DC_7A_n5A; DC_2A_n7A; DC_5A_n7A; DC_66A_n7A; DC_7A_n26A;

DC_4A_n38A; DC_66A_n38A; DC_4A_n41A; DC_66A_n41A; DC_2A_n66A;

DC_5A_n66A; DC_7A_n66A; DC_2A_n78A; DC_4A_n78A; DC_5A_n78A;

DC_7A_n78A; DC_38A_n78A; DC_41A_n78A; DC_66A_n78A;

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Accessory:

Item No.	Mode No.	Manufacturer	Remark
Adapter 1	V4440L0A1-US	Dongguan Aohai Technology Co., Ltd.	Como Docian
Adapter 2	V4440L0A1-EU	Dongguan Aohai Technology Co., Ltd.	Same Design
USB cable	BK-C-49-B	Luxshare Precision Industry Co., LTD.	1
Battery	B-Z6	Dongguan NVT Technology Co., Ltd	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Canditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and.conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or flastification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-listest extent of the law. Unless otherwise stated the results shown in this test report or feder only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention To be a charactery of the stating /inspection report & certificate, please contact us at telephone (88-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 7 of 27 Page:

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	King-p Li

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 8 of 27 Page:

Emission Test Results 2

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
	Frequency Range (MHz)	Limit(dBµV)		
		Quasi-peak	average	
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*	
Limit:	0.5M-5MHz	56	46	
	5M-30MHz	60	50	
	*Decreases with the logarithm of the frequency			
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz			

2.1.1 E.U.T. Operation

Operating Environment:

Operating Environment:	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
	a: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low
	b: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid
	c: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High
Pretest these modes to find the worst case:	d: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+GNSS+LTE Band 12 (RX) Low
the worst case.	e: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+FM RX(98M)+LTE Band 13 (RX) Mid
	f: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+LTE Band 17 (RX) High
	g: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Front)+LTE Band 26 (RX) Low
	h: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+SA Band 5(RX) Mid



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its interrution only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document can be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2306000194RG07

Rev.: 01 Page: 9 of 27

	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High
The worst case for final test:	c: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High
icsi.	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 10 of 27



Data List											
NO. Frequency Factor [MHz] [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict		
1 0.4560 11.60	26.42	38.02	56.77	18.75	21.60	33.20	46.77	13.57	PASS		
2 0.5145 11.61	27.69	39.30	56.00	16.70	17.75	29.36	46.00	16.64	PASS		
3 1.5225 11.74	23.23	34.97	56.00	21.03	12.09	23.83	46.00	22.17	PASS		
4 4.9920 11.81	19.15	30.96	56.00	25.04	8.24	20.05	46.00	25.95	PASS		
5 13.5195 11.91	18.37	30.28	60.00	29.72	11.11	23.02	50.00	26.98	PASS		
6 20.8770 11.99	8.88	20.87	60.00	39.13	3.46	15.45	50.00	34.55	PASS		

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000 t (86-512) 62992980 www.sgsgroup.com. t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 11 of 27



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.4875	11.60	27.61	39.21	56.21	17.00	19.08	30.68	46.21	15.53	PASS	
2	1.0770	11.73	22.77	34.50	56.00	21.50	14.02	25.75	46.00	20.25	PASS	
3	2.1030	11.73	20.03	31.76	56.00	24.24	12.13	23.86	46.00	22.14	PASS	
4	4.9830	11.81	19.50	31.31	56.00	24.69	8.22	20.03	46.00	25.97	PASS	
5	12.7590	11.90	17.80	29.70	60.00	30.30	11.68	23.58	50.00	26.42	PASS	
6	21.1425	11.99	8.64	20.63	60.00	39.37	3.17	15.16	50.00	34.84	PASS	

Remark:


- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]





Report No.: SEWM2306000194RG07

Rev.: 01 Page: 12 of 27



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.4920	11.60	25.75	37.35	56.13	18.78	17.82	29.42	46.13	16.71	PASS	
2	1.3065	11.73	13.75	25.48	56.00	30.52	7.01	18.74	46.00	27.26	PASS	
3	2.5080	11.73	13.85	25.58	56.00	30.42	2.77	14.50	46.00	31.50	PASS	
4	4.5825	11.79	19.35	31.14	56.00	24.86	9.16	20.95	46.00	25.05	PASS	
5	5.9550	11.84	16.70	28.54	60.00	31.46	7.02	18.86	50.00	31.14	PASS	
6	12.8535	11.90	19.65	31.55	60.00	28.45	13.52	25.42	50.00	24.58	PASS	

Remark:


- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]





Report No.: SEWM2306000194RG07

Rev.: 01 Page: 13 of 27



Data	Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.4875	11.60	26.11	37.71	56.21	18.50	20.74	32.34	46.21	13.87	PASS	
2	0.5775	11.62	20.10	31.72	56.00	24.28	11.12	22.74	46.00	23.26	PASS	
3	1.4460	11.72	16.39	28.11	56.00	27.89	7.01	18.73	46.00	27.27	PASS	
4	2.0310	11.73	16.28	28.01	56.00	27.99	6.51	18.24	46.00	27.76	PASS	
5	4.6050	11.79	17.85	29.64	56.00	26.36	8.30	20.09	46.00	25.91	PASS	
6	12.9570	11.90	20.41	32.31	60.00	27.69	13.45	25.35	50.00	24.65	PASS	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]





Report No.: SEWM2306000194RG07

Rev.: Page: 14 of 27

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B							
Test Method:	ANSI C63.4:2014							
Frequency Range:	30MHz to 1GHz							
Measurement Distance:	3m							
	Frequency Range (MHz)	Limit(dBµV/m)	Detector					
	30MHz -88MHz	40.0	Quasi-peak					
Limit:	88MHz-216MHz	43.5	Quasi-peak					
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1000MHz 54.0 Quasi-peak							
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz							

2.2.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
	a: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low
	b: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid
	c: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High
	d: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+GNSS+LTE Band 12 (RX) Low
Pretest these modes to find the worst case:	e: adapter(1)+usb Cable(1)+BT(ldle)+Earphones+2.4GWLAN(ldle)+FM RX(98M)+LTE Band 13 (RX) Mid
ind the worst case.	f: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+LTE Band 17 (RX) High
	g: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Front)+LTE Band 26 (RX) Low
	h: adapter(1)+usb Cable(1)+BT(IdIe)+Earphones+5GWLAN(IdIe)+Camera(Front)+SA Band 5(RX) Mid
	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High
The worst case for final test:	b: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid
1631.	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn




Report No.: SEWM2306000194RG07

Rev.: 01 Page: 15 of 27

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 16 of 27



Data List

_ 0.00										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	51.825	31.56	19.13	-33.96	16.73	40.00	23.27	142	120	Horizontal
2	59.585	32.06	18.82	-33.86	17.01	40.00	22.99	265	360	Horizontal
3	73.8925	34.29	16.36	-33.71	16.94	40.00	23.06	285	1	Horizontal
4	106.8725	34.06	16.12	-33.42	16.76	43.50	26.74	254	286	Horizontal
5	133.0625	31.06	18.15	-33.27	15.93	43.50	27.57	142	34	Horizontal
6	185.4425	38.26	16.15	-32.85	21.56	43.50	21.94	263	48	Horizontal
7*	881.66	54.99	29.64	-29.38	55.26	-	-	200	89	Horizontal

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

Note*: #7 30M-1G is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 17 of 27



Data List

Data .	00									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.065	47.69	19.50	-33.99	33.20	40.00	6.80	142	239	Vertical
2	49.885	43.01	19.21	-33.98	28.24	40.00	11.76	265	359	Vertical
3	55.22	43.06	18.99	-33.92	28.13	40.00	11.87	285	186	Vertical
4	79.47	38.26	15.30	-33.66	19.90	40.00	20.10	254	353	Vertical
5	99.84	34.26	15.49	-33.48	16.27	43.50	27.23	142	74	Vertical
6	143.975	32.04	18.54	-33.22	17.36	43.50	26.14	263	84	Vertical
7*	878.9925	58.35	29.61	-29.39	58.57	-	-	200	7	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

Note*: #7 30M-1G is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 18 of 27



Data List

NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	55.22	30.24	18.99	-33.92	15.31	40.00	24.69	142	338	Horizontal
2	103.72	36.26	15.83	-33.45	18.65	43.50	24.85	265	307	Horizontal
3	135.9725	37.26	18.34	-33.26	22.34	43.50	21.16	285	2	Horizontal
4	172.3475	34.26	17.19	-32.93	18.52	43.50	24.98	254	40	Horizontal
5	244.6125	41.03	17.25	-32.48	25.81	46.00	20.19	142	95	Horizontal
6	469.1675	36.48	22.75	-31.24	27.99	46.00	18.01	263	230	Horizontal
7*	893.0575	49.44	29.80	-29.30	49.94	-	-	100	359	Horizontal

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]


Note*: #7 30M-1G is system simulator signal which can be ignored.





Report No.: SEWM2306000194RG07

Rev.: 01 Page: 19 of 27



ata List

Data I	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.065	43.26	19.50	-33.99	28.77	40.00	11.23	142	22	Vertical
2	55.22	41.24	18.99	-33.92	26.31	40.00	13.69	265	342	Vertical
3	60.7975	42.03	18.66	-33.85	26.84	40.00	13.16	285	124	Vertical
4	99.84	34.29	15.49	-33.48	16.30	43.50	27.20	254	360	Vertical
5	332.155	39.84	19.40	-32.00	27.24	46.00	18.76	142	151	Vertical
6	415.8175	37.24	21.63	-31.48	27.40	46.00	18.60	263	338	Vertical
7*	886.2675	60.13	29.71	-29.35	60.49	-	-	200	132	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

Note*: #7 30M-1G is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 20 of 27 Page:

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpa	rt B					
Test Method:	ANSI C63.4:2014						
Frequency Range:	Above 1GHz						
Measurement Distance:	3m						
	Frequency (MHz)	Limit (dBµV/m)	Detector				
Limit:	Above 1011	74	Peak				
	Above 1GHz 54 Average						
Detector:		Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.					

2.3.1 E.U.T. Operation

2.3.1 E.U.1. Operation				
Temperature:	22~23°C			
Humidity:	44~46%RH			
Atmospheric Pressure:	101.0 kPa			
	a: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low b: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid			
	c: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High			
	d: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+GNSS+LTE Band 12 (RX) Low			
Pretest these modes to find the worst case:	e: adapter(1)+usb Cable(1)+BT(ldle)+Earphones+2.4GWLAN(ldle)+FM RX(98M)+LTE Band 13 (RX) Mid			
ind the worst ease.	f: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+LTE Band 17 (RX) High			
	g: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+Camera(Front)+LTE Band 26 (RX) Low			
	h: adapter(1)+usb Cable(1)+BT(Idle)+Earphones+5GWLAN(Idle)+Camera(Front)+SA Band 5(RX) Mid			
	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High			
The worst case for final test:	i: Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+Earphones+2.4GWLAN(Idle)+SA Band 26(RX) High			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact ax telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 郎编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com




Report No.: SEWM2306000194RG07

Rev.: 01 Page: 21 of 27

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.


The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.





Report No.: SEWM2306000194RG07

Rev.: 01 Page: 22 of 27



Data L	_is
--------	-----

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.7	51.83	25.62	29.34	-48.10	74.00	44.66	196	360	Horizontal
2*	5179.45	104.04	33.16	93.14	-44.07	-	-	265	358	Horizontal
3	8392.45	46.91	37.30	43.92	-40.28	74.00	30.08	284	166	Horizontal
4	14532.85	43.43	40.19	48.87	-34.75	74.00	25.13	142	90	Horizontal

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]

Note*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 23 of 27



Data Lis

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2190	54.15	26.72	33.11	-47.75	74.00	40.89	196	0	Vertical
2*	5174.35	104.07	33.17	93.14	-44.10	-	-	265	63	Vertical
3	8787.7	45.05	37.49	43.32	-39.22	74.00	30.68	284	0	Vertical
4	14481.85	43.83	40.20	48.92	-35.11	74.00	25.08	142	258	Vertical

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]

Note*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000 t (86-512) 62992980 www.sgsgroup.com.c t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 24 of 27 Page:

Equipment List

CE Test System								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07			
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR			
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05			
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2023/02/06	2024/02/05			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000194RG07

Rev.: 01 25 of 27 Page:

RE Test System								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2022/11/23	2023/11/22			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11			
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07			
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05			
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2023/02/06	2024/02/05			
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 26 of 27

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
		± 4.8dB (Below 1GHz)		
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)		
		± 4.8dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T

 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG07

Rev.: 01 Page: 27 of 27

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Jnless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://mems.and-conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.tetentions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any mauthorized alteration, forey or faisification of the content or essential to the company of the company and the provided and the content of the content of