

Test Band = ENDC\_2A\_n66A\_TM1\_ANT13+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	40.75	-45.76	29.59	-70.67	-13.00	57.67	201	215	Horizontal
2	5208.27	40.42	-44.14	33.16	-65.82	-13.00	52.82	189	231	Horizontal
3	6944.36	38.86	-42.50	35.98	-62.92	-13.00	49.92	266	231	Horizontal
4	9355.45	33.42	-38.26	37.71	-62.40	-13.00	49.40	257	131	Horizontal
5	11226.54	31.46	-35.07	38.40	-60.47	-13.00	47.47	172	360	Horizontal
6	13097.63	31.29	-34.47	39.67	-58.77	-13.00	45.77	219	198	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	41.58	-45.76	29.59	-69.84	-13.00	56.84	234	82	Vertical
2	5208.27	40.11	-44.14	33.16	-66.13	-13.00	53.13	175	166	Vertical
3	6944.36	38.81	-42.50	35.98	-62.97	-13.00	49.97	185	265	Vertical
4	9355.45	33.16	-38.26	37.71	-62.66	-13.00	49.66	199	4	Vertical
5	11226.54	31.25	-35.07	38.40	-60.68	-13.00	47.68	263	215	Vertical
6	13097.63	31.77	-34.47	39.67	-58.29	-13.00	45.29	274	198	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_2A\_n66A\_TM1\_ANT13+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.18	40.56	-45.48	30.56	-69.62	-13.00	56.62	129	3	Horizontal
2	5673.27	40.32	-43.77	33.69	-65.02	-13.00	52.02	243	214	Horizontal
3	7564.36	36.66	-41.38	36.66	-63.32	-13.00	50.32	185	352	Horizontal
4	9455.45	36.07	-38.15	37.74	-59.61	-13.00	46.61	196	360	Horizontal
5	11346.54	31.52	-35.43	38.40	-60.77	-13.00	47.77	203	132	Horizontal
6	13237.63	30.87	-34.98	39.77	-59.60	-13.00	46.60	225	344	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.18	40.84	-45.48	30.56	-69.34	-13.00	56.34	248	82	Vertical
2	5673.27	41.06	-43.77	33.69	-64.28	-13.00	51.28	175	332	Vertical
3	7564.36	36.68	-41.38	36.66	-63.30	-13.00	50.30	199	360	Vertical
4	9455.45	35.96	-38.15	37.74	-59.72	-13.00	46.72	263	32	Vertical
5	11346.54	30.97	-35.43	38.40	-61.32	-13.00	48.32	254	354	Vertical
6	13237.63	31.26	-34.98	39.77	-59.21	-13.00	46.21	175	216	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_5A\_n66A\_TM1\_ANT13+ANT11

Test Channel = Low Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1649.18	35.21	-25.29	24.60	-60.74	-13.00	47.74	201	0	Horizontal
2	2473.77	36.69	-24.01	27.34	-55.24	-13.00	42.24	249	1	Horizontal
3	3298.36	41.04	-45.88	29.56	-70.54	-13.00	57.54	186	345	Horizontal
4	4122.95	40.28	-45.00	31.50	-68.49	-13.00	55.49	235	264	Horizontal
5	4947.54	39.94	-44.91	33.09	-67.14	-13.00	54.14	277	180	Horizontal
6	5772.13	37.98	-43.53	34.03	-66.78	-13.00	53.78	142	331	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1649.18	35.44	-25.29	24.60	-60.51	-13.00	47.51	139	4	Vertical
2	2473.77	36.43	-24.01	27.34	-55.50	-13.00	42.50	284	276	Vertical
3	3298.36	41.03	-45.88	29.56	-70.55	-13.00	57.55	175	3	Vertical
4	4122.95	40.63	-45.00	31.50	-68.14	-13.00	55.14	266	3	Vertical
5	4947.54	40.54	-44.91	33.09	-66.54	-13.00	53.54	194	192	Vertical
6	5772.13	38.26	-43.53	34.03	-66.50	-13.00	53.50	201	325	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_5A\_n66A\_TM1\_ANT13+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1664.18	35.40	-25.24	24.60	-60.50	-13.00	47.50	239	285	Horizontal
2	2496.27	36.73	-23.89	27.39	-55.03	-13.00	42.03	186	0	Horizontal
3	3328.36	41.64	-45.89	29.57	-69.95	-13.00	56.95	257	64	Horizontal
4	4160.45	40.85	-45.01	31.56	-67.86	-13.00	54.86	143	359	Horizontal
5	4992.54	39.51	-44.94	33.18	-67.50	-13.00	54.50	206	248	Horizontal
6	5824.63	39.43	-43.46	34.21	-65.08	-13.00	52.08	144	231	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1664.18	35.22	-25.24	24.60	-60.68	-13.00	47.68	214	52	Vertical
2	2496.27	36.75	-23.89	27.39	-55.01	-13.00	42.01	186	106	Vertical
3	3328.36	41.70	-45.89	29.57	-69.89	-13.00	56.89	235	351	Vertical
4	4160.45	40.10	-45.01	31.56	-68.61	-13.00	55.61	196	143	Vertical
5	4992.54	39.44	-44.94	33.18	-67.57	-13.00	54.57	221	194	Vertical
6	5824.63	38.78	-43.46	34.21	-65.73	-13.00	52.73	146	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_5A\_n66A\_TM1\_ANT13+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1679.18	35.30	-25.19	24.60	-60.55	-13.00	47.55	129	181	Horizontal
2	2518.77	37.16	-23.91	27.48	-54.53	-13.00	41.53	277	357	Horizontal
3	3358.36	41.38	-45.91	29.57	-70.22	-13.00	57.22	186	255	Horizontal
4	3522.18	41.75	-45.58	29.68	-69.42	-13.00	56.42	234	51	Horizontal
5	5283.27	39.73	-44.03	33.14	-66.42	-13.00	53.42	185	87	Horizontal
6	7044.36	38.96	-42.54	36.05	-62.78	-13.00	49.78	292	137	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1679.18	35.39	-25.19	24.60	-60.46	-13.00	47.46	129	215	Vertical
2	2518.77	36.98	-23.91	27.48	-54.71	-13.00	41.71	286	8	Vertical
3	3358.36	41.34	-45.91	29.57	-70.26	-13.00	57.26	235	297	Vertical
4	3522.18	41.09	-45.58	29.68	-70.08	-13.00	57.08	241	359	Vertical
5	5283.27	40.59	-44.03	33.14	-65.56	-13.00	52.56	277	15	Vertical
6	7044.36	38.59	-42.54	36.05	-63.15	-13.00	50.15	189	98	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_7A\_n66A\_TM1\_ANT13+ANT11

Test Channel = Low Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3422.18	41.67	-45.88	29.58	-69.88	-25.00	44.88	163	161	Horizontal
2	5133.27	40.35	-44.24	33.17	-65.98	-25.00	40.98	125	245	Horizontal
3	6844.36	38.62	-42.50	35.94	-63.20	-25.00	38.20	114	360	Horizontal
4	10004.36	33.81	-37.13	37.90	-60.68	-25.00	35.68	125	360	Horizontal
5	12505.45	30.81	-35.23	39.01	-60.67	-25.00	35.67	123	356	Horizontal
6	15006.54	30.83	-34.00	40.09	-58.34	-25.00	33.34	163	20	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3422.18	41.13	-45.88	29.58	-70.42	-25.00	45.42	196	359	Vertical
2	5133.27	39.65	-44.24	33.17	-66.68	-25.00	41.68	125	329	Vertical
3	6844.36	39.56	-42.50	35.94	-62.26	-25.00	37.26	125	210	Vertical
4	10004.36	33.01	-37.13	37.90	-61.48	-25.00	36.48	166	125	Vertical
5	12505.45	31.07	-35.23	39.01	-60.41	-25.00	35.41	121	210	Vertical
6	15006.54	31.09	-34.00	40.09	-58.08	-25.00	33.08	165	3	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_7A\_n66A\_TM1\_ANT13+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	42.74	-45.76	29.59	-68.68	-25.00	43.68	248	3	Horizontal
2	5208.27	40.73	-44.14	33.16	-65.51	-25.00	40.51	175	82	Horizontal
3	6944.36	38.50	-42.50	35.98	-63.28	-25.00	38.28	199	63	Horizontal
4	10104.36	33.96	-36.80	37.95	-60.15	-25.00	35.15	235	358	Horizontal
5	12630.45	31.86	-34.72	39.16	-58.96	-25.00	33.96	184	360	Horizontal
6	15156.54	31.41	-33.29	39.80	-57.34	-25.00	32.34	275	360	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	41.34	-45.76	29.59	-70.08	-25.00	45.08	247	125	Vertical
2	5208.27	40.70	-44.14	33.16	-65.54	-25.00	40.54	196	43	Vertical
3	6944.36	39.50	-42.50	35.98	-62.28	-25.00	37.28	234	187	Vertical
4	10104.36	34.21	-36.80	37.95	-59.90	-25.00	34.90	185	21	Vertical
5	12630.45	30.21	-34.72	39.16	-60.61	-25.00	35.61	162	21	Vertical
6	15156.54	30.80	-33.29	39.80	-57.95	-25.00	32.95	144	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_7A\_n66A\_TM1\_ANT13+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3522.18	40.97	-45.58	29.68	-70.20	-25.00	45.20	219	360	Horizontal
2	5283.27	40.22	-44.03	33.14	-65.93	-25.00	40.93	266	360	Horizontal
3	7044.36	38.28	-42.54	36.05	-63.46	-25.00	38.46	284	187	Horizontal
4	10204.36	34.68	-36.56	38.00	-59.14	-25.00	34.14	142	332	Horizontal
5	12755.45	32.49	-35.10	39.31	-58.57	-25.00	33.57	135	360	Horizontal
6	15306.54	30.80	-33.87	39.52	-58.81	-25.00	33.81	265	80	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3522.18	41.54	-45.58	29.68	-69.63	-25.00	44.63	172	288	Vertical
2	5283.27	39.65	-44.03	33.14	-66.50	-25.00	41.50	138	329	Vertical
3	7044.36	38.99	-42.54	36.05	-62.75	-25.00	37.75	296	102	Vertical
4	10204.36	35.02	-36.56	38.00	-58.80	-25.00	33.80	206	206	Vertical
5	12755.45	33.66	-35.10	39.31	-57.40	-25.00	32.40	294	163	Vertical
6	15306.54	29.87	-33.87	39.52	-59.74	-25.00	34.74	142	245	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**



Test Band = ENDC\_2A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Low Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3424.18	41.99	-45.87	29.43	-69.71	-13.00	56.71	148	296	Horizontal
2	5136.27	39.26	-44.24	32.60	-67.64	-13.00	54.64	256	344	Horizontal
3	6848.36	39.27	-42.50	35.90	-62.59	-13.00	49.59	135	344	Horizontal
4	9255.45	33.11	-38.39	38.57	-61.97	-13.00	48.97	292	328	Horizontal
5	11106.54	32.49	-35.35	39.49	-58.63	-13.00	45.63	176	241	Horizontal
6	12957.63	32.72	-34.89	39.56	-57.88	-13.00	44.88	246	12	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3424.18	41.59	-45.87	29.43	-70.11	-13.00	57.11	159	357	Vertical
2	5136.27	39.09	-44.24	32.60	-67.81	-13.00	54.81	263	326	Vertical
3	6848.36	39.34	-42.50	35.90	-62.52	-13.00	49.52	284	210	Vertical
4	9255.45	32.66	-38.39	38.57	-62.42	-13.00	49.42	176	357	Vertical
5	11106.54	30.81	-35.35	39.49	-60.31	-13.00	47.31	299	6	Vertical
6	12957.63	33.77	-34.89	39.56	-56.83	-13.00	43.83	145	162	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_2A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	49.46	-45.76	29.41	-62.15	-13.00	49.15	211	77	Horizontal
2	5181.27	39.81	-44.18	32.60	-67.03	-13.00	54.03	189	178	Horizontal
3	6908.36	39.50	-42.44	36.02	-62.19	-13.00	49.19	236	44	Horizontal
4	9355.45	34.48	-38.26	38.56	-60.48	-13.00	47.48	287	262	Horizontal
5	11226.54	31.63	-35.07	39.37	-59.32	-13.00	46.32	146	94	Horizontal
6	13097.63	32.16	-34.47	39.66	-57.91	-13.00	44.91	208	279	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	47.69	-45.76	29.41	-63.92	-13.00	50.92	216	344	Vertical
2	5181.27	40.14	-44.18	32.60	-66.70	-13.00	53.70	239	182	Vertical
3	6908.36	39.58	-42.44	36.02	-62.11	-13.00	49.11	164	213	Vertical
4	9355.45	34.04	-38.26	38.56	-60.92	-13.00	47.92	208	0	Vertical
5	11226.54	32.32	-35.07	39.37	-58.63	-13.00	45.63	175	280	Vertical
6	13097.63	31.69	-34.47	39.66	-58.38	-13.00	45.38	163	149	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_2A\_n66A\_TM1\_ANT31+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3484.18	41.51	-45.73	29.41	-70.07	-13.00	57.07	197	357	Horizontal
2	5226.27	39.34	-44.11	32.60	-67.43	-13.00	54.43	185	13	Horizontal
3	6968.36	38.57	-42.54	36.14	-63.09	-13.00	50.09	166	5	Horizontal
4	9455.45	35.66	-38.15	38.55	-59.20	-13.00	46.20	234	1	Horizontal
5	11346.54	32.21	-35.43	39.25	-59.23	-13.00	46.23	175	43	Horizontal
6	13237.63	30.93	-34.98	39.74	-59.56	-13.00	46.56	203	357	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3484.18	41.13	-45.73	29.41	-70.45	-13.00	57.45	129	245	Vertical
2	5226.27	39.15	-44.11	32.60	-67.62	-13.00	54.62	248	81	Vertical
3	6968.36	39.32	-42.54	36.14	-62.34	-13.00	49.34	175	1	Vertical
4	9455.45	36.28	-38.15	38.55	-58.58	-13.00	45.58	163	196	Vertical
5	11346.54	31.12	-35.43	39.25	-60.32	-13.00	47.32	225	95	Vertical
6	13237.63	31.29	-34.98	39.74	-59.20	-13.00	46.20	186	212	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_5A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Low Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4083	42.43	-45.08	30.73	-67.17	-13.00	54.17	297	162	Horizontal
2	8502	37.26	-39.52	38.05	-59.46	-13.00	46.46	183	162	Horizontal
3	9548.25	37.40	-38.13	38.55	-57.44	-13.00	44.44	206	162	Horizontal
4	3424.18	42.16	-45.87	29.43	-69.54	-13.00	56.54	137	0	Horizontal
5	5136.27	39.58	-44.24	32.60	-67.32	-13.00	54.32	185	162	Horizontal
6	6848.36	39.28	-42.50	35.90	-62.58	-13.00	49.58	299	145	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7898.25	38.82	-40.66	37.30	-59.80	-13.00	46.80	209	0	Vertical
2	8940.75	37.74	-38.92	38.53	-57.90	-13.00	44.90	187	58	Vertical
3	10203.75	35.95	-36.56	38.72	-57.15	-13.00	44.15	144	243	Vertical
4	3424.18	41.17	-45.87	29.43	-70.53	-13.00	57.53	153	327	Vertical
5	5136.27	39.25	-44.24	32.60	-67.65	-13.00	54.65	295	180	Vertical
6	6848.36	39.65	-42.50	35.90	-62.21	-13.00	49.21	146	194	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Band = ENDC\_5A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	48.98	-45.76	29.41	-62.63	-13.00	49.63	215	72	Horizontal
2	4407	43.02	-44.89	31.25	-65.88	-13.00	52.88	196	345	Horizontal
3	8929.5	37.72	-38.96	38.52	-57.98	-13.00	44.98	234	196	Horizontal
4	10218	35.65	-36.60	38.74	-57.47	-13.00	44.47	182	143	Horizontal
5	5181.27	40.00	-44.18	32.60	-66.84	-13.00	53.84	177	89	Horizontal
6	6908.36	39.17	-42.44	36.02	-62.52	-13.00	49.52	156	212	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	46.84	-45.76	29.41	-64.77	-13.00	51.77	211	328	Vertical
2	6195.75	41.38	-42.70	34.59	-61.99	-13.00	48.99	149	1	Vertical
3	8069.25	38.15	-40.35	37.58	-59.89	-13.00	46.89	268	0	Vertical
4	9594	37.74	-38.10	38.54	-57.08	-13.00	44.08	237	261	Vertical
5	5181.27	40.20	-44.18	32.60	-66.64	-13.00	53.64	158	357	Vertical
6	6908.36	39.42	-42.44	36.02	-62.27	-13.00	49.27	172	278	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_5A\_n66A\_TM1\_ANT31+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4443	42.51	-44.84	31.31	-66.28	-13.00	53.28	185	227	Horizontal
2	7983	38.46	-40.44	37.47	-59.78	-13.00	46.78	196	346	Horizontal
3	9527.25	37.72	-38.14	38.55	-57.13	-13.00	44.13	234	357	Horizontal
4	3484.18	41.25	-45.73	29.41	-70.33	-13.00	57.33	175	14	Horizontal
5	5226.27	39.53	-44.11	32.60	-67.24	-13.00	54.24	144	227	Horizontal
6	6968.36	38.54	-42.54	36.14	-63.12	-13.00	50.12	183	243	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4702.5	42.56	-44.26	31.89	-65.08	-13.00	52.08	195	247	Vertical
2	8007.75	38.39	-40.39	37.51	-59.76	-13.00	46.76	241	164	Vertical
3	9528	37.17	-38.14	38.55	-57.68	-13.00	44.68	175	181	Vertical
4	3484.18	41.22	-45.73	29.41	-70.36	-13.00	57.36	293	114	Vertical
5	5226.27	39.19	-44.11	32.60	-67.58	-13.00	54.58	216	131	Vertical
6	6968.36	39.08	-42.54	36.14	-62.58	-13.00	49.58	235	198	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_7A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Low Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4100.5	43.39	-45.00	30.76	-66.11	-25.00	41.11	195	4	Horizontal
2	7861.5	39.58	-40.64	37.22	-59.10	-25.00	34.10	262	257	Horizontal
3	9600	38.20	-38.10	38.54	-56.62	-25.00	31.62	187	0	Horizontal
4	3424.18	42.64	-45.87	29.43	-69.06	-25.00	44.06	142	110	Horizontal
5	5136.27	39.32	-44.24	32.60	-67.58	-25.00	42.58	235	173	Horizontal
6	6848.36	40.47	-42.50	35.90	-61.39	-25.00	36.39	164	257	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4174.5	43.58	-45.01	30.88	-65.82	-25.00	40.82	191	297	Vertical
2	8428	37.88	-39.65	37.97	-59.06	-25.00	34.06	263	1	Vertical
3	9600.5	38.45	-38.10	38.54	-56.37	-25.00	31.37	287	0	Vertical
4	3424.18	42.50	-45.87	29.43	-69.20	-25.00	44.20	146	188	Vertical
5	5136.27	40.14	-44.24	32.60	-66.76	-25.00	41.76	235	340	Vertical
6	6848.36	40.04	-42.50	35.90	-61.82	-25.00	36.82	122	231	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

Test Band = ENDC\_7A\_n66A\_TM1\_ANT31+ANT11

Test Channel = Mid Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	51.40	-45.76	29.41	-60.21	-25.00	35.21	198	71	Horizontal
2	4068.5	43.47	-45.14	30.71	-66.22	-25.00	41.22	271	131	Horizontal
3	7891.5	39.45	-40.66	37.28	-59.18	-25.00	34.18	146	150	Horizontal
4	8925	38.50	-38.98	38.52	-57.22	-25.00	32.22	235	297	Horizontal
5	5181.27	39.46	-44.18	32.60	-67.38	-25.00	42.38	284	192	Horizontal
6	6908.36	39.99	-42.44	36.02	-61.70	-25.00	36.70	177	12	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3471	47.31	-45.76	29.41	-64.30	-25.00	39.30	163	340	Vertical
2	4427	43.02	-44.86	31.28	-65.82	-25.00	40.82	286	340	Vertical
3	5206.5	44.87	-44.14	32.60	-61.93	-25.00	36.93	191	316	Vertical
4	6303	41.96	-42.81	34.81	-61.31	-25.00	36.31	230	210	Vertical
5	8931	38.20	-38.96	38.52	-57.49	-25.00	32.49	146	126	Vertical
6	6908.36	39.40	-42.44	36.02	-62.29	-25.00	37.29	132	191	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**



Test Band = ENDC\_7A\_n66A\_TM1\_ANT31+ANT11

Test Channel = High Channel

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3965.5	44.03	-45.46	30.52	-66.17	-25.00	41.17	153	28	Horizontal
2	8570.5	37.97	-39.73	38.13	-58.89	-25.00	33.89	207	176	Horizontal
3	9514	37.78	-38.14	38.55	-57.07	-25.00	32.07	184	259	Horizontal
4	3484.18	41.57	-45.73	29.41	-70.01	-25.00	45.01	292	237	Horizontal
5	5226.27	39.71	-44.11	32.60	-67.06	-25.00	42.06	136	176	Horizontal
6	6968.36	39.08	-42.54	36.14	-62.58	-25.00	37.58	244	357	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4659.5	43.49	-44.35	31.78	-64.34	-25.00	39.34	215	241	Vertical
2	7871.5	39.86	-40.65	37.24	-58.81	-25.00	33.81	175	94	Vertical
3	9573	38.13	-38.11	38.54	-56.70	-25.00	31.70	188	72	Vertical
4	3484.18	41.77	-45.73	29.41	-69.81	-25.00	44.81	196	1	Vertical
5	5226.27	39.19	-44.11	32.60	-67.58	-25.00	42.58	135	2	Vertical
6	6968.36	39.07	-42.54	36.14	-62.59	-25.00	37.59	294	25	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

## Frequency Stability for SA

### Test Result

#### Frequency Error VS. Voltage

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VH	NT	-0.200000	-0.000069	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VN	NT	-5.800000	-0.002365	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VL	NT	-6.300000	-0.002354	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VH	NT	1.500000	0.001021	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VN	NT	3.600000	0.002013	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VL	NT	4.500000	0.002304	PASS

#### Frequency Error VS. Temperature

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-30	-4.200000	-0.002236	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-20	1.500000	0.000736	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-10	-5.200000	-0.003039	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	0	0.900000	0.000463	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	10	-2.700000	-0.002356	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	20	1.600000	0.000856	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	30	-0.900000	-0.000521	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	40	-1.500000	-0.000541	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	50	1.500000	0.000633	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-30	-2.600000	-0.001536	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-20	-0.200000	-0.000121	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-10	-3.900000	-0.002132	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	0	-1.900000	-0.001023	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	10	-0.800000	-0.000423	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	20	-3.500000	-0.002063	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	30	-1.500000	-0.000741	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	40	-3.600000	-0.002123	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	50	-1.500000	-0.001025	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
 Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com