



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 45 of 66







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

46 of 66 Page:

Field Strength of Spurious Radiation

Test Band = GSM 850_Ant13 Test Channel = Low Channel

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1648.4	60.09	-48.38	25.58	-57.98	-13.00	44.98	157	329	Horizontal
2	2472.6	57.17	-46.97	27.85	-57.21	-13.00	44.21	219	315	Horizontal
3	3296.8	44.58	-46.11	29.48	-67.31	-13.00	54.31	238	329	Horizontal
4	4121	42.32	-45.35	30.79	-67.49	-13.00	54.49	175	64	Horizontal
5	4945.2	42.20	-45.09	32.47	-65.68	-13.00	52.68	241	264	Horizontal
6	5769.4	42.04	-43.53	33.46	-63.28	-13.00	50.28	164	99	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1648.4444	53.83	-48.38	25.58	-64.24	-13.00	51.24	185	160	Vertical
2	2472.4444	51.41	-46.97	27.84	-62.98	-13.00	49.98	241	353	Vertical
3	3296.8	45.56	-46.11	29.48	-66.33	-13.00	53.33	196	110	Vertical
4	4121	42.52	-45.35	30.79	-67.29	-13.00	54.29	235	360	Vertical
5	4945.2	42.48	-45.09	32.47	-65.40	-13.00	52.40	177	245	Vertical
6	5769.4	42.21	-43.53	33.46	-63.11	-13.00	50.11	145	62	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

47 of 66 Page:

Test Band = GSM 850_ Ant13 Test Channel = Mid Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1672.8889	79.75	-48.32	25.56	-38.26	-13.00	25.26	171	20	Horizontal
2	2509.2	53.34	-46.79	27.93	-60.77	-13.00	47.77	218	345	Horizontal
3	3345.6	43.69	-46.19	29.46	-68.30	-13.00	55.30	156	98	Horizontal
4	4182	41.78	-45.16	30.89	-67.75	-13.00	54.75	204	0	Horizontal
5	5018.4	42.00	-44.93	32.60	-65.59	-13.00	52.59	175	113	Horizontal
6	5854.8	41.93	-43.34	33.74	-62.93	-13.00	49.93	216	357	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	1672.8	58.72	-48.32	25.56	-59.29	-13.00	46.29	198	344	Vertical
2	2509.2	51.41	-46.79	27.93	-62.70	-13.00	49.70	244	47	Vertical
3	3345.6	45.27	-46.19	29.46	-66.72	-13.00	53.72	176	268	Vertical
4	4182	42.08	-45.16	30.89	-67.45	-13.00	54.45	128	4	Vertical
5	5018.4	42.27	-44.93	32.60	-65.32	-13.00	52.32	176	80	Vertical
6	5854.8	42.50	-43.34	33.74	-62.36	-13.00	49.36	234	284	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

48 of 66 Page:

Test Band = GSM 850_ Ant13 **Test Channel = High Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1697.6	79.73	-48.25	25.55	-38.23	-13.00	25.23	178	328	Horizontal
2	2546.4	57.03	-46.97	28.06	-57.14	-13.00	44.14	193	282	Horizontal
3	3395.2	43.02	-46.27	29.44	-69.07	-13.00	56.07	245	247	Horizontal
4	4244	41.16	-45.11	30.99	-68.22	-13.00	55.22	284	357	Horizontal
5	5092.8	42.47	-44.62	32.60	-64.81	-13.00	51.81	169	282	Horizontal
6	5941.6	42.24	-43.35	34.01	-62.36	-13.00	49.36	301	173	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	1697.6	72.32	-48.25	25.55	-45.64	-13.00	32.64	187	359	Vertical
2	2546.4	53.77	-46.97	28.06	-60.40	-13.00	47.40	244	360	Vertical
3	3395.2	43.13	-46.27	29.44	-68.96	-13.00	55.96	182	139	Vertical
4	4244	41.69	-45.11	30.99	-67.69	-13.00	54.69	134	359	Vertical
5	5092.8	42.46	-44.62	32.60	-64.82	-13.00	51.82	249	29	Vertical
6	5941.6	42.74	-43.35	34.01	-61.86	-13.00	48.86	211	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

49 of 66 Page:

Test Band = GSM 1900_ Ant13 Test Channel = Low Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4	45.91	-45.70	29.88	-65.17	-13.00	52.17	158	98	Horizontal
2	5550.6	67.85	-43.87	32.76	-38.52	-13.00	25.52	214	216	Horizontal
3	7400.8	39.66	-41.98	36.44	-61.14	-13.00	48.14	196	249	Horizontal
4	9251	36.30	-38.39	38.57	-58.78	-13.00	45.78	234	114	Horizontal
5	11101.2	35.74	-35.37	39.50	-55.40	-13.00	42.40	175	148	Horizontal
6	12951.4	36.15	-34.89	39.55	-54.45	-13.00	41.45	166	66	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Folality
1	3700.4	46.84	-45.70	29.88	-64.24	-13.00	51.24	189	259	Vertical
2	5550.6	57.35	-43.87	32.76	-49.02	-13.00	36.02	256	145	Vertical
3	7400.8	38.82	-41.98	36.44	-61.98	-13.00	48.98	137	176	Vertical
4	9251	34.92	-38.39	38.57	-60.16	-13.00	47.16	188	160	Vertical
5	11101.2	32.03	-35.37	39.50	-59.11	-13.00	46.11	172	129	Vertical
6	12951.4	34.74	-34.89	39.55	-55.86	-13.00	42.86	195	160	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

50 of 66 Page:

Test Band = GSM 1900_ Ant13 Test Channel = Mid Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3760	46.04	-45.54	30.03	-64.73	-13.00	51.73	248	212	Horizontal
2	5640	69.85	-43.81	33.05	-36.17	-13.00	23.17	189	229	Horizontal
3	7520	38.49	-41.53	36.54	-61.76	-13.00	48.76	266	164	Horizontal
4	9400	35.07	-38.16	38.56	-59.79	-13.00	46.79	235	229	Horizontal
5	11280	32.99	-35.28	39.32	-58.23	-13.00	45.23	175	196	Horizontal
6	13160	34.83	-34.68	39.70	-55.41	-13.00	42.41	218	294	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	3760	42.06	-45.54	30.03	-68.71	-13.00	55.71	229	233	Vertical
2	5640	55.76	-43.81	33.05	-50.26	-13.00	37.26	184	233	Vertical
3	7520	37.82	-41.53	36.54	-62.43	-13.00	49.43	175	148	Vertical
4	9400	35.11	-38.16	38.56	-59.75	-13.00	46.75	268	98	Vertical
5	11280	30.79	-35.28	39.32	-60.43	-13.00	47.43	179	354	Vertical
6	13160	35.22	-34.68	39.70	-55.02	-13.00	42.02	280	181	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

51 of 66 Page:

Test Band = GSM 1900_ Ant13 Test Channel = High Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5729.25	67.37	-43.66	33.33	-38.21	-13.00	25.21	148	216	Horizontal
2	3819.6	50.71	-45.44	30.17	-59.82	-13.00	46.82	211	216	Horizontal
3	7639.2	37.74	-41.29	36.78	-62.03	-13.00	49.03	193	360	Horizontal
4	9549	39.22	-38.13	38.55	-55.62	-13.00	42.62	262	149	Horizontal
5	11458.8	32.03	-35.27	39.14	-59.35	-13.00	46.35	135	68	Horizontal
6	13368.6	40.25	-35.13	39.82	-50.32	-13.00	37.32	185	182	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	5729.25	47.90	-43.66	33.33	-57.68	-13.00	44.68	259	203	Vertical
2	3819.6	47.82	-45.44	30.17	-62.71	-13.00	49.71	198	218	Vertical
3	7639.2	37.55	-41.29	36.78	-62.22	-13.00	49.22	176	16	Vertical
4	9549	37.98	-38.13	38.55	-56.86	-13.00	43.86	233	167	Vertical
5	11458.8	32.26	-35.27	39.14	-59.12	-13.00	46.12	196	346	Vertical
6	13368.6	39.60	-35.13	39.82	-50.97	-13.00	37.97	245	184	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 52 of 66

Test Band = GSM 850_ Ant31 Test Channel = Low Channel

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1648.4444	52.25	-48.38	25.58	-65.82	-13.00	52.82	148	358	Horizontal
2	2472.4444	65.08	-46.97	27.84	-49.31	-13.00	36.31	219	3	Horizontal
3	3296.8	44.14	-46.11	29.48	-67.75	-13.00	54.75	238	172	Horizontal
4	4121	43.86	-45.35	30.79	-65.95	-13.00	52.95	194	3	Horizontal
5	4945.2	41.92	-45.09	32.47	-65.96	-13.00	52.96	275	31	Horizontal
6	5769.4	41.68	-43.53	33.46	-63.64	-13.00	50.64	162	63	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	2472.4444	62.43	-46.97	27.84	-51.96	-13.00	38.96	128	127	Vertical
2	3279.1111	48.05	-46.14	29.49	-63.87	-13.00	50.87	259	17	Vertical
3	1648.4	59.59	-48.38	25.58	-58.48	-13.00	45.48	233	313	Vertical
4	4121	42.59	-45.35	30.79	-67.22	-13.00	54.22	274	82	Vertical
5	4945.2	41.57	-45.09	32.47	-66.31	-13.00	53.31	165	282	Vertical
6	5769.4	42.21	-43.53	33.46	-63.11	-13.00	50.11	241	190	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 53 of 66

Test Band = GSM 850_ Ant31 Test Channel = Mid Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1672.8	58.94	-48.32	25.56	-59.07	-13.00	46.07	163	32	Horizontal
2	2509.2	62.69	-46.79	27.93	-51.42	-13.00	38.42	287	359	Horizontal
3	3345.6	43.11	-46.19	29.46	-68.88	-13.00	55.88	209	288	Horizontal
4	4182	42.38	-45.16	30.89	-67.15	-13.00	54.15	146	130	Horizontal
5	5018.4	42.02	-44.93	32.60	-65.57	-13.00	52.57	288	130	Horizontal
6	5854.8	42.45	-43.34	33.74	-62.41	-13.00	49.41	170	112	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	1672.8	61.70	-48.32	25.56	-56.31	-13.00	43.31	211	108	Vertical
2	2509.2	60.31	-46.79	27.93	-53.80	-13.00	40.80	256	1	Vertical
3	3345.6	43.58	-46.19	29.46	-68.41	-13.00	55.41	239	43	Vertical
4	4182	41.92	-45.16	30.89	-67.61	-13.00	54.61	174	76	Vertical
5	5018.4	42.17	-44.93	32.60	-65.42	-13.00	52.42	144	59	Vertical
6	5854.8	43.67	-43.34	33.74	-61.19	-13.00	48.19	181	202	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 · 苏州 · 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

54 of 66 Page:

Test Band = GSM 850_ Ant31 **Test Channel = High Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	1697.6	53.71	-48.25	25.55	-64.25	-13.00	51.25	148	360	Horizontal
2	2546.4	60.65	-46.97	28.06	-53.52	-13.00	40.52	219	233	Horizontal
3	3395.2	44.91	-46.27	29.44	-67.18	-13.00	54.18	233	169	Horizontal
4	4244	42.60	-45.11	30.99	-66.78	-13.00	53.78	172	217	Horizontal
5	5092.8	43.20	-44.62	32.60	-64.08	-13.00	51.08	209	312	Horizontal
6	5941.6	42.16	-43.35	34.01	-62.44	-13.00	49.44	186	139	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1697.6	57.41	-48.25	25.55	-60.55	-13.00	47.55	218	59	Vertical
2	2546.4	60.77	-46.97	28.06	-53.40	-13.00	40.40	144	312	Vertical
3	3395.2	43.23	-46.27	29.44	-68.86	-13.00	55.86	275	249	Vertical
4	4244	42.57	-45.11	30.99	-66.81	-13.00	53.81	196	0	Vertical
5	5092.8	42.51	-44.62	32.60	-64.77	-13.00	51.77	231	345	Vertical
6	5941.6	42.91	-43.35	34.01	-61.69	-13.00	48.69	142	170	Vertical



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

55 of 66 Page:

Test Band = GSM 1900_ Ant31 **Test Channel = Low Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4	58.39	-45.70	29.88	-52.69	-13.00	39.69	144	280	Horizontal
2	5550.6	56.48	-43.87	32.76	-49.89	-13.00	36.89	287	247	Horizontal
3	7400.8	41.46	-41.98	36.44	-59.34	-13.00	46.34	195	83	Horizontal
4	9251	35.17	-38.39	38.57	-59.91	-13.00	46.91	233	164	Horizontal
5	11101.2	34.00	-35.37	39.50	-57.14	-13.00	44.14	284	230	Horizontal
6	12951.4	35.22	-34.89	39.55	-55.38	-13.00	42.38	176	212	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	3700.4	57.61	-45.70	29.88	-53.47	-13.00	40.47	248	0	Vertical
2	5550.6	58.16	-43.87	32.76	-48.21	-13.00	35.21	271	245	Vertical
3	7400.8	41.79	-41.98	36.44	-59.01	-13.00	46.01	195	148	Vertical
4	9251	34.09	-38.39	38.57	-60.99	-13.00	47.99	238	261	Vertical
5	11101.2	38.58	-35.37	39.50	-52.56	-13.00	39.56	147	180	Vertical
6	12951.4	39.32	-34.89	39.55	-51.28	-13.00	38.28	185	114	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

56 of 66 Page:

Test Band = GSM 1900_ Ant31 **Test Channel = Mid Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3759.75	56.41	-45.54	30.02	-54.37	-13.00	41.37	216	227	Horizontal
2	5640	57.04	-43.81	33.05	-48.98	-13.00	35.98	135	211	Horizontal
3	7520	38.23	-41.53	36.54	-62.02	-13.00	49.02	298	0	Horizontal
4	9400	36.76	-38.16	38.56	-58.10	-13.00	45.10	172	108	Horizontal
5	11280	32.64	-35.28	39.32	-58.58	-13.00	45.58	140	277	Horizontal
6	13160	33.25	-34.68	39.70	-56.99	-13.00	43.99	216	125	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3759.75	60.43	-45.54	30.02	-50.35	-13.00	37.35	259	142	Vertical
2	5640	61.23	-43.81	33.05	-44.79	-13.00	31.79	287	176	Vertical
3	7520	38.12	-41.53	36.54	-62.13	-13.00	49.13	146	310	Vertical
4	9400	35.54	-38.16	38.56	-59.32	-13.00	46.32	203	279	Vertical
5	11280	31.52	-35.28	39.32	-59.70	-13.00	46.70	129	279	Vertical
6	13160	34.57	-34.68	39.70	-55.67	-13.00	42.67	168	210	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the submitting the proper false of the sample of the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 57 of 66

Test Band = GSM 1900_ Ant31 **Test Channel = High Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	3819.6	53.69	-45.44	30.17	-56.84	-13.00	43.84	246	211	Horizontal
2	5729.5	44.32	-43.65	33.34	-61.26	-13.00	48.26	135	294	Horizontal
3	7639.2	38.08	-41.29	36.78	-61.69	-13.00	48.69	284	211	Horizontal
4	9549	37.85	-38.13	38.55	-56.99	-13.00	43.99	169	108	Horizontal
5	11458.8	32.11	-35.27	39.14	-59.27	-13.00	46.27	281	13	Horizontal
6	13368.6	39.08	-35.13	39.82	-51.49	-13.00	38.49	206	211	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	3819.6	62.66	-45.44	30.17	-47.87	-13.00	34.87	194	98	Vertical
2	5729.5	46.07	-43.65	33.34	-59.51	-13.00	46.51	162	1	Vertical
3	7639.2	37.23	-41.29	36.78	-62.54	-13.00	49.54	239	47	Vertical
4	9549	36.91	-38.13	38.55	-57.93	-13.00	44.93	178	214	Vertical
5	11458.8	32.17	-35.27	39.14	-59.21	-13.00	46.21	146	247	Vertical
6	13368.6	38.48	-35.13	39.82	-52.09	-13.00	39.09	298	129	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

58 of 66 Page:

Test on the worst case:

Test Band = GSM 1900 Ant13 **Test Channel = Low Channel**

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4	45.07	-45.70	30.28	-65.61	-13.00	52.61	196	24	Horizontal
2	5550.6	71.99	-43.87	33.27	-33.87	-13.00	20.87	265	320	Horizontal
3	7400.8	40.61	-41.98	36.48	-60.15	-13.00	47.15	284	357	Horizontal
4	9251	35.32	-38.39	37.68	-60.66	-13.00	47.66	142	6	Horizontal
5	11101.2	38.33	-35.37	38.40	-53.90	-13.00	40.90	263	333	Horizontal
6	12951.4	35.95	-34.89	39.54	-54.66	-13.00	41.66	228	357	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4	51.45	-45.70	30.28	-59.23	-13.00	46.23	196	115	Vertical
2	5550.6	60.47	-43.87	33.27	-45.39	-13.00	32.39	265	322	Vertical
3	7400.8	41.24	-41.98	36.48	-59.52	-13.00	46.52	284	0	Vertical
4	9251	34.55	-38.39	37.68	-61.43	-13.00	48.43	142	236	Vertical
5	11101.2	33.00	-35.37	38.40	-59.23	-13.00	46.23	263	357	Vertical
6	12951.4	34.70	-34.89	39.54	-55.91	-13.00	42.91	226	8	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-



Report No.: SEWM2306000194RG01

Rev.: 01

59 of 66 Page:

Test Band = GSM 1900_ Ant13 **Test Channel = Mid Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3760	45.64	-45.54	30.49	-64.67	-13.00	51.67	265	36	Horizontal
2	5640	71.73	-43.81	33.58	-33.77	-13.00	20.77	284	333	Horizontal
3	7520	38.33	-41.53	36.62	-61.84	-13.00	48.84	142	357	Horizontal
4	9400	36.40	-38.16	37.72	-59.30	-13.00	46.30	263	61	Horizontal
5	11280	37.47	-35.28	38.40	-54.67	-13.00	41.67	225	1	Horizontal
6	13160	34.62	-34.68	39.71	-55.60	-13.00	42.60	147	15	Horizontal

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3759.75	49.17	-45.54	30.48	-61.15	-13.00	48.15	196	40	Vertical
2	5640	56.65	-43.81	33.58	-48.85	-13.00	35.85	265	40	Vertical
3	7520	38.37	-41.53	36.62	-61.80	-13.00	48.80	284	261	Vertical
4	9400	36.21	-38.16	37.72	-59.49	-13.00	46.49	142	0	Vertical
5	11280	31.12	-35.28	38.40	-61.02	-13.00	48.02	263	1	Vertical
6	13160	38.59	-34.68	39.71	-51.63	-13.00	38.63	228	357	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 60 of 66

Test Band = GSM 1900_ Ant13 Test Channel = High Channel

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5729.25	65.46	-43.66	33.88	-39.58	-13.00	26.58	196	0	Horizontal
2	3819.6	49.72	-45.44	30.69	-60.29	-13.00	47.29	265	51	Horizontal
3	7639.2	38.07	-41.29	36.74	-61.74	-13.00	48.74	284	27	Horizontal
4	9549	39.50	-38.13	37.76	-56.12	-13.00	43.12	142	64	Horizontal
5	11458.8	32.39	-35.27	38.40	-59.74	-13.00	46.74	263	0	Horizontal
6	13368.6	35.40	-35.13	39.86	-55.13	-13.00	42.13	228	333	Horizontal

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dalawita
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5729.25	53.41	-43.66	33.88	-51.63	-13.00	38.63	196	295	Vertical
2	3819.6	52.45	-45.44	30.69	-57.56	-13.00	44.56	265	54	Vertical
3	7639.2	37.56	-41.29	36.74	-62.25	-13.00	49.25	284	345	Vertical
4	9549	36.50	-38.13	37.76	-59.12	-13.00	46.12	142	282	Vertical
5	11458.8	31.99	-35.27	38.40	-60.14	-13.00	47.14	263	1	Vertical
6	13368.6	35.56	-35.13	39.86	-54.97	-13.00	41.97	288	8	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing (Inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Attention:**To check the authenticity of testing (Inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Tothock the authenticity of testing (Inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Tothock the authenticity of testing (Inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Tothock the authenticity of testing (Inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Tothock the authenticity of

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

61 of 66 Page:

Test Band = GSM 1900_ Ant31 **Test Channel = Low Channel**

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	3700.4	43.21	-45.70	30.28	-67.47	-13.00	54.47	296	357	Horizontal
2	5550.6	69.15	-43.87	33.27	-36.71	-13.00	23.71	265	346	Horizontal
3	7400.8	40.55	-41.98	36.48	-60.21	-13.00	47.21	284	1	Horizontal
4	9251	36.29	-38.39	37.68	-59.69	-13.00	46.69	142	295	Horizontal
5	11101.2	36.68	-35.37	38.40	-55.55	-13.00	42.55	263	357	Horizontal
6	12951.4	37.92	-34.89	39.54	-52.69	-13.00	39.69	228	321	Horizontal

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dalawita
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4	50.80	-45.70	30.28	-59.88	-13.00	46.88	196	102	Vertical
2	5550.6	54.53	-43.87	33.27	-51.33	-13.00	38.33	265	314	Vertical
3	7400.8	42.52	-41.98	36.48	-58.24	-13.00	45.24	284	357	Vertical
4	9251	33.85	-38.39	37.68	-62.13	-13.00	49.13	142	181	Vertical
5	11101.2	34.46	-35.37	38.40	-57.77	-13.00	44.77	263	345	Vertical
6	12951.4	38.48	-34.89	39.54	-52.13	-13.00	39.13	228	1	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the submitting the proper false of the sample of the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

62 of 66 Page:

Test Band = GSM 1900_ Ant31 **Test Channel = Mid Channel**

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3760	46.49	-45.54	30.49	-63.82	-13.00	50.82	196	38	Horizontal
2	5640	67.25	-43.81	33.58	-38.25	-13.00	25.25	265	0	Horizontal
3	7520	37.31	-41.53	36.62	-62.86	-13.00	49.86	284	218	Horizontal
4	9400	36.80	-38.16	37.72	-58.90	-13.00	45.90	142	55	Horizontal
5	11280	34.68	-35.28	38.40	-57.46	-13.00	44.46	263	0	Horizontal
6	13160	31.71	-34.68	39.71	-58.51	-13.00	45.51	228	267	Horizontal

Data	List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3759.75	55.29	-45.54	30.48	-55.03	-13.00	42.03	296	345	Vertical
2	5640	55.61	-43.81	33.58	-49.89	-13.00	36.89	265	34	Vertical
3	7520	39.50	-41.53	36.62	-60.67	-13.00	47.67	284	357	Vertical
4	9400	34.22	-38.16	37.72	-61.48	-13.00	48.48	142	279	Vertical
5	11280	31.26	-35.28	38.40	-60.88	-13.00	47.88	263	167	Vertical
6	13160	37.79	-34.68	39.71	-52.43	-13.00	39.43	228	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the submitting the proper false of the sample of the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 63 of 66

Test Band = GSM 1900_ Ant31 Test Channel = High Channel

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	5729.25	65.95	-43.66	33.88	-39.09	-13.00	26.09	196	313	Horizontal
2	3819.6	51.49	-45.44	30.69	-58.52	-13.00	45.52	265	229	Horizontal
3	7639.2	41.00	-41.29	36.74	-58.81	-13.00	45.81	284	0	Horizontal
4	9549	37.09	-38.13	37.76	-58.53	-13.00	45.53	142	357	Horizontal
5	11458.8	32.47	-35.27	38.40	-59.66	-13.00	46.66	263	0	Horizontal
6	13368.6	37.68	-35.13	39.86	-52.85	-13.00	39.85	228	19	Horizontal

Data	List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5729.25	51.83	-43.66	33.88	-53.21	-13.00	40.21	102	8	Vertical
2	3819.6	53.77	-45.44	30.69	-56.24	-13.00	43.24	296	101	Vertical
3	7639.2	38.53	-41.29	36.74	-61.28	-13.00	48.28	265	313	Vertical
4	9549	37.33	-38.13	37.76	-58.29	-13.00	45.29	284	51	Vertical
5	11458.8	31.76	-35.27	38.40	-60.37	-13.00	47.37	142	344	Vertical
6	13368.6	36.77	-35.13	39.86	-53.76	-13.00	40.76	263	1	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx.and, for electronic Documents stubiect to Terms and Conditions/Terms-Document.agpx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document coment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 64 of 66

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	190	VL	NT	2.29	0.002737	±2.5	PASS
GSM850	190	VN	NT	1.26	0.001506	±2.5	PASS
GSM850	190	VH	NT	-0.10	-0.000120	±2.5	PASS
EGPRS850	190	VL	NT	16.01	0.019137	±2.5	PASS
EGPRS850	190	VN	NT	15.66	0.018719	±2.5	PASS
EGPRS850	190	VH	NT	17.31	0.020691	±2.5	PASS

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict	
GSM1900	661	VL	NT	0.45	0.000239	PASS	
GSM1900	661	VN	NT	1.32	0.000702	PASS	
GSM1900	661	VH	NT	1.81	0.000963	PASS	
EGPRS1900	661	VL	NT	11.24	0.005979	PASS	
EGPRS1900	661	VN	NT	14.92	0.007936	PASS	
EGPRS1900	661	VH	NT	15.30	0.008138	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the submitting the proper false of the sample of the



Report No.: SEWM2306000194RG01

Rev.: 01

65 of 66 Page:

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	190	NV	-30	3.33	0.003980	±2.5	PASS
GSM850	190	NV	-20	6.39	0.007638	±2.5	PASS
GSM850	190	NV	-10	-0.36	-0.000430	±2.5	PASS
GSM850	190	NV	0	2.13	0.002546	±2.5	PASS
GSM850	190	NV	10	5.00	0.005977	±2.5	PASS
GSM850	190	NV	20	2.71	0.003239	±2.5	PASS
GSM850	190	NV	30	2.42	0.002893	±2.5	PASS
GSM850	190	NV	40	1.16	0.001387	±2.5	PASS
GSM850	190	NV	50	0.32	0.000383	±2.5	PASS
EGPRS850	190	NV	-30	16.37	0.019567	±2.5	PASS
EGPRS850	190	NV	-20	15.08	0.018025	±2.5	PASS
EGPRS850	190	NV	-10	15.63	0.018683	±2.5	PASS
EGPRS850	190	NV	0	16.85	0.020141	±2.5	PASS
EGPRS850	190	NV	10	16.27	0.019448	±2.5	PASS
EGPRS850	190	NV	20	16.85	0.020141	±2.5	PASS
EGPRS850	190	NV	30	15.79	0.018874	±2.5	PASS
EGPRS850	190	NV	40	16.01	0.019137	±2.5	PASS
EGPRS850	190	NV	50	16.59	0.019830	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

AttentionC. check the substitution of the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000194RG01

Rev.: 01

Page: 66 of 66

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict	
GSM1900	661	NV	-30	1.26	0.000670	PASS	
GSM1900	661	NV	-20	-1.13	-0.000601	PASS	
GSM1900	661	NV	-10	-1.36	-0.000723	PASS	
GSM1900	661	NV	0	2.68	0.001426	PASS	
GSM1900	661	NV	10	-5.59	-0.002973	PASS	
GSM1900	661	NV	20	3.55	0.001888	PASS	
GSM1900	661	NV	30	2.87	0.001527	PASS	
GSM1900	661	NV	40	-1.03	-0.000548	PASS	
GSM1900	661	NV	50	0.61	0.000324	PASS	
EGPRS1900	661	NV	-30	15.72	0.008362	PASS	
EGPRS1900	661	NV	-20	14.66	0.007798	PASS	
EGPRS1900	661	NV	-10	12.75	0.006782	PASS	
EGPRS1900	661	NV	0	12.69	0.006750	PASS	
EGPRS1900	661	NV	10	15.21	0.008090	PASS	
EGPRS1900	661	NV	20	12.82	0.006819	PASS	
EGPRS1900	661	NV	30	11.98	0.006372	PASS	
EGPRS1900	661	NV	40	12.62	0.006713	PASS	
EGPRS1900	661	NV	50	14.88	0.007915	PASS	

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic format documents, subject to Terms and Conditions (Terms-en/Decument as http://www.sgs.com/en/Terms-en/Decument.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980