


Report No.: SEWM2306000194RG06

Rev.: 01

Page: 103 of 294

#### 802.11a\_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7796.1458	47.74	37.09	-40.70	44.13	68.30	24.17	285	32	Horizontal			
2	11650	39.34	38.95	-35.02	43.27	74.00	30.73	241	80	Horizontal			
3	17475	36.97	40.50	-31.62	45.85	68.30	22.45	146	145	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 104 of 294

#### 802.11a\_Channel 165



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7758.7708	48.84	37.02	-40.77	45.09	68.30	23.21	196	18	Vertical
2	11650	39.86	38.95	-35.02	43.79	74.00	30.21	225	0	Vertical
3	17475	37.23	40.50	-31.62	46.11	68.30	22.19	147	264	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 105 of 294

#### 802.11n20\_Channel 36



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7762.6042	47.55	37.03	-40.76	43.81	68.30	24.49	142	164	Horizontal			
2	10360	42.86	38.90	-36.43	45.33	68.30	22.97	265	261	Horizontal			
3	15540	36.95	38.50	-34.01	41.44	74.00	32.56	284	17	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 106 of 294

#### 802.11n20\_Channel 36



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7891.5	47.57	37.28	-40.69	44.16	68.30	24.14	268	181	Vertical			
2	10360	40.23	38.90	-36.43	42.70	68.30	25.60	254	346	Vertical			
3	15540	38.40	38.50	-34.01	42.89	74.00	31.11	174	82	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 107 of 294

#### 802.11n20\_Channel 44



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7532.125	47.88	36.56	-41.21	43.24	74.00	30.76	296	39	Horizontal
2	10440	39.21	38.98	-36.23	41.96	68.30	26.34	241	105	Horizontal
3	15660	37.95	38.34	-33.98	42.31	74.00	31.69	142	285	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 108 of 294

### 802.11n20\_Channel 44



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7792.7917	48.72	37.09	-40.70	45.10	68.30	23.20	206	330	Vertical
2	10440	40.06	38.98	-36.23	42.81	68.30	25.49	254	246	Vertical
3	15660	38.09	38.34	-33.98	42.45	74.00	31.55	142	199	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 109 of 294

#### 802.11n20\_Channel 48



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8516.3333	46.36	38.07	-39.56	44.87	68.30	23.43	296	179	Horizontal			
2	10480	39.90	39.03	-36.19	42.74	68.30	25.56	265	357	Horizontal			
3	15720	39.18	38.26	-34.03	43.41	74.00	30.59	241	280	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 110 of 294

#### 802.11n20\_Channel 48



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8839.2917	45.60	38.42	-38.97	45.05	68.30	23.25	102	34	Vertical
2	10480	40.17	39.03	-36.19	43.01	68.30	25.29	285	164	Vertical
3	15720	39.08	38.26	-34.03	43.31	74.00	30.69	224	2	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 111 of 294

#### 802.11n20\_Channel 52



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8121.5	47.96	37.63	-40.16	45.43	74.00	28.57	206	0	Horizontal
2	10520	38.69	39.07	-36.13	41.64	68.30	26.66	254	229	Horizontal
3	15780	38.19	38.19	-33.83	42.55	74.00	31.45	142	8	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 112 of 294

#### 802.11n20\_Channel 52



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8399.8958	46.27	37.94	-39.89	44.32	74.00	29.68	106	87	Vertical
2	10520	38.35	39.07	-36.13	41.30	68.30	27.00	284	181	Vertical
3	15780	38.39	38.19	-33.83	42.75	74.00	31.25	142	282	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 113 of 294

#### 802.11n20\_Channel 60



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7750.625	47.90	37.00	-40.79	44.11	68.30	24.19	296	231	Horizontal			
2	10600	39.23	39.16	-35.95	42.44	74.00	31.56	265	345	Horizontal			
3	15900	36.29	38.03	-33.45	40.87	74.00	33.13	241	199	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 114 of 294

#### 802.11n20\_Channel 60



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7756.375	47.19	37.01	-40.78	43.43	68.30	24.87	296	163	Vertical
2	10600	39.42	39.16	-35.95	42.63	74.00	31.37	254	310	Vertical
3	15900	38.83	38.03	-33.45	43.41	74.00	30.59	142	0	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 115 of 294

#### 802.11n20\_Channel 64



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8923.625	46.40	38.52	-39.04	45.88	68.30	22.42	296	1	Horizontal
2	10640	38.28	39.20	-35.75	41.73	74.00	32.27	254	1	Horizontal
3	15960	37.83	37.95	-33.43	42.36	74.00	31.64	142	345	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 116 of 294

#### 802.11n20\_Channel 64



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8969.625	46.55	38.57	-38.68	46.43	68.30	21.87	102	166	Vertical			
2	10640	37.65	39.20	-35.75	41.10	74.00	32.90	295	132	Vertical			
3	15960	38.01	37.95	-33.43	42.54	74.00	31.46	241	0	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 117 of 294

#### 802.11n20\_Channel 100



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8097.0625	48.47	37.61	-40.25	45.83	74.00	28.17	142	96	Horizontal
2	11000	37.65	39.60	-35.31	41.94	74.00	32.06	265	49	Horizontal
3	16500	37.07	38.25	-32.34	42.98	68.30	25.32	284	357	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 3307 1443.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 118 of 294

#### 802.11n20\_Channel 100



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8063.0417	47.24	37.57	-40.38	44.43	74.00	29.57	196	282	Vertical
2	11000	39.09	39.60	-35.31	43.38	74.00	30.62	284	0	Vertical
3	16500	36.88	38.25	-32.34	42.79	68.30	25.51	142	151	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 119 of 294

#### 802.11n20\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8050.1042	46.52	37.56	-40.43	43.65	74.00	30.35	205	2	Horizontal				
2	11160	40.36	39.44	-34.61	45.19	74.00	28.81	296	0	Horizontal				
3	16740	39.47	38.42	-32.67	45.22	68.30	23.08	241	164	Horizontal				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 120 of 294

#### 802.11n20\_Channel 116



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8525.9167	45.90	38.08	-39.60	44.38	68.30	23.92	196	50	Vertical
2	11160	40.67	39.44	-34.61	45.50	74.00	28.50	285	344	Vertical
3	16740	38.00	38.42	-32.67	43.75	68.30	24.55	241	296	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 121 of 294

#### 802.11n20\_Channel 140



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7894.8542	47.94	37.29	-40.69	44.54	68.30	23.76	206	0	Horizontal			
2	11400	39.15	39.20	-35.05	43.30	74.00	30.70	295	84	Horizontal			
3	17100	37.16	39.00	-32.00	44.16	68.30	24.14	241	184	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 122 of 294

#### 802.11n20\_Channel 140



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8035.7292	46.98	37.54	-40.48	44.04	74.00	29.96	206	111	Vertical
2	11400	39.41	39.20	-35.05	43.56	74.00	30.44	284	111	Vertical
3	17100	37.93	39.00	-32.00	44.93	68.30	23.37	141	278	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 123 of 294

#### 802.11n20\_Channel 144



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8244.1667	46.66	37.77	-39.99	44.44	74.00	29.56	102	118	Horizontal			
2	11440	38.81	39.16	-34.84	43.12	74.00	30.88	265	231	Horizontal			
3	17160	38.66	39.24	-31.89	46.01	68.30	22.29	241	101	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 124 of 294

#### 802.11n20\_Channel 144



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8440.1458	47.30	37.98	-39.73	45.55	74.00	28.45	196	181	Vertical			
2	11440	39.11	39.16	-34.84	43.42	74.00	30.58	265	118	Vertical			
3	17160	38.56	39.24	-31.89	45.91	68.30	22.39	241	313	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 125 of 294

#### 802.11n20\_Channel 149



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8546.0417	45.94	38.10	-39.67	44.37	68.30	23.93	296	130	Horizontal
2	11490	38.72	39.11	-34.59	43.24	74.00	30.76	254	246	Horizontal
3	17235	38.18	39.54	-31.46	46.26	68.30	22.04	110	161	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 126 of 294

#### 802.11n20\_Channel 149



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8445.4167	46.60	37.99	-39.71	44.88	74.00	29.12	196	65	Vertical			
2	11490	39.91	39.11	-34.59	44.43	74.00	29.57	201	115	Vertical			
3	17235	37.61	39.54	-31.46	45.69	68.30	22.61	144	181	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 127 of 294

#### 802.11n20\_Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8111.9167	46.36	37.62	-40.20	43.79	74.00	30.21	226	279	Horizontal			
2	11570	38.27	39.03	-35.09	42.21	74.00	31.79	254	132	Horizontal			
3	17355	38.17	40.02	-31.34	46.85	68.30	21.45	142	132	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 128 of 294

#### 802.11n20\_Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8001.7083	47.75	37.50	-40.61	44.64	68.30	23.66	196	152	Vertical			
2	11570	38.04	39.03	-35.09	41.98	74.00	32.02	284	136	Vertical			
3	17355	37.92	40.02	-31.34	46.60	68.30	21.70	142	9	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 129 of 294

#### 802.11n20\_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8207.75	46.53	37.73	-39.90	44.36	74.00	29.64	285	0	Horizontal			
2	11650	39.05	38.95	-35.02	42.98	74.00	31.02	241	297	Horizontal			
3	17475	37.56	40.50	-31.62	46.44	68.30	21.86	146	0	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 130 of 294

#### 802.11n20\_Channel 165



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8413.7917	46.91	37.96	-39.84	45.03	74.00	28.97	102	330	Vertical
2	11650	39.74	38.95	-35.02	43.67	74.00	30.33	285	357	Vertical
3	17475	35.81	40.50	-31.62	44.69	68.30	23.61	241	17	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 131 of 294

#### 802.11n40\_Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8424.3333	47.24	37.97	-39.80	45.41	74.00	28.59	296	48	Horizontal			
2	10380	39.30	38.92	-36.35	41.87	68.30	26.43	254	345	Horizontal			
3	15570	37.11	38.46	-33.91	41.66	74.00	32.34	142	114	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 132 of 294

#### 802.11n40\_Channel 38



Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	8816.2917	45.54	38.40	-38.88	45.06	68.30	23.24	102	345	Vertical		
2	10380	40.20	38.92	-36.35	42.77	68.30	25.53	296	357	Vertical		
3	15570	37.35	38.46	-33.91	41.90	74.00	32.10	224	34	Vertical		






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 133 of 294

#### 802.11n40\_Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7770.75	48.65	37.04	-40.75	44.94	68.30	23.36	296	181	Horizontal			
2	10460	39.60	39.01	-36.21	42.40	68.30	25.90	265	181	Horizontal			
3	15690	37.44	38.30	-34.07	41.67	74.00	32.33	284	279	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 134 of 294

#### 802.11n40\_Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7625.0833	48.22	36.75	-41.15	43.82	74.00	30.18	102	357	Vertical			
2	10460	40.58	39.01	-36.21	43.38	68.30	24.92	296	213	Vertical			
3	15690	37.31	38.30	-34.07	41.54	74.00	32.46	265	0	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 135 of 294

### 802.11n40\_Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7885.2708	48.16	37.27	-40.69	44.74	68.30	23.56	185	0	Horizontal			
2	10540	38.37	39.09	-36.08	41.38	68.30	26.92	263	357	Horizontal			
3	15810	40.43	38.15	-33.73	44.85	74.00	29.15	224	148	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 136 of 294

#### 802.11n40\_Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8297.8333	46.86	37.83	-40.11	44.57	74.00	29.43	196	19	Vertical			
2	10540	39.30	39.09	-36.08	42.31	68.30	25.99	265	7	Vertical			
3	15810	38.88	38.15	-33.73	43.30	74.00	30.70	241	0	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 137 of 294

#### 802.11n40\_Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8428.6458	46.74	37.97	-39.78	44.93	74.00	29.07	265	98	Horizontal			
2	10620	39.44	39.18	-35.85	42.77	74.00	31.23	241	341	Horizontal			
3	15930	36.44	37.99	-33.44	40.99	74.00	33.01	175	1	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 138 of 294

#### 802.11n40\_Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8938	45.69	38.53	-38.93	45.29	68.30	23.01	206	8	Vertical			
2	10620	39.85	39.18	-35.85	43.18	74.00	30.82	262	8	Vertical			
3	15930	36.78	37.99	-33.44	41.33	74.00	32.67	241	279	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 139 of 294

#### 802.11n40\_Channel 102



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8401.8125	46.96	37.94	-39.88	45.02	74.00	28.98	206	17	Horizontal				
2	11020	37.55	39.58	-35.32	41.81	74.00	32.19	254	148	Horizontal				
3	16530	37.44	38.27	-32.46	43.25	68.30	25.05	142	312	Horizontal				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 140 of 294

#### 802.11n40\_Channel 102



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8432.4792	45.91	37.98	-39.76	44.12	74.00	29.88	296	82	Vertical			
2	11020	38.70	39.58	-35.32	42.96	74.00	31.04	265	0	Vertical			
3	16530	38.55	38.27	-32.46	44.36	68.30	23.94	284	0	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 141 of 294

#### 802.11n40\_Channel 110



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7847.4167	48.11	37.19	-40.69	44.61	68.30	23.69	296	179	Horizontal			
2	11100	39.74	39.50	-35.38	43.86	74.00	30.14	265	1	Horizontal			
3	16650	38.54	38.36	-32.77	44.13	68.30	24.17	241	264	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 142 of 294

#### 802.11n40\_Channel 110



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8401.8125	46.82	37.94	-39.88	44.88	74.00	29.12	102	179	Vertical
2	11100	39.58	39.50	-35.38	43.70	74.00	30.30	296	47	Vertical
3	16650	39.35	38.36	-32.77	44.94	68.30	23.36	254	16	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 143 of 294

#### 802.11n40\_Channel 134



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8315.5625	47.11	37.85	-40.08	44.87	74.00	29.13	102	357	Horizontal			
2	11340	39.66	39.26	-35.34	43.58	74.00	30.42	296	229	Horizontal			
3	17010	37.57	38.64	-31.94	44.27	68.30	24.03	254	82	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 144 of 294

#### 802.11n40\_Channel 134



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8410.4375	46.47	37.95	-39.85	44.57	74.00	29.43	102	132	Vertical				
2	11340	39.70	39.26	-35.34	43.62	74.00	30.38	265	33	Vertical				
3	17010	39.80	38.64	-31.94	46.50	68.30	21.80	284	356	Vertical				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 145 of 294

#### 802.11n40\_Channel 142



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8097.5417	46.71	37.61	-40.25	44.07	74.00	29.93	206	17	Horizontal				
2	11420	39.52	39.18	-34.95	43.75	74.00	30.25	254	278	Horizontal				
3	17130	37.40	39.12	-31.94	44.58	68.30	23.72	142	264	Horizontal				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 146 of 294

#### 802.11n40\_Channel 142



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7927.4375	47.47	37.35	-40.67	44.15	68.30	24.15	102	262	Vertical			
2	11420	38.77	39.18	-34.95	43.00	74.00	31.00	296	2	Vertical			
3	17130	36.72	39.12	-31.94	43.90	68.30	24.40	224	2	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 147 of 294

#### 802.11n40\_Channel 151



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7981.1042	47.84	37.46	-40.63	44.67	68.30	23.63	102	107	Horizontal				
2	11510	38.92	39.09	-34.62	43.39	74.00	30.61	296	176	Horizontal				
3	17265	37.52	39.66	-31.16	46.02	68.30	22.28	224	296	Horizontal				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 148 of 294

#### 802.11n40\_Channel 151



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8001.7083	48.33	37.50	-40.61	45.22	68.30	23.08	206	108	Vertical
2	11510	39.04	39.09	-34.62	43.51	74.00	30.49	254	179	Vertical
3	17265	36.66	39.66	-31.16	45.16	68.30	23.14	142	127	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 149 of 294

#### 802.11n40\_Channel 159



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8429.125	46.27	37.97	-39.78	44.47	74.00	29.53	296	357	Horizontal
2	11590	40.05	39.01	-35.24	43.82	74.00	30.18	254	98	Horizontal
3	17385	36.84	40.14	-31.62	45.36	68.30	22.94	142	263	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 150 of 294

#### 802.11n40\_Channel 159



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7910.6667	47.94	37.32	-40.68	44.58	68.30	23.72	102	0	Vertical			
2	11590	37.94	39.01	-35.24	41.71	74.00	32.29	285	1	Vertical			
3	17385	36.65	40.14	-31.62	45.17	68.30	23.13	265	246	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 151 of 294

#### 802.11ac80\_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8934.6458	46.39	38.53	-38.95	45.96	68.30	22.34	265	114	Horizontal			
2	10420	38.62	38.96	-36.25	41.33	68.30	26.97	241	81	Horizontal			
3	15630	38.00	38.38	-33.90	42.48	74.00	31.52	142	197	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 152 of 294

#### 802.11ac80\_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8121.0208	48.15	37.63	-40.16	45.62	74.00	28.38	185	65	Vertical			
2	10420	39.61	38.96	-36.25	42.32	68.30	25.98	265	1	Vertical			
3	15630	36.81	38.38	-33.90	41.29	74.00	32.71	241	96	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 3307 1443.




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 153 of 294

#### 802.11ac80\_Channel 58



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7498.5833	48.67	36.50	-41.20	43.97	74.00	30.03	285	229	Horizontal				
2	10580	39.20	39.14	-35.99	42.34	68.30	25.96	241	98	Horizontal				
3	15870	37.79	38.07	-33.54	42.32	74.00	31.68	142	148	Horizontal				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 154 of 294

#### 802.11ac80\_Channel 58



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7465.0417	48.40	36.48	-41.42	43.45	74.00	30.55	196	16	Vertical				
2	10580	39.76	39.14	-35.99	42.90	68.30	25.40	285	180	Vertical				
3	15870	36.60	38.07	-33.54	41.13	74.00	32.87	241	357	Vertical				






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 155 of 294

#### 802.11ac80\_Channel 106



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8689.7917	45.83	38.26	-39.22	44.87	68.30	23.43	285	132	Horizontal
2	11060	36.92	39.54	-35.35	41.11	74.00	32.89	241	215	Horizontal
3	16590	39.97	38.31	-32.69	45.59	68.30	22.71	142	198	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 156 of 294

#### 802.11ac80\_Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8422.4167	46.32	37.96	-39.80	44.48	74.00	29.52	102	19	Vertical			
2	11060	37.88	39.54	-35.35	42.07	74.00	31.93	285	280	Vertical			
3	16590	37.58	38.31	-32.69	43.20	68.30	25.10	241	331	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 157 of 294

#### 802.11ac80\_Channel 138



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7942.7708	47.02	37.39	-40.66	43.75	68.30	24.55	102	114	Horizontal
2	11380	38.97	39.22	-35.14	43.05	74.00	30.95	295	344	Horizontal
3	17070	38.35	38.88	-31.98	45.25	68.30	23.05	241	17	Horizontal






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 158 of 294

#### 802.11ac80\_Channel 138



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7506.25	47.65	36.51	-41.19	42.97	74.00	31.03	285	1	Vertical			
2	11380	38.70	39.22	-35.14	42.78	74.00	31.22	241	81	Vertical			
3	17070	39.75	38.88	-31.98	46.65	68.30	21.65	142	0	Vertical			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 159 of 294

#### 802.11ac80\_Channel 155



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7979.6667	46.91	37.46	-40.63	43.74	68.30	24.56	201	233	Horizontal			
2	11550	36.76	39.05	-34.93	40.88	74.00	33.12	142	345	Horizontal			
3	17325	40.44	39.90	-31.06	49.28	68.30	19.02	296	233	Horizontal			






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 160 of 294

#### 802.11ac80\_Channel 155



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8760.2292	44.84	38.34	-38.95	44.23	68.30	24.07	196	7	Vertical
2	11550	37.00	39.05	-34.93	41.12	74.00	32.88	285	81	Vertical
3	17325	38.81	39.90	-31.06	47.65	68.30	20.65	241	328	Vertical






Report No.: SEWM2306000194RG06

Rev.: 01

Page: 161 of 294

#### 802.11a\_Channel 40



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7434.8542	49.92	36.42	-42.92	43.42	74.00	30.58	159	356	Horizontal				
2	10400.0000	41.76	38.40	-38.72	41.44	68.30	26.86	266	288	Horizontal				
3	16500.0000	38.74	40.75	-34.28	45.21	68.30	23.09	187	5	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 162 of 294

#### 802.11a\_Channel 40



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8020.875	48.36	36.79	-41.97	43.18	68.30	25.12	147	288	Vertical
2	10400.0000	42.58	38.40	-38.72	42.26	68.30	26.04	265	288	Vertical
3	16500.0000	38.58	40.75	-34.28	45.05	68.30	23.25	188	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 163 of 294

#### 802.11a\_Channel 104



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7753.9792	48.59	36.70	-42.75	42.54	68.30	25.76	113	0	Horizontal		
2	11040.0000	38.93	38.70	-37.65	39.98	74.00	34.02	154	19	Horizontal		
3	16500.0000	35.40	40.75	-34.28	41.87	68.30	26.43	226	165	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000194RG06

Rev.: 01

164 of 294 Page:

#### 802.11a\_Channel 104



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7656.7083	48.68	36.66	-42.86	42.48	74.00	31.52	187	356	Vertical		
2	11040.0000	37.13	38.70	-37.65	38.18	74.00	35.82	145	68	Vertical		
3	16500.0000	36.05	40.75	-34.28	42.52	68.30	25.78	237	166	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭編: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 165 of 294

#### 802.11a\_Channel 136



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	8709.9167	48.45	36.45	-41.32	43.57	68.30	24.73	158	165	Horizontal		
2	11360.0000	36.97	38.74	-37.40	38.31	74.00	35.69	266	67	Horizontal		
3	17040.0000	34.19	42.48	-33.72	42.95	68.30	25.35	147	335	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 166 of 294

#### 802.11a\_Channel 136



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7529.25	49.28	36.61	-43.04	42.85	74.00	31.15	102	0	Vertical		
2	11360.0000	36.71	38.74	-37.40	38.05	74.00	35.95	187	92	Vertical		
3	17040.0000	33.68	42.48	-33.72	42.44	68.30	25.86	261	0	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000194RG06

Rev.: 01

Page: 167 of 294

#### 802.11n20\_Channel 40



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7494.75	48.64	36.59	-43.15	42.08	74.00	31.92	147	289	Horizontal		
2	10400.0000	37.78	38.40	-38.72	37.46	68.30	30.84	261	21	Horizontal		
3	16500.0000	35.08	40.75	-34.28	41.55	68.30	26.75	225	92	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000