

5GHz	mode	159 Channel	5795 Frequency(MHz)	Data Rate(Mbps)	17.38 Average Power (dBm)	17.50 Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	13.11	13.50		
	U-NII-2A	58	5290		13.07	13.50		
	U-NII-2C	106	5530		12.22	13.50		
		138	5690		13.05	13.50		
	U-NII-3	155	5775		15.74	16.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	13.01	13.50		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	14.57	15.50		
		40	5200		14.78	15.50		
		44	5220		14.81	15.50		
		48	5240		14.79	15.50		
	U-NII-2A	52	5260		14.57	15.50		
		56	5280		14.67	15.50		
		60	5300		14.59	15.50		
		64	5320		14.59	15.50		
	U-NII-2C	100	5500		13.13	15.00		
		104	5520		13.23	15.00		
		108	5540		13.08	15.00		
		112	5560		13.22	15.00		
		116	5580		13.36	15.00		
		132	5660		13.17	15.00		
		136	5680		13.85	15.00		
		140	5700		13.85	15.00		
	144	5720	13.93		15.00			
	U-NII-3	149	5745		16.95	18.00		
		153	5765		17.14	18.00		
		157	5785		17.19	18.00		
		161	5805		17.38	18.00		
		165	5825		17.34	18.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	12.80	13.50
			46		5230		12.89	13.50
		U-NII-2A	54		5270		12.16	13.00
			62		5310		12.20	13.00
		U-NII-2C	102		5510		12.38	14.00
110			5550	12.35	14.00			
134			5670	13.09	14.00			
142			5710	13.18	14.00			
U-NII-3		151	5755	16.98	17.50			
		159	5795	17.14	17.50			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	13.06	13.50
	U-NII-2A	58	5290		13.02	13.50
	U-NII-2C	106	5530		12.14	13.50
		138	5690		13.01	13.50
	U-NII-3	155	5775		15.71	16.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	13.09	13.50
802.11ax-20	RU26	36	5180	MCS0	8.83	9.00
		40	5200		8.89	9.00
		44	5220		8.81	9.00
		48	5240		8.85	9.00
	RU52	36	5180		11.73	12.00
		40	5200		11.82	12.00
		44	5220		11.82	12.00
		48	5240		11.81	12.00
	RU106	36	5180		14.86	15.00
		40	5200		14.89	15.00
		44	5220		14.88	15.00
		48	5240		14.91	15.00
	RU26	52	5260		9.41	9.50
		56	5280		9.45	9.50
		60	5300		9.44	9.50
		64	5320		9.39	9.50
	RU52	52	5260		12.14	12.50
		56	5280		12.18	12.50
		60	5300		12.08	12.50
		64	5320		12.09	12.50
	RU106	52	5260		15.35	15.50
		56	5280		15.33	15.50
		60	5300		15.23	15.50
		64	5320		15.03	15.50
	RU26	100	5500		7.95	9.00
		104	5520		7.87	9.00
		108	5540		7.96	9.00
		112	5560		8.07	9.00
		116	5580		8.73	9.00
		132	5660		8.88	9.00
		136	5680		8.61	9.00
		140	5700		8.88	9.00
	RU52	100	5500		10.58	12.00
		104	5520		10.53	12.00
		108	5540		10.37	12.00
		112	5560		10.53	12.00
		116	5580		11.01	12.00
		132	5660		11.39	12.00

		136	5680		11.93	12.00	
		140	5700		11.86	12.00	
		144	5720		11.67	12.00	
	RU106	100	5500		10.57	12.00	
		104	5520		10.52	12.00	
		108	5540		10.43	12.00	
		112	5560		10.62	12.00	
		116	5580		11.02	12.00	
		132	5660		11.35	12.00	
		136	5680		11.81	12.00	
		140	5700		11.81	12.00	
		144	5720		11.73	12.00	
		RU26	149		5745	15.86	16.00
	153		5765		15.81	16.00	
	157		5785		15.63	16.00	
	161		5805		15.84	16.00	
	165		5825		15.91	16.00	
	RU52	149	5745		15.67	16.00	
		153	5765		15.51	16.00	
		157	5785		15.42	16.00	
		161	5805		15.62	16.00	
		165	5825		15.83	16.00	
	RU106	149	5745		15.64	16.00	
		153	5765		15.59	16.00	
		157	5785		15.36	16.00	
		161	5805		15.62	16.00	
		165	5825		15.84	16.00	
	802.11ax-40	RU242	38		5190	13.36	13.50
			46		5230	13.42	13.50
		RU242	54		5270	12.57	13.00
62			5310	12.56	13.00		
RU242		102	5510	8.96	10.50		
		110	5550	8.92	10.50		
		134	5670	10.38	10.50		
		142	5710	10.26	10.50		
RU242		151	5755	15.46	16.00		
		159	5795	15.62	16.00		
802.11ax-80		RU484	42	5210	13.21	13.50	
			58	5290	12.95	13.50	
	RU484	106	5530	12.45	13.50		
		138	5690	9.41	9.50		
	RU484	155	5775	11.70	13.00		
802.11ax-160	RU996	50	5250	MCS0	12.91	13.50	

WIFI 5G MIMO Receiver off Standalone						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	18.66	19.50
		40	5200		18.76	19.50
		44	5220		18.57	19.50
		48	5240		18.59	19.50
	U-NII-2A	52	5260		18.49	19.50
		56	5280		18.51	19.50
		60	5300		18.49	19.50
		64	5320		18.47	19.50
	U-NII-2C	100	5500		17.39	19.00
		104	5520		17.50	19.00
		108	5540		17.45	19.00
		112	5560		17.51	19.00
		116	5580		17.60	19.00
		132	5660		17.61	19.00
		136	5680		17.97	19.00
		140	5700		18.05	19.00
	U-NII-3	144	5720		18.24	19.00
		149	5745		20.21	21.00
		153	5765		20.41	21.00
		157	5785		20.34	21.00
161		5805	20.49	21.00		
		165	5825	20.28	21.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	17.25	18.50
		40	5200		17.32	18.50
		44	5220		17.21	18.50
		48	5240		17.25	18.50
	U-NII-2A	52	5260		17.12	18.50
		56	5280		17.19	18.50
		60	5300		17.14	18.50
		64	5320		16.95	18.50
	U-NII-2C	100	5500		16.05	18.00
		104	5520		16.10	18.00
		108	5540		16.13	18.00
		112	5560		16.24	18.00
		116	5580		16.36	18.00
		132	5660		16.49	18.00
		136	5680		16.69	18.00
		140	5700		16.84	18.00
	U-NII-3	144	5720		16.92	18.00
		149	5745		19.92	21.00
		153	5765		20.13	21.00
		157	5785		20.10	21.00
		161	5805	20.21	21.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	20.01 Average Power (dBm)	21.00 Tune up		
802.11n-HT40	U-NII-1	38	5190	MCS0	15.44	16.00		
		46	5230		15.38	16.00		
	U-NII-2A	54	5270		15.21	16.00		
		62	5310		15.21	16.00		
	U-NII-2C	102	5510		15.75	17.00		
		110	5550		15.87	17.00		
		134	5670		16.39	17.00		
	U-NII-3	142	5710		16.59	17.00		
		151	5755		20.30	20.50		
	159	5795	20.38		20.50			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac-20	U-NII-1	36	5180	MCS0	17.28	18.50		
		40	5200		17.29	18.50		
		44	5220		17.14	18.50		
		48	5240		17.22	18.50		
	U-NII-2A	52	5260		17.10	18.50		
		56	5280		17.17	18.50		
		60	5300		17.07	18.50		
		64	5320		16.94	18.50		
	U-NII-2C	100	5500		16.06	18.00		
		104	5520		16.09	18.00		
		108	5540		16.19	18.00		
		112	5560		16.21	18.00		
		116	5580		16.36	18.00		
		132	5660		16.41	18.00		
		136	5680		16.58	18.00		
		140	5700		16.76	18.00		
	U-NII-3	144	5720		16.97	18.00		
		149	5745		19.93	21.00		
		153	5765		20.10	21.00		
		157	5785		20.01	21.00		
		161	5805		20.19	21.00		
	165	5825	19.95		21.00			
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ac-40	U-NII-1	38		5190	MCS0	15.40	16.00
46			5230	15.35	16.00			
U-NII-2A		54	5270	15.17	16.00			
		62	5310	15.21	16.00			
U-NII-2C		102	5510	15.75	17.00			
		110	5550	15.84	17.00			
		134	5670	16.37	17.00			
U-NII-3		142	5710	16.60	17.00			
		151	5755	20.26	20.50			

5GHz	mode	159 Channel	5795 Frequency(MHz)	Data Rate(Mbps)	20.36 Average Power (dBm)	20.50 Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	15.82	16.50		
	U-NII-2A	58	5290		15.70	16.50		
	U-NII-2C	106	5530		15.22	16.50		
		138	5690		16.00	16.50		
	U-NII-3	155	5775		18.69	19.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	15.69	16.50		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	17.36	18.50		
		40	5200		17.45	18.50		
		44	5220		17.37	18.50		
		48	5240		17.35	18.50		
	U-NII-2A	52	5260		17.24	18.50		
		56	5280		17.27	18.50		
		60	5300		17.20	18.50		
		64	5320		17.13	18.50		
	U-NII-2C	100	5500		16.10	18.00		
		104	5520		16.14	18.00		
		108	5540		16.17	18.00		
		112	5560		16.34	18.00		
		116	5580		16.44	18.00		
		132	5660		16.49	18.00		
		136	5680		16.76	18.00		
		140	5700		16.88	18.00		
	U-NII-3	144	5720		17.01	18.00		
		149	5745		19.96	21.00		
		153	5765		20.13	21.00		
		157	5785		20.05	21.00		
		161	5805		20.26	21.00		
			165		5825	20.03	21.00	
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	15.59	16.50
			46		5230		15.54	16.50
U-NII-2A		54	5270	14.90	16.00			
		62	5310	14.88	16.00			
U-NII-2C		102	5510	15.37	17.00			
		110	5550	15.50	17.00			
		134	5670	16.04	17.00			
		142	5710	16.22	17.00			
U-NII-3		151	5755	19.91	20.50			
		159	5795	20.03	20.50			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	15.76	16.50
	U-NII-2A	58	5290		15.64	16.50
	U-NII-2C	106	5530		15.15	16.50
		138	5690		15.95	16.50
	U-NII-3	155	5775		18.64	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	15.78	16.50
802.11ax-20	RU26	36	5180	MCS0	11.36	12.00
		40	5200		11.32	12.00
		44	5220		11.01	12.00
		48	5240		11.04	12.00
	RU52	36	5180		14.44	15.00
		40	5200		14.40	15.00
		44	5220		14.33	15.00
		48	5240		14.36	15.00
	RU106	36	5180		17.58	18.00
		40	5200		17.49	18.00
		44	5220		17.39	18.00
		48	5240		17.44	18.00
	RU26	52	5260		11.91	12.50
		56	5280		12.00	12.50
		60	5300		11.96	12.50
		64	5320		11.92	12.50
	RU52	52	5260		14.74	15.50
		56	5280		14.84	15.50
		60	5300		14.89	15.50
		64	5320		15.05	15.50
	RU106	52	5260		17.94	18.50
		56	5280		18.00	18.50
		60	5300		18.03	18.50
		64	5320		18.00	18.50
	RU26	100	5500		10.53	12.00
		104	5520		10.53	12.00
		108	5540		10.69	12.00
		112	5560		10.95	12.00
		116	5580		11.33	12.00
		132	5660		11.68	12.00
		136	5680		11.51	12.00
		140	5700		11.61	12.00
	RU52	100	5500		13.41	15.00
		104	5520		13.50	15.00
		108	5540		13.61	15.00
		112	5560		13.93	15.00
		116	5580		14.24	15.00
		132	5660		14.62	15.00

		136	5680		14.89	15.00
		140	5700		14.84	15.00
		144	5720		14.73	15.00
	RU106	100	5500		13.38	15.00
		104	5520		13.47	15.00
		108	5540		13.62	15.00
		112	5560		13.91	15.00
		116	5580		14.31	15.00
		132	5660		14.65	15.00
		136	5680		14.83	15.00
		140	5700		14.82	15.00
		144	5720		14.76	15.00
		RU26	149		5745	18.59
	153		5765		18.66	19.00
	157		5785		18.58	19.00
	161		5805		18.84	19.00
	165		5825		18.76	19.00
	RU52	149	5745		18.54	19.00
		153	5765		18.52	19.00
		157	5785		18.53	19.00
		161	5805		18.76	19.00
		165	5825		18.70	19.00
	RU106	149	5745		18.54	19.00
		153	5765		18.62	19.00
		157	5785		18.50	19.00
		161	5805		18.76	19.00
		165	5825		18.77	19.00
	802.11ax-40	RU242	38		5190	15.99
46			5230	15.91	16.50	
RU242		54	5270	15.27	16.00	
		62	5310	15.48	16.00	
RU242		102	5510	11.97	13.50	
		110	5550	12.25	13.50	
		134	5670	13.41	13.50	
		142	5710	13.34	13.50	
RU242		151	5755	18.55	19.00	
		159	5795	18.78	19.00	
802.11ax-80	RU484	42	5210	15.83	16.50	
		58	5290	15.63	16.50	
	RU484	106	5530	13.71	12.50	
		138	5690	12.35	12.50	
	RU484	155	5775	14.86	16.00	
802.11ax-160	RU996	50	5250	MCS0	15.76	16.50



WIFI 5G (Ant 22) Receiver off Simultaneous transmission WWAN+WLAN2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	13.86	15.00
		40	5200		13.80	15.00
		44	5220		13.69	15.00
		48	5240		13.68	15.00
	U-NII-2A	52	5260		13.50	15.00
		56	5280		13.50	15.00
		60	5300		13.48	15.00
		64	5320		13.44	15.00
	U-NII-2C	100	5500		13.68	15.50
		104	5520		13.87	15.50
		108	5540		14.03	15.50
		112	5560		14.24	15.50
		116	5580		14.26	15.50
		132	5660		14.60	15.50
		136	5680		14.48	15.50
		140	5700		14.65	15.50
	U-NII-3	144	5720		14.81	15.50
		149	5745		14.26	15.00
		153	5765		14.55	15.00
		157	5785		14.32	15.00
161		5805	14.60	15.00		
		165	5825	14.12	15.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	13.52	15.00
		40	5200		13.45	15.00
		44	5220		13.33	15.00
		48	5240		13.32	15.00
	U-NII-2A	52	5260		13.22	15.00
		56	5280		13.14	15.00
		60	5300		13.06	15.00
		64	5320		13.16	15.00
	U-NII-2C	100	5500		13.03	15.00
		104	5520		13.10	15.00
		108	5540		13.21	15.00
		112	5560		13.42	15.00
		116	5580		13.48	15.00
		132	5660		13.86	15.00
		136	5680		13.74	15.00
		140	5700		13.86	15.00
	U-NII-3	144	5720		13.94	15.00
		149	5745		13.91	15.00
		153	5765		14.20	15.00
		157	5785		13.98	15.00
		161	5805	14.23	15.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	13.73 Average Power (dBm)	15.00 Tune up	
802.11n-HT40	U-NII-1	38	5190	MCS0	12.30	13.00	
		46	5230		12.04	13.00	
	U-NII-2A	54	5270		11.90	13.00	
		62	5310		11.92	13.00	
	U-NII-2C	102	5510		12.77	14.00	
		110	5550		13.04	14.00	
		134	5670		13.36	14.00	
	U-NII-3	142	5710		13.74	14.00	
		151	5755		14.72	15.00	
			159		5795	14.92	15.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	
802.11ac-20	U-NII-1	36	5180	MCS0	13.50	15.00	
		40	5200		13.44	15.00	
		44	5220		13.32	15.00	
		48	5240		13.34	15.00	
	U-NII-2A	52	5260		13.15	15.00	
		56	5280		13.14	15.00	
		60	5300		13.10	15.00	
		64	5320		13.12	15.00	
	U-NII-2C	100	5500		13.02	15.00	
		104	5520		13.10	15.00	
		108	5540		13.33	15.00	
		112	5560		13.32	15.00	
		116	5580		13.46	15.00	
		132	5660		13.76	15.00	
		136	5680		13.59	15.00	
		140	5700		13.76	15.00	
	U-NII-3	144	5720		14.06	15.00	
		149	5745		13.89	15.00	
		153	5765		14.15	15.00	
		157	5785		13.96	15.00	
		161	5805		14.23	15.00	
			165		5825	13.73	15.00
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)
802.11ac-40	U-NII-1	38	5190	MCS0	12.24	13.00	
		46	5230		11.99	13.00	
	U-NII-2A	54	5270		11.88	13.00	
		62	5310		11.92	13.00	
	U-NII-2C	102	5510		12.80	14.00	
		110	5550		13.03	14.00	
		134	5670		13.37	14.00	
	U-NII-3	142	5710		13.74	14.00	
		151	5755		14.74	15.00	

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	12.49	13.50		
	U-NII-2A	58	5290		12.28	13.50		
	U-NII-2C	106	5530		12.19	13.50		
		138	5690		12.93	13.50		
	U-NII-3	155	5775		14.47	15.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	12.33	13.50		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	13.55	15.00		
		40	5200		13.48	15.00		
		44	5220		13.39	15.00		
		48	5240		13.43	15.00		
	U-NII-2A	52	5260		13.18	15.00		
		56	5280		13.16	15.00		
		60	5300		13.12	15.00		
		64	5320		13.15	15.00		
	U-NII-2C	100	5500		13.05	15.00		
		104	5520		13.02	15.00		
		108	5540		13.23	15.00		
		112	5560		13.43	15.00		
		116	5580		13.50	15.00		
		132	5660		13.76	15.00		
		136	5680		13.65	15.00		
		140	5700		13.88	15.00		
	U-NII-3	144	5720		14.07	15.00		
		149	5745		13.90	15.00		
		153	5765		14.20	15.00		
		157	5785		13.98	15.00		
		161	5805		14.25	15.00		
			165		5825	13.81	15.00	
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	12.34	13.50
			46		5230		12.14	13.50
U-NII-2A		54	5270	11.61	13.00			
		62	5310	11.52	13.00			
U-NII-2C		102	5510	12.33	14.00			
		110	5550	12.63	14.00			
		134	5670	12.96	14.00			
		142	5710	13.24	14.00			
U-NII-3		151	5755	14.27	15.00			
		159	5795	14.42	15.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	12.42	13.50
	U-NII-2A	58	5290		12.20	13.50
	U-NII-2C	106	5530		12.14	13.50
		138	5690		12.87	13.50
	U-NII-3	155	5775		14.44	15.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	12.43	13.50
802.11ax-20	RU26	36	5180	MCS0	7.81	9.00
		40	5200		7.64	9.00
		44	5220		7.01	9.00
		48	5240		7.03	9.00
	RU52	36	5180		11.11	12.00
		40	5200		10.91	12.00
		44	5220		10.76	12.00
		48	5240		10.83	12.00
	RU106	36	5180		14.26	15.00
		40	5200		14.02	15.00
		44	5220		13.81	15.00
		48	5240		13.89	15.00
	RU26	52	5260		8.31	9.50
		56	5280		8.47	9.50
		60	5300		8.39	9.50
		64	5320		8.36	9.50
	RU52	52	5260		11.28	12.50
		56	5280		11.45	12.50
		60	5300		11.67	12.50
		64	5320		11.99	12.50
	RU106	52	5260		14.02	15.00
		56	5280		14.17	15.00
		60	5300		14.34	15.00
		64	5320		14.49	15.00
	RU26	100	5500		7.05	9.00
		104	5520		7.13	9.00
		108	5540		7.37	9.00
		112	5560		7.81	9.00
		116	5580		7.86	9.00
		132	5660		8.45	9.00
		136	5680		8.38	9.00
		140	5700		8.29	9.00
	RU52	100	5500		10.22	12.00
		104	5520		10.44	12.00
		108	5540		10.82	12.00
		112	5560		11.28	12.00
		116	5580		11.44	12.00
		132	5660		11.81	12.00

		136	5680		11.83	12.00
		140	5700		11.79	12.00
		144	5720		11.76	12.00
	RU106	100	5500		10.15	12.00
		104	5520		10.39	12.00
		108	5540		10.78	12.00
		112	5560		11.16	12.00
		116	5580		11.57	12.00
		132	5660		11.91	12.00
		136	5680		11.82	12.00
		140	5700		11.81	12.00
		144	5720		11.77	12.00
		RU26	149		5745	12.29
	153		5765		12.50	13.00
	157		5785		12.53	13.00
	161		5805		12.83	13.00
	165		5825		12.61	13.00
	RU52	149	5745		12.40	13.00
		153	5765		12.53	13.00
		157	5785		12.63	13.00
		161	5805		12.90	13.00
		165	5825		12.57	13.00
	RU106	149	5745		12.44	13.00
		153	5765		12.65	13.00
		157	5785		12.64	13.00
		161	5805		12.90	13.00
		165	5825		12.69	13.00
	802.11ax-40	RU242	38		5190	12.57
46			5230	12.31	13.50	
RU242		54	5270	11.93	13.00	
		62	5310	12.37	13.00	
RU242		102	5510	8.95	10.50	
		110	5550	9.54	10.50	
		134	5670	10.41	10.50	
		142	5710	10.39	10.50	
RU242		151	5755	12.66	13.00	
		159	5795	12.97	13.00	
802.11ax-80		RU484	42	5210	12.39	13.50
			58	5290	12.26	13.50
	RU484	106	5530	7.72	9.50	
		138	5690	9.26	9.50	
	RU484	155	5775	12.85	13.00	
802.11ax-160	RU996	50	5250	MCS0	12.58	13.50

WIFI 5G (Ant 24) Receiver off Simultaneous transmission WWAN+WLAN2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	14.40	15.00
		40	5200		14.56	15.00
		44	5220		14.55	15.00
		48	5240		14.66	15.00
	U-NII-2A	52	5260		14.34	15.00
		56	5280		14.46	15.00
		60	5300		14.50	15.00
		64	5320		14.33	15.00
	U-NII-2C	100	5500		14.00	15.50
		104	5520		14.04	15.50
		108	5540		13.98	15.50
		112	5560		14.05	15.50
		116	5580		14.25	15.50
		132	5660		13.92	15.50
		136	5680		14.62	15.50
		140	5700		14.73	15.50
	U-NII-3	144	5720		14.84	15.50
		149	5745		14.49	15.00
		153	5765		14.58	15.00
		157	5785		14.56	15.00
161		5805	14.72	15.00		
		165	5825	14.65	15.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	13.92	15.00
		40	5200		14.09	15.00
		44	5220		14.06	15.00
		48	5240		14.17	15.00
	U-NII-2A	52	5260		13.87	15.00
		56	5280		14.00	15.00
		60	5300		13.94	15.00
		64	5320		13.78	15.00
	U-NII-2C	100	5500		13.05	15.00
		104	5520		13.08	15.00
		108	5540		13.03	15.00
		112	5560		13.04	15.00
		116	5580		13.21	15.00
		132	5660		13.06	15.00
		136	5680		13.62	15.00
		140	5700		13.80	15.00
	U-NII-3	144	5720		13.88	15.00
		149	5745		13.90	15.00
		153	5765		14.05	15.00
		157	5785		14.03	15.00
		161	5805	14.21	15.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	14.15 Average Power (dBm)	15.00 Tune up		
802.11n-HT40	U-NII-1	38	5190	MCS0	12.55	13.00		
		46	5230		12.67	13.00		
	U-NII-2A	54	5270		12.48	13.00		
		62	5310		12.46	13.00		
	U-NII-2C	102	5510		12.70	14.00		
		110	5550		12.67	14.00		
		134	5670		13.39	14.00		
	U-NII-3	142	5710		13.42	14.00		
		151	5755		14.68	15.00		
			159		5795	14.91	15.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac-20	U-NII-1	36	5180	MCS0	13.89	15.00		
		40	5200		14.06	15.00		
		44	5220		14.08	15.00		
		48	5240		14.15	15.00		
	U-NII-2A	52	5260		13.86	15.00		
		56	5280		13.96	15.00		
		60	5300		13.93	15.00		
		64	5320		13.80	15.00		
	U-NII-2C	100	5500		13.08	15.00		
		104	5520		13.06	15.00		
		108	5540		13.02	15.00		
		112	5560		13.07	15.00		
		116	5580		13.23	15.00		
		132	5660		13.01	15.00		
		136	5680		13.55	15.00		
		140	5700		13.73	15.00		
	U-NII-3	144	5720		13.85	15.00		
		149	5745		13.92	15.00		
		153	5765		14.04	15.00		
		157	5785		14.04	15.00		
		161	5805		14.22	15.00		
		165	5825		14.10	15.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ac-40	U-NII-1	38		5190	MCS0	12.53	13.00
46			5230	12.66	13.00			
U-NII-2A		54	5270	12.43	13.00			
		62	5310	12.46	13.00			
U-NII-2C		102	5510	12.67	14.00			
		110	5550	12.61	14.00			
		134	5670	13.35	14.00			
U-NII-3		142	5710	13.44	14.00			
		151	5755	14.68	15.00			

5GHz	mode	159 Channel	5795 Frequency(MHz)	Data Rate(Mbps)	14.90 Average Power (dBm)	15.00 Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	13.11	13.50		
	U-NII-2A	58	5290		13.07	13.50		
	U-NII-2C	106	5530		12.22	13.50		
		138	5690		13.05	13.50		
	U-NII-3	155	5775		14.83	15.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	13.01	13.50		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	14.14	15.00		
		40	5200		14.30	15.00		
		44	5220		14.23	15.00		
		48	5240		14.40	15.00		
	U-NII-2A	52	5260		14.06	15.00		
		56	5280		14.20	15.00		
		60	5300		14.17	15.00		
		64	5320		14.02	15.00		
	U-NII-2C	100	5500		13.13	15.00		
		104	5520		13.23	15.00		
		108	5540		13.08	15.00		
		112	5560		13.22	15.00		
		116	5580		13.36	15.00		
		132	5660		13.17	15.00		
		136	5680		13.85	15.00		
		140	5700		13.85	15.00		
	144	5720	13.93		15.00			
	U-NII-3	149	5745		14.12	15.00		
		153	5765		14.24	15.00		
		157	5785		14.25	15.00		
		161	5805		14.41	15.00		
		165	5825		14.31	15.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	12.80	13.50
			46		5230		12.89	13.50
U-NII-2A		54	5270	12.16	13.00			
		62	5310	12.20	13.00			
U-NII-2C		102	5510	12.38	14.00			
		110	5550	12.35	14.00			
		134	5670	13.09	14.00			
		142	5710	13.18	14.00			
U-NII-3		151	5755	14.39	15.00			
		159	5795	14.65	15.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		



802.11ax 80M	U-NII-1	42	5210	MCS0	13.06	13.50
	U-NII-2A	58	5290		13.02	13.50
	U-NII-2C	106	5530		12.14	13.50
		138	5690		13.01	13.50
	U-NII-3	155	5775		14.78	15.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	13.09	13.50
802.11ax-20	RU26	36	5180	MCS0	8.83	9.00
		40	5200		8.89	9.00
		44	5220		8.81	9.00
		48	5240		8.85	9.00
	RU52	36	5180		11.73	12.00
		40	5200		11.82	12.00
		44	5220		11.82	12.00
		48	5240		11.81	12.00
	RU106	36	5180		14.86	15.00
		40	5200		14.89	15.00
		44	5220		14.88	15.00
		48	5240		14.91	15.00
	RU26	52	5260		9.41	9.50
		56	5280		9.45	9.50
		60	5300		9.44	9.50
		64	5320		9.39	9.50
	RU52	52	5260		12.14	12.50
		56	5280		12.18	12.50
		60	5300		12.08	12.50
		64	5320		12.09	12.50
	RU106	52	5260		14.90	15.00
		56	5280		14.88	15.00
		60	5300		14.78	15.00
		64	5320		14.58	15.00
	RU26	100	5500		7.95	9.00
		104	5520		7.87	9.00
		108	5540		7.96	9.00
		112	5560		8.07	9.00
		116	5580		8.73	9.00
		132	5660		8.88	9.00
		136	5680		8.61	9.00
		140	5700		8.88	9.00
	RU52	100	5500		10.58	12.00
		104	5520		10.53	12.00
		108	5540		10.37	12.00
		112	5560		10.53	12.00
		116	5580		11.01	12.00
		132	5660		11.39	12.00

		136	5680		11.93	12.00	
		140	5700		11.86	12.00	
		144	5720		11.67	12.00	
	RU106	100	5500		10.57	12.00	
		104	5520		10.52	12.00	
		108	5540		10.43	12.00	
		112	5560		10.62	12.00	
		116	5580		11.02	12.00	
		132	5660		11.35	12.00	
		136	5680		11.81	12.00	
		140	5700		11.81	12.00	
		144	5720		11.73	12.00	
		RU26	149		5745	12.76	13.00
	153		5765		12.71	13.00	
	157		5785		12.53	13.00	
	161		5805		12.74	13.00	
	165		5825		12.81	13.00	
	RU52	149	5745		12.57	13.00	
		153	5765		12.41	13.00	
		157	5785		12.32	13.00	
		161	5805		12.52	13.00	
		165	5825		12.73	13.00	
	RU106	149	5745		12.54	13.00	
		153	5765		12.49	13.00	
		157	5785		12.26	13.00	
		161	5805		12.52	13.00	
		165	5825		12.74	13.00	
	802.11ax-40	RU242	38		5190	13.36	13.50
			46		5230	13.42	13.50
		RU242	54		5270	12.57	13.00
62			5310	12.56	13.00		
RU242		102	5510	8.96	10.50		
		110	5550	8.92	10.50		
		134	5670	10.38	10.50		
		142	5710	10.26	10.50		
RU242		151	5755	12.33	13.00		
		159	5795	12.55	13.00		
802.11ax-80		RU484	42	5210	13.21	13.50	
			58	5290	12.95	13.50	
	RU484	106	5530	8.45	9.50		
		138	5690	9.41	9.50		
	RU484	155	5775	12.66	13.00		
802.11ax-160	RU996	50	5250	MCS0	12.91	13.50	

WIFI 5G MIMO Receiver off Simultaneous transmission WWAN+WLAN2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	17.15	18.00
		40	5200		17.21	18.00
		44	5220		17.15	18.00
		48	5240		17.21	18.00
	U-NII-2A	52	5260		16.95	18.00
		56	5280		17.02	18.00
		60	5300		17.03	18.00
		64	5320		16.92	18.00
	U-NII-2C	100	5500		16.85	18.50
		104	5520		16.97	18.50
		108	5540		17.02	18.50
		112	5560		17.16	18.50
		116	5580		17.27	18.50
		132	5660		17.28	18.50
		136	5680		17.56	18.50
		140	5700		17.70	18.50
	U-NII-3	144	5720		17.84	18.50
		149	5745		17.39	18.00
		153	5765		17.58	18.00
		157	5785		17.45	18.00
161		5805	17.67	18.00		
		165	5825	17.40	18.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	16.73	18.00
		40	5200		16.79	18.00
		44	5220		16.72	18.00
		48	5240		16.78	18.00
	U-NII-2A	52	5260		16.57	18.00
		56	5280		16.60	18.00
		60	5300		16.53	18.00
		64	5320		16.49	18.00
	U-NII-2C	100	5500		16.05	18.00
		104	5520		16.10	18.00
		108	5540		16.13	18.00
		112	5560		16.24	18.00
		116	5580		16.36	18.00
		132	5660		16.49	18.00
		136	5680		16.69	18.00
		140	5700		16.84	18.00
	U-NII-3	144	5720		16.92	18.00
		149	5745		16.92	18.00
		153	5765		17.14	18.00
		157	5785		17.02	18.00
		161	5805	17.23	18.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	16.96 Average Power (dBm)	18.00 Tune up		
802.11n-HT40	U-NII-1	38	5190	MCS0	15.44	16.00		
		46	5230		15.38	16.00		
	U-NII-2A	54	5270		15.21	16.00		
		62	5310		15.21	16.00		
	U-NII-2C	102	5510		15.75	17.00		
		110	5550		15.87	17.00		
		134	5670		16.39	17.00		
	U-NII-3	142	5710		16.59	17.00		
		151	5755		17.71	18.00		
			159		5795	17.93	18.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac-20	U-NII-1	36	5180	MCS0	16.71	18.00		
		40	5200		16.77	18.00		
		44	5220		16.73	18.00		
		48	5240		16.77	18.00		
	U-NII-2A	52	5260		16.53	18.00		
		56	5280		16.58	18.00		
		60	5300		16.55	18.00		
		64	5320		16.48	18.00		
	U-NII-2C	100	5500		16.06	18.00		
		104	5520		16.09	18.00		
		108	5540		16.19	18.00		
		112	5560		16.21	18.00		
		116	5580		16.36	18.00		
		132	5660		16.41	18.00		
		136	5680		16.58	18.00		
		140	5700		16.76	18.00		
	U-NII-3	144	5720		16.97	18.00		
		149	5745		16.92	18.00		
		153	5765		17.11	18.00		
		157	5785		17.01	18.00		
		161	5805		17.24	18.00		
		165	5825		16.93	18.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ac-40	U-NII-1	38		5190	MCS0	15.40	16.00
46			5230	15.35	16.00			
U-NII-2A		54	5270	15.17	16.00			
		62	5310	15.21	16.00			
U-NII-2C		102	5510	15.75	17.00			
		110	5550	15.84	17.00			
		134	5670	16.37	17.00			
U-NII-3		142	5710	16.60	17.00			
		151	5755	17.72	18.00			

5GHz	mode	159 Channel	5795 Frequency(MHz)	Data Rate(Mbps)	17.92 Average Power (dBm)	18.00 Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	15.82	16.50		
	U-NII-2A	58	5290		15.70	16.50		
	U-NII-2C	106	5530		15.22	16.50		
		138	5690		16.00	16.50		
	U-NII-3	155	5775		17.66	18.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	15.69	16.50		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	16.87	18.00		
		40	5200		16.92	18.00		
		44	5220		16.84	18.00		
		48	5240		16.95	18.00		
	U-NII-2A	52	5260		16.65	18.00		
		56	5280		16.72	18.00		
		60	5300		16.69	18.00		
		64	5320		16.62	18.00		
	U-NII-2C	100	5500		16.10	18.00		
		104	5520		16.14	18.00		
		108	5540		16.17	18.00		
		112	5560		16.34	18.00		
		116	5580		16.44	18.00		
		132	5660		16.49	18.00		
		136	5680		16.76	18.00		
		140	5700		16.88	18.00		
	U-NII-3	144	5720		17.01	18.00		
		149	5745		17.02	18.00		
		153	5765		17.23	18.00		
		157	5785		17.13	18.00		
		161	5805		17.34	18.00		
	165	5825	17.08		18.00			
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	15.59	16.50
			46		5230		15.54	16.50
U-NII-2A		54	5270	14.90	16.00			
		62	5310	14.88	16.00			
U-NII-2C		102	5510	15.37	17.00			
		110	5550	15.50	17.00			
		134	5670	16.04	17.00			
		142	5710	16.22	17.00			
U-NII-3		151	5755	17.34	18.00			
		159	5795	17.55	18.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	15.76	16.50
	U-NII-2A	58	5290		15.64	16.50
	U-NII-2C	106	5530		15.15	16.50
		138	5690		15.95	16.50
	U-NII-3	155	5775		17.62	18.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	15.78	16.50
802.11ax-20	RU26	36	5180	MCS0	11.36	12.00
		40	5200		11.32	12.00
		44	5220		11.01	12.00
		48	5240		11.04	12.00
	RU52	36	5180		14.44	15.00
		40	5200		14.40	15.00
		44	5220		14.33	15.00
		48	5240		14.36	15.00
	RU106	36	5180		17.58	18.00
		40	5200		17.49	18.00
		44	5220		17.39	18.00
		48	5240		17.44	18.00
	RU26	52	5260		11.91	12.50
		56	5280		12.00	12.50
		60	5300		11.96	12.50
		64	5320		11.92	12.50
	RU52	52	5260		14.74	15.50
		56	5280		14.84	15.50
		60	5300		14.89	15.50
		64	5320		15.05	15.50
	RU106	52	5260		17.49	18.00
		56	5280		17.55	18.00
		60	5300		17.58	18.00
		64	5320		17.55	18.00
	RU26	100	5500		10.53	12.00
		104	5520		10.53	12.00
		108	5540		10.69	12.00
		112	5560		10.95	12.00
		116	5580		11.33	12.00
		132	5660		11.68	12.00
		136	5680		11.51	12.00
		140	5700		11.61	12.00
	RU52	100	5500		13.41	15.00
		104	5520		13.50	15.00
		108	5540		13.61	15.00
		112	5560		13.93	15.00
		116	5580		14.24	15.00
		132	5660		14.62	15.00

		136	5680		14.89	15.00	
		140	5700		14.84	15.00	
		144	5720		14.73	15.00	
	RU106	100	5500		13.38	15.00	
		104	5520		13.47	15.00	
		108	5540		13.62	15.00	
		112	5560		13.91	15.00	
		116	5580		14.31	15.00	
		132	5660		14.65	15.00	
		136	5680		14.83	15.00	
		140	5700		14.82	15.00	
		144	5720		14.76	15.00	
		RU26	149		5745	15.54	16.00
	153		5765		15.62	16.00	
	157		5785		15.54	16.00	
	161		5805		15.80	16.00	
	165		5825		15.72	16.00	
	RU52	149	5745		15.50	16.00	
		153	5765		15.48	16.00	
		157	5785		15.49	16.00	
		161	5805		15.72	16.00	
		165	5825		15.66	16.00	
	RU106	149	5745		15.50	16.00	
		153	5765		15.58	16.00	
		157	5785		15.46	16.00	
		161	5805		15.72	16.00	
		165	5825		15.73	16.00	
	802.11ax-40	RU242	38		5190	15.99	16.50
			46		5230	15.91	16.50
		RU242	54		5270	15.27	16.00
62			5310	15.48	16.00		
RU242		102	5510	11.97	13.50		
		110	5550	12.25	13.50		
		134	5670	13.41	13.50		
		142	5710	13.34	13.50		
RU242		151	5755	15.51	16.00		
		159	5795	15.78	16.00		
802.11ax-80	RU484	42	5210	15.83	16.50		
		58	5290	15.63	16.50		
	RU484	106	5530	11.11	12.50		
		138	5690	12.35	12.50		
	RU484	155	5775	15.77	16.00		
802.11ax-160	RU996	50	5250	MCS0	15.76	16.50	

WIFI 5G (Ant 22) Receiver on Standalone & Simultaneous transmission WWAN+WLAN 2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	9.76	11.00
		40	5200		9.67	11.00
		44	5220		9.51	11.00
		48	5240		9.50	11.00
	U-NII-2A	52	5260		9.47	11.00
		56	5280		9.46	11.00
		60	5300		9.43	11.00
		64	5320		9.34	11.00
	U-NII-2C	100	5500		9.23	11.00
		104	5520		9.42	11.00
		108	5540		9.47	11.00
		112	5560		9.64	11.00
		116	5580		9.50	11.00
		132	5660		9.82	11.00
		136	5680		9.98	11.00
		140	5700		10.11	11.00
	U-NII-3	144	5720		10.15	11.00
		149	5745		10.06	11.00
		153	5765		10.31	11.00
		157	5785		10.35	11.00
161		5805	10.62	11.00		
165	5825	9.81	11.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	9.34	11.00
		40	5200		9.29	11.00
		44	5220		9.16	11.00
		48	5240		9.13	11.00
	U-NII-2A	52	5260		9.10	11.00
		56	5280		9.09	11.00
		60	5300		9.04	11.00
		64	5320		8.94	11.00
	U-NII-2C	100	5500		8.75	11.00
		104	5520		8.93	11.00
		108	5540		9.05	11.00
		112	5560		9.23	11.00
		116	5580		9.02	11.00
		132	5660		9.32	11.00
		136	5680		9.44	11.00
		140	5700		9.56	11.00
	U-NII-3	144	5720		9.64	11.00
		149	5745		9.52	11.00
		153	5765		9.81	11.00
		157	5785		9.85	11.00
161	5805	10.12	11.00			



5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	9.34 Average Power (dBm)	11.00 Tune up	
802.11n-HT40	U-NII-1	38	5190	MCS0	10.02	11.00	
		46	5230		9.94	11.00	
	U-NII-2A	54	5270		9.87	11.00	
		62	5310		9.72	11.00	
	U-NII-2C	102	5510		9.70	11.00	
		110	5550		9.97	11.00	
		134	5670		10.21	11.00	
	U-NII-3	142	5710		10.53	11.00	
		151	5755		10.40	11.00	
			159		5795	10.72	11.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	
802.11ac-20	U-NII-1	36	5180	MCS0	9.30	11.00	
		40	5200		9.28	11.00	
		44	5220		9.12	11.00	
		48	5240		9.10	11.00	
	U-NII-2A	52	5260		9.06	11.00	
		56	5280		9.05	11.00	
		60	5300		9.04	11.00	
		64	5320		8.90	11.00	
	U-NII-2C	100	5500		8.72	11.00	
		104	5520		8.93	11.00	
		108	5540		9.01	11.00	
		112	5560		9.22	11.00	
		116	5580		9.05	11.00	
		132	5660		9.32	11.00	
		136	5680		9.40	11.00	
		140	5700		9.51	11.00	
	U-NII-3	144	5720		9.68	11.00	
		149	5745		9.50	11.00	
		153	5765		9.78	11.00	
		157	5785		9.82	11.00	
		161	5805		10.11	11.00	
			165		5825	9.31	11.00
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)
802.11ac-40	U-NII-1	38	5190	MCS0	10.04	11.00	
		46	5230		9.92	11.00	
	U-NII-2A	54	5270		9.89	11.00	
		62	5310		9.69	11.00	
	U-NII-2C	102	5510		9.65	11.00	
		110	5550		9.96	11.00	
		134	5670		10.22	11.00	
	U-NII-3	142	5710		10.53	11.00	
		151	5755		10.41	11.00	

5GHz	mode	159 Channel	5795 Frequency(MHz)	Data Rate(Mbps)	10.69 Average Power (dBm)	11.00 Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	9.98	11.00		
	U-NII-2A	58	5290		9.81	11.00		
	U-NII-2C	106	5530		9.77	11.00		
		138	5690		10.33	11.00		
	U-NII-3	155	5775		10.58	11.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	9.95	11.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	9.55	11.00		
		40	5200		9.47	11.00		
		44	5220		9.34	11.00		
		48	5240		9.33	11.00		
	U-NII-2A	52	5260		9.29	11.00		
		56	5280		9.28	11.00		
		60	5300		9.24	11.00		
		64	5320		9.13	11.00		
	U-NII-2C	100	5500		8.96	11.00		
		104	5520		9.15	11.00		
		108	5540		9.27	11.00		
		112	5560		9.43	11.00		
		116	5580		9.25	11.00		
		132	5660		9.52	11.00		
		136	5680		9.61	11.00		
		140	5700		9.77	11.00		
	U-NII-3	144	5720		9.90	11.00		
		149	5745		9.72	11.00		
		153	5765		9.98	11.00		
		157	5785		10.06	11.00		
		161	5805		10.32	11.00		
			165		5825	9.53	11.00	
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	9.75	11.00
			46		5230		9.64	11.00
U-NII-2A		54	5270	9.61	11.00			
		62	5310	9.41	11.00			
U-NII-2C		102	5510	9.35	11.00			
		110	5550	9.65	11.00			
		134	5670	9.91	11.00			
		142	5710	10.24	11.00			
U-NII-3		151	5755	10.15	11.00			
		159	5795	10.38	11.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	9.94	11.00
	U-NII-2A	58	5290		9.71	11.00
	U-NII-2C	106	5530		9.69	11.00
		138	5690		10.23	11.00
	U-NII-3	155	5775		10.47	11.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	9.84	11.00
802.11ax-20	RU26	36	5180	MCS0	7.81	9.00
		40	5200		7.64	9.00
		44	5220		7.01	9.00
		48	5240		7.03	9.00
	RU52	36	5180		10.16	11.00
		40	5200		9.96	11.00
		44	5220		9.81	11.00
		48	5240		9.88	11.00
	RU106	36	5180		10.28	11.00
		40	5200		10.04	11.00
		44	5220		9.83	11.00
		48	5240		9.91	11.00
	RU26	52	5260		8.31	9.50
		56	5280		8.47	9.50
		60	5300		8.39	9.50
		64	5320		8.36	9.50
	RU52	52	5260		9.84	11.00
		56	5280		10.01	11.00
		60	5300		10.23	11.00
		64	5320		10.55	11.00
	RU106	52	5260		10.08	11.00
		56	5280		10.23	11.00
		60	5300		10.40	11.00
		64	5320		10.55	11.00
	RU26	100	5500		7.05	9.00
		104	5520		7.13	9.00
		108	5540		7.37	9.00
		112	5560		7.81	9.00
		116	5580		7.86	9.00
		132	5660		8.45	9.00
		136	5680		8.38	9.00
		140	5700		8.29	9.00
	RU52	100	5500		9.27	11.00
		104	5520		9.49	11.00
		108	5540		9.87	11.00
		112	5560		10.33	11.00
		116	5580		10.49	11.00
		132	5660		10.86	11.00

		136	5680		10.88	11.00
		140	5700		10.84	11.00
		144	5720		10.81	11.00
	RU106	100	5500		9.11	11.00
		104	5520		9.35	11.00
		108	5540		9.74	11.00
		112	5560		10.12	11.00
		116	5580		10.53	11.00
		132	5660		10.87	11.00
		136	5680		10.78	11.00
		140	5700		10.77	11.00
		144	5720		10.73	11.00
		RU26	149		5745	8.35
	153		5765		8.56	9.00
	157		5785		8.59	9.00
	161		5805		8.89	9.00
	165		5825		8.67	9.00
	RU52	149	5745		8.46	9.00
		153	5765		8.59	9.00
		157	5785		8.69	9.00
		161	5805		8.96	9.00
		165	5825		8.63	9.00
	RU106	149	5745		8.50	9.00
		153	5765		8.71	9.00
		157	5785		8.70	9.00
		161	5805		8.96	9.00
		165	5825		8.75	9.00
	802.11ax-40	RU242	38		5190	10.06
46			5230	9.80	11.00	
RU242		54	5270	9.88	11.00	
		62	5310	10.32	11.00	
RU242		102	5510	8.90	10.50	
		110	5550	9.49	10.50	
		134	5670	10.36	10.50	
		142	5710	10.34	10.50	
RU242		151	5755	8.61	9.00	
		159	5795	8.92	9.00	
802.11ax-80	RU484	42	5210	9.79	11.00	
		58	5290	9.66	11.00	
	RU484	106	5530	7.62	9.50	
		138	5690	9.16	9.50	
	RU484	155	5775	10.81	11.00	
802.11ax-160	RU996	50	5250	MCS0	10.55	11.00

WIFI 5G (Ant 24) Receiver on Standalone & Simultaneous transmission WWAN+WLAN 2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	10.24	11.00
		40	5200		10.42	11.00
		44	5220		10.25	11.00
		48	5240		10.34	11.00
	U-NII-2A	52	5260		10.15	11.00
		56	5280		10.31	11.00
		60	5300		10.36	11.00
		64	5320		10.17	11.00
	U-NII-2C	100	5500		9.41	11.00
		104	5520		9.37	11.00
		108	5540		9.51	11.00
		112	5560		9.57	11.00
		116	5580		9.56	11.00
		132	5660		9.34	11.00
		136	5680		10.21	11.00
		140	5700		10.32	11.00
	U-NII-3	144	5720		10.41	11.00
		149	5745		10.48	11.00
		153	5765		10.60	11.00
		157	5785		10.67	11.00
161		5805	10.86	11.00		
		165	5825	10.77	11.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	9.72	11.00
		40	5200		9.90	11.00
		44	5220		9.75	11.00
		48	5240		9.84	11.00
	U-NII-2A	52	5260		9.66	11.00
		56	5280		9.79	11.00
		60	5300		9.82	11.00
		64	5320		9.63	11.00
	U-NII-2C	100	5500		8.81	11.00
		104	5520		8.88	11.00
		108	5540		9.03	11.00
		112	5560		9.05	11.00
		116	5580		9.04	11.00
		132	5660		8.81	11.00
		136	5680		9.71	11.00
		140	5700		9.86	11.00
	U-NII-3	144	5720		9.93	11.00
		149	5745		10.04	11.00
		153	5765		10.15	11.00
		157	5785		10.13	11.00
		161	5805	10.32	11.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	10.22 Average Power (dBm)	11.00 Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	10.50	11.00
		46	5230		10.67	11.00
	U-NII-2A	54	5270		10.48	11.00
		62	5310		10.32	11.00
	U-NII-2C	102	5510		10.19	11.00
		110	5550		9.72	11.00
		134	5670		10.45	11.00
	U-NII-3	142	5710		10.46	11.00
		151	5755		10.79	11.00
			159		5795	10.93
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-20	U-NII-1	36	5180	MCS0	9.71	11.00
		40	5200		9.91	11.00
		44	5220		9.78	11.00
		48	5240		9.84	11.00
	U-NII-2A	52	5260		9.63	11.00
		56	5280		9.78	11.00
		60	5300		9.86	11.00
		64	5320		9.61	11.00
	U-NII-2C	100	5500		8.91	11.00
		104	5520		8.88	11.00
		108	5540		9.02	11.00
		112	5560		9.04	11.00
		116	5580		9.03	11.00
		132	5660		8.89	11.00
		136	5680		9.71	11.00
		140	5700		9.81	11.00
	U-NII-3	144	5720		9.91	11.00
		149	5745		10.04	11.00
		153	5765		10.15	11.00
		157	5785		10.11	11.00
161		5805	10.29	11.00		
165		5825	10.20	11.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-40	U-NII-1	38	5190	MCS0	10.58	11.00
		46	5230		10.61	11.00
	U-NII-2A	54	5270		10.48	11.00
		62	5310		10.35	11.00
	U-NII-2C	102	5510		10.19	11.00
		110	5550		9.74	11.00
		134	5670		10.47	11.00
	U-NII-3	142	5710		10.44	11.00
		151	5755		10.79	11.00

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	10.63	11.00		
	U-NII-2A	58	5290		10.65	11.00		
	U-NII-2C	106	5530		9.88	11.00		
		138	5690		10.66	11.00		
	U-NII-3	155	5775		10.93	11.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	10.62	11.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	9.94	11.00		
		40	5200		10.07	11.00		
		44	5220		9.96	11.00		
		48	5240		10.03	11.00		
	U-NII-2A	52	5260		9.87	11.00		
		56	5280		10.01	11.00		
		60	5300		10.06	11.00		
		64	5320		9.86	11.00		
	U-NII-2C	100	5500		9.11	11.00		
		104	5520		9.09	11.00		
		108	5540		9.23	11.00		
		112	5560		9.30	11.00		
		116	5580		9.29	11.00		
		132	5660		9.03	11.00		
		136	5680		9.92	11.00		
		140	5700		10.03	11.00		
	144	5720	10.12		11.00			
	U-NII-3	149	5745		10.24	11.00		
		153	5765		10.36	11.00		
		157	5785		10.37	11.00		
		161	5805		10.52	11.00		
		165	5825		10.45	11.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	10.25	11.00
			46		5230		10.34	11.00
U-NII-2A		54	5270	10.17	11.00			
		62	5310	10.05	11.00			
U-NII-2C		102	5510	9.88	11.00			
		110	5550	9.45	11.00			
		134	5670	10.17	11.00			
		142	5710	10.15	11.00			
U-NII-3		151	5755	10.53	11.00			
		159	5795	10.66	11.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	10.55	11.00
	U-NII-2A	58	5290		10.57	11.00
	U-NII-2C	106	5530		9.84	11.00
		138	5690		10.62	11.00
	U-NII-3	155	5775		10.85	11.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	10.01	11.00
802.11ax-20	RU26	36	5180	MCS0	8.83	9.00
		40	5200		8.89	9.00
		44	5220		8.81	9.00
		48	5240		8.85	9.00
	RU52	36	5180		10.80	11.00
		40	5200		10.89	11.00
		44	5220		10.89	11.00
		48	5240		10.88	11.00
	RU106	36	5180		10.74	11.00
		40	5200		10.77	11.00
		44	5220		10.76	11.00
		48	5240		10.79	11.00
	RU26	52	5260		9.41	9.50
		56	5280		9.45	9.50
		60	5300		9.44	9.50
		64	5320		9.39	9.50
	RU52	52	5260		10.59	11.00
		56	5280		10.63	11.00
		60	5300		10.53	11.00
		64	5320		10.54	11.00
	RU106	52	5260		10.85	11.00
		56	5280		10.83	11.00
		60	5300		10.73	11.00
		64	5320		10.53	11.00
	RU26	100	5500		7.95	9.00
		104	5520		7.87	9.00
		108	5540		7.96	9.00
		112	5560		8.07	9.00
		116	5580		8.73	9.00
		132	5660		8.88	9.00
		136	5680		8.61	9.00
		140	5700		8.88	9.00
	RU52	100	5500		9.55	11.00
		104	5520		9.50	11.00
		108	5540		9.34	11.00
		112	5560		9.50	11.00
		116	5580		9.98	11.00
		132	5660		10.36	11.00



		136	5680		10.90	11.00
		140	5700		10.83	11.00
		144	5720		10.64	11.00
	RU106	100	5500		9.54	11.00
		104	5520		9.49	11.00
		108	5540		9.40	11.00
		112	5560		9.59	11.00
		116	5580		9.99	11.00
		132	5660		10.32	11.00
		136	5680		10.78	11.00
		140	5700		10.78	11.00
		144	5720		10.70	11.00
		RU26	149		5745	8.64
	153		5765		8.59	9.00
	157		5785		8.41	9.00
	161		5805		8.62	9.00
	165		5825		8.69	9.00
	RU52	149	5745		8.45	9.00
		153	5765		8.29	9.00
		157	5785		8.20	9.00
		161	5805		8.40	9.00
		165	5825		8.61	9.00
	RU106	149	5745		8.42	9.00
		153	5765		8.37	9.00
		157	5785		8.14	9.00
		161	5805		8.40	9.00
		165	5825		8.62	9.00
	802.11ax-40	RU242	38		5190	10.88
46			5230	10.79	11.00	
RU242		54	5270	10.44	11.00	
		62	5310	10.35	11.00	
RU242		102	5510	8.93	10.50	
		110	5550	8.89	10.50	
		134	5670	10.35	10.50	
		142	5710	10.23	10.50	
RU242		151	5755	8.25	9.00	
		159	5795	8.41	9.00	
802.11ax-80	RU484	42	5210	10.23	11.00	
		58	5290	10.39	11.00	
	RU484	106	5530	8.39	9.50	
		138	5690	9.35	9.50	
	RU484	155	5775	10.56	11.00	
802.11ax-160	RU996	50	5250	MCS0	10.35	11.00

WIFI 5G MIMO Receiver on Standalone & Simultaneous transmission WWAN+WLAN 2.4G/5G/2.4G+5G						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	13.02	14.00
		40	5200		13.07	14.00
		44	5220		12.91	14.00
		48	5240		12.95	14.00
	U-NII-2A	52	5260		12.83	14.00
		56	5280		12.92	14.00
		60	5300		12.93	14.00
		64	5320		12.79	14.00
	U-NII-2C	100	5500		12.33	14.00
		104	5520		12.41	14.00
		108	5540		12.50	14.00
		112	5560		12.62	14.00
		116	5580		12.54	14.00
		132	5660		12.60	14.00
		136	5680		13.11	14.00
		140	5700		13.23	14.00
	U-NII-3	144	5720		13.29	14.00
		149	5745		13.29	14.00
		153	5765		13.47	14.00
		157	5785		13.52	14.00
161		5805	13.75	14.00		
		165	5825	13.33	14.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	12.54	14.00
		40	5200		12.62	14.00
		44	5220		12.48	14.00
		48	5240		12.51	14.00
	U-NII-2A	52	5260		12.40	14.00
		56	5280		12.46	14.00
		60	5300		12.46	14.00
		64	5320		12.31	14.00
	U-NII-2C	100	5500		11.79	14.00
		104	5520		11.92	14.00
		108	5540		12.05	14.00
		112	5560		12.15	14.00
		116	5580		12.04	14.00
		132	5660		12.08	14.00
		136	5680		12.59	14.00
		140	5700		12.72	14.00
	U-NII-3	144	5720		12.80	14.00
		149	5745		12.80	14.00
		153	5765		12.99	14.00
		157	5785		13.00	14.00
		161	5805	13.23	14.00	

5GHz	mode	165 Channel	5825 Frequency(MHz)	Data Rate(Mbps)	12.81 Average Power (dBm)	14.00 Tune up		
802.11n-HT40	U-NII-1	38	5190	MCS0	13.28	14.00		
		46	5230		13.33	14.00		
	U-NII-2A	54	5270		13.20	14.00		
		62	5310		13.04	14.00		
	U-NII-2C	102	5510		12.96	14.00		
		110	5550		12.86	14.00		
		134	5670		13.34	14.00		
	U-NII-3	142	5710		13.51	14.00		
		151	5755		13.61	14.00		
			159		5795	13.84	14.00	
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac-20	U-NII-1	36	5180	MCS0	12.52	14.00		
		40	5200		12.62	14.00		
		44	5220		12.47	14.00		
		48	5240		12.50	14.00		
	U-NII-2A	52	5260		12.36	14.00		
		56	5280		12.44	14.00		
		60	5300		12.48	14.00		
		64	5320		12.28	14.00		
	U-NII-2C	100	5500		11.83	14.00		
		104	5520		11.92	14.00		
		108	5540		12.03	14.00		
		112	5560		12.14	14.00		
		116	5580		12.05	14.00		
		132	5660		12.12	14.00		
		136	5680		12.57	14.00		
		140	5700		12.67	14.00		
	U-NII-3	144	5720		12.81	14.00		
		149	5745		12.79	14.00		
		153	5765		12.98	14.00		
		157	5785		12.98	14.00		
		161	5805		13.21	14.00		
		165	5825		12.79	14.00		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ac-40	U-NII-1	38		5190	MCS0	13.33	14.00
46			5230	13.29	14.00			
U-NII-2A		54	5270	13.21	14.00			
		62	5310	13.04	14.00			
U-NII-2C		102	5510	12.94	14.00			
		110	5550	12.86	14.00			
		134	5670	13.36	14.00			
U-NII-3		142	5710	13.50	14.00			
		151	5755	13.61	14.00			

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 80M	U-NII-1	42	5210	MCS0	13.33	14.00		
	U-NII-2A	58	5290		13.26	14.00		
	U-NII-2C	106	5530		12.84	14.00		
		138	5690		13.51	14.00		
	U-NII-3	155	5775		13.77	14.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ac 160M	U-NII-1&2A	50	5250	MCS0	13.31	14.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
802.11ax-20	U-NII-1	36	5180	MCS0	12.76	14.00		
		40	5200		12.79	14.00		
		44	5220		12.67	14.00		
		48	5240		12.70	14.00		
	U-NII-2A	52	5260		12.60	14.00		
		56	5280		12.67	14.00		
		60	5300		12.68	14.00		
		64	5320		12.52	14.00		
	U-NII-2C	100	5500		12.05	14.00		
		104	5520		12.13	14.00		
		108	5540		12.26	14.00		
		112	5560		12.38	14.00		
		116	5580		12.28	14.00		
		132	5660		12.29	14.00		
		136	5680		12.78	14.00		
		140	5700		12.91	14.00		
	U-NII-3	144	5720		13.02	14.00		
		149	5745		13.00	14.00		
		153	5765		13.18	14.00		
		157	5785		13.23	14.00		
		161	5805		13.43	14.00		
	165	5825	13.02		14.00			
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	802.11ax-40	U-NII-1	38		5190	MCS0	13.02	14.00
			46		5230		13.01	14.00
U-NII-2A		54	5270	12.91	14.00			
		62	5310	12.75	14.00			
U-NII-2C		102	5510	12.63	14.00			
		110	5550	12.56	14.00			
		134	5670	13.05	14.00			
		142	5710	13.21	14.00			
U-NII-3		151	5755	13.35	14.00			
		159	5795	13.53	14.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		

802.11ax 80M	U-NII-1	42	5210	MCS0	13.27	14.00
	U-NII-2A	58	5290		13.17	14.00
	U-NII-2C	106	5530		12.78	14.00
		138	5690		13.44	14.00
	U-NII-3	155	5775		13.67	14.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 160M	U-NII-1&2A	50	5250	MCS0	12.94	14.00
802.11ax-20	RU26	36	5180	MCS0	11.36	12.00
		40	5200		11.32	12.00
		44	5220		11.01	12.00
		48	5240		11.04	12.00
	RU52	36	5180		13.50	14.00
		40	5200		13.46	14.00
		44	5220		13.39	14.00
		48	5240		13.42	14.00
	RU106	36	5180		13.53	14.00
		40	5200		13.43	14.00
		44	5220		13.33	14.00
		48	5240		13.38	14.00
	RU26	52	5260		11.91	12.50
		56	5280		12.00	12.50
		60	5300		11.96	12.50
		64	5320		11.92	12.50
	RU52	52	5260		13.24	14.00
		56	5280		13.34	14.00
		60	5300		13.39	14.00
		64	5320		13.56	14.00
	RU106	52	5260		13.49	14.00
		56	5280		13.55	14.00
		60	5300		13.58	14.00
		64	5320		13.55	14.00
	RU26	100	5500		10.53	12.00
		104	5520		10.53	12.00
		108	5540		10.69	12.00
		112	5560		10.95	12.00
		116	5580		11.33	12.00
		132	5660		11.68	12.00
		136	5680		11.51	12.00
		140	5700		11.61	12.00
	RU52	100	5500		12.42	14.00
		104	5520		12.51	14.00
		108	5540		12.62	14.00
		112	5560		12.95	14.00
		116	5580		13.25	14.00
		132	5660		13.63	14.00

		136	5680		13.90	14.00
		140	5700		13.85	14.00
		144	5720		13.74	14.00
	RU106	100	5500		12.34	14.00
		104	5520		12.43	14.00
		108	5540		12.58	14.00
		112	5560		12.87	14.00
		116	5580		13.28	14.00
		132	5660		13.61	14.00
		136	5680		13.79	14.00
		140	5700		13.79	14.00
		144	5720		13.73	14.00
		RU26	149		5745	11.51
	153		5765		11.59	12.00
	157		5785		11.51	12.00
	161		5805		11.77	12.00
	165		5825		11.69	12.00
	RU52	149	5745		11.47	12.00
		153	5765		11.45	12.00
		157	5785		11.46	12.00
		161	5805		11.70	12.00
		165	5825		11.63	12.00
	RU106	149	5745		11.47	12.00
		153	5765		11.55	12.00
		157	5785		11.44	12.00
		161	5805		11.70	12.00
		165	5825		11.70	12.00
	802.11ax-40	RU242	38		5190	13.50
46			5230	13.33	14.00	
RU242		54	5270	13.18	14.00	
		62	5310	13.35	14.00	
RU242		102	5510	11.93	13.50	
		110	5550	12.21	13.50	
		134	5670	13.37	13.50	
		142	5710	13.30	13.50	
RU242		151	5755	11.44	12.00	
		159	5795	11.68	12.00	
802.11ax-80		RU484	42	5210	13.03	14.00
			58	5290	13.05	14.00
	RU484	106	5530	11.03	12.50	
		138	5690	12.27	12.50	
	RU484	155	5775	13.70	14.00	
802.11ax-160	RU996	50	5250	MCS0	13.46	14.00

### 11.3 Conducted Power of Bluetooth

BT (Ant 22)		Average Conducted Power(dBm)					
Band	Channel	0	Tune up	39	Tune up	78	Tune up
BT	GFSK	9.04	10.50	10.17	11.80	9.16	10.50
	$\pi/4$ DQPSK	8.42	10.00	9.45	11.00	8.47	10.00
	8DPSK	8.38	10.00	9.41	11.00	8.44	10.00
Band	Channel	0	Tune up	19	Tune up	39	Tune up
BLE 1M	GFSK	9.13	10.30	9.89	11.00	8.98	10.30
BLE 2M	GFSK	8.93	10.30	9.65	11.00	8.76	10.30

BT (Ant 24)		Average Conducted Power(dBm)					
Band	Channel	0	Tune up	39	Tune up	78	Tune up
BT	GFSK	8.98	10.50	10.38	12.30	9.02	11.00
	$\pi/4$ DQPSK	8.34	10.00	9.52	11.50	8.15	10.50
	8DPSK	8.29	10.00	9.49	11.50	8.16	10.50
Band	Channel	0	Tune up	19	Tune up	39	Tune up
BLE 1M	GFSK	8.53	10.00	9.59	11.50	8.24	10.50
BLE 2M	GFSK	8.29	10.00	9.34	11.50	8.01	10.50