Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 1 of 305

TEST REPORT

Application No.:	SEWM2305000166RG
Applicant:	vivo Mobile Communication Co., Ltd.
Address of Applicant:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
Manufacturer:	vivo Mobile Communication Co., Ltd.
Address of Manufacturer:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
EUT Description:	Mobile Phone
Model No.:	V2250
Trade Mark:	vivo
FCC ID:	2AUCY-V2250
Standards:	FCC 47 CFR Part 2, Subpart J
	FCC 47 CFR Part 15, Subpart C
Date of Receipt:	2023/05/12
Date of Test:	2023/05/23 to 2023/06/05
Date of Issue:	2023/06/05
Test Result :	PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Sun

Panta Sun Wireless Laboratory Manager



d by the ct to its General Condition Company .aspx a WWW.Sgs.C older of issues defi limitatio and this documente dings at th ument This do or fals only (86-755) 8307 1443 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000

Sound was 6 Hard, No. 1, Nurdeleng Koad, Suzhou Industral Park, Suzhou Area, Umar (Jaangsu) Pator Hee Inade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 2 of 305

1 Version

		Revision Record		
Version	Chapter	Date	Modifier	Remark
01		2023/06/05		Original

Prepared By	(Ives Cheng) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or repose this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. Float, No. 1, Runshang Road, Stathou Industrial Park, Stathou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编:215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 3 of 305

2 Test Summary

SG

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10-2020 Section 6.2	Clause 4.2	PASS
Duty Cycle			Clause 4.3	For Report Purpose
Conducted Output Power	15.247 (b)(3)	ANSI C63.10-2020 Section 11.9.1.2	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10-2020 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10-2020 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.247(d);15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d);15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indexemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testeng and such asmple(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, plass contact us at telephone: (66-75) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的45厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 4 of 305

Contents

1	Versio	יח	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment and Mode	8
	3.6	Description of Support Units	8
	3.7	Worst-case configuration and mode	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	11
	4.3	Duty Cycle	15
	4.4	Conducted Output Power	16
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	17
	4.6	Power Spectral Density	18
	4.7	Band-edge for RF Conducted Emissions	19
	4.8	RF Conducted Spurious Emissions	20
	4.9	Radiated Spurious Emissions	21
	4.10	Restricted bands around fundamental frequency	24
5	Measu	urement Uncertainty (95% confidence levels, k=2)	27
6	Equipr	ment List	28
7	Photog	graphs - Setup Photos	30



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asyx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-755) 5307 1443.

South of No.6 Plant, No.1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路(号约) 6月厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 5 of 305

3 General Information

3.1 Details of Client

Applicant:	vivo Mobile Communication Co., Ltd.	
Address of Applicant:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China	
Manufacturer: vivo Mobile Communication Co., Ltd.		
Address of Manufacturer: No.1, vivo Road, Chang'an, Dongguan, Guangdong, China		

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Ives Cheng, Tizzy Song

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC – Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed werker, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-encoument.aspx. tatention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to zansaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of rol the isw. Unless otherwise stated the substromment is unlawful to desting itself of the sample(s) tested and such sample(s) are retained for 30 days only. Nutention: <u>Contex the subtenticity of testing inspection report & certificate please contactues at teephoter</u>: (66-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stachou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 6 of 305

3.4 General Description of EUT

S

	-			
EUT Description:	Mobile Phone			
Model No.:	V2250			
Trade Mark:	vivo			
Hardware Version:	MP_0.1			
Software Version:	PD2283F_E>	(_A_13.0.6.1	4.W30	
IMEI:	RF Conducte	d	8662	42060182863
	RSE & AC po	ower line	8680	07060199631
Operation Frequency:	802.11b/g/n(l	HT20)/ax(HE	20):	2412MHz to 2462MHz
Operation Frequency.	802.11n(HT4	0)/ax(HE40):		2422MHz to 2452MHz
	802.11b:	DSSS (DBF	PSK, D	QPSK, CCK)
Modulation Type:	802.11g/n:	OFDM (BPS	SK, QI	PSK, 16QAM, 64QAM)
	802.11ax: OFDM/OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)			BPSK, QPSK, 16QAM, 64QAM, 256QAM,
Number of Channels:	802.11b/g/n(l 802.11n(HT4	, ('	1
Channel Spacing:	5MHz			
	SISO 🛛	802.11b/g/n	/ax	
Smart System:		802.11n/ax:	2Tx 8	a 2Rx
	Diversity 802.11b/g: 2Tx & 2Rx			
Antenna Type:	IFA Antenna			
	-0.91dBi (Ant	22); -4.91dBi	(Ant2	4)
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.			
RF Cable:	1.0dB			
Remark: As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Occument.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443. or email: Cloephoek the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industriaj Park, Suzhou Anae, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业国区满胜路1号的6号厂房南部 解编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 7 of 305

Operation Frequency of each channel (802.11b/g/n HT20 /ax HE20)							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2412MHz	4	2427MHz	7	2442MHz	10	2457MHz
2	2417MHz	5	2432MHz	8	2447MHz	11	2462MHz
3	2422MHz	6	2437MHz	9	2452MHz		
	Opera	ation Freque	ncy of each c	hannel (802. [,]	11n HT40 /ax	HE40)	
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
3	2422MHz	6	2437MHz	9	2452MHz		
4	2427MHz	7	2442MHz				
5	2432MHz	8	2447MHz				
Remark:	Remark:						
In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the							

middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency for 802.11 b/g/n (HT20) /ax (HE20)	Frequency for 802.11n (HT40)/ax(HE40)
The Lowest channel	2412MHz	2422MHz
The Middle channel	2437MHz	2437MHz
The Highest channel	2462MHz	2452MHz



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, plaase contact us at telephone: (66-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 8 of 305

3.5 Test Environment and Mode

S

Environment Parameter	101.0 kPa Selected Values During Tests		
Relative Humidity	44-46 % RH Ambient		
Value	Temperature(°C) Voltage(V)		
NTNV	22~23	3.91	
Remark: NV: Normal Voltage NT: Normal Temperature			

3.6 Description of Support Units

The EUT has been tested as an independent unit.

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	CDD/MIMO - Data Rate
802.11b	1 Mbps	2 Mbps
802.11g	6 Mbps	12 Mbps
802.11n (HT 20)	MCS0 (6.5 Mbps)	MCS0 (13 Mbps)
802.11n (HT 40)	MCS0 (13.5 Mbps)	MCS0 (27 Mbps)
802.11ax (HE 20)	MCS0 (8 Mbps)	MCS0 (16 Mbps)
802.11ax (HE 40)	MCS0 (16 Mbps)	MCS0 (32 Mbps)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.aga.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sga.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sga.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Advances to the Interior to the Interior of Interior

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 9 of 305

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is IFA Antenna and no consideration of replacement. The best case gain of the antenna is -0.91dBi (Ant22); -4.91dBi (Ant24). *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. *Remark:*

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Cournent.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: O thes the authenticity of testing Inspection report & certificate, phase contact us at telephoner. (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stachou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区港胜路1号的4号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 10 of 305

Cyclic Delay Diversity (CDD) System:

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

If all antennas have the same gain, G_{ANT} , Directional gain = G_{ANT} + Array Gain, where Array Gain is as follows.

- For power spectral density (PSD) measurements on all devices, *Array Gain* = 10 log(N_{ANT}/N_{SS} = 1) dB.
- For power measurements on IEEE 802.11 devices:
- Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \le 4$;

For power, the directional gain may be calculated by using the formulas applicable to equal gain antennas with GANT set equal to the gain of the antenna having the highest gain.

For PSD, the directional gain calculation is following F)2)f)ii) of KDB 662911 D01 v02r01.

The Power and PSD limit should be modified if the directional gain of eut is over 6dbi.

The EUT supports CDD System.

Unequal antenna gain:

ANT Gain22	ANT Gain24	Power DG	PSD DG	Power Limit	PSD Limit
(dBi)	(dBi)	(dBi)	(dBi)	Reduction(dB)	Reduction(dB)
-0.91	-4.91	-0.91	0.33	0	

Power Limit Reduction = Directional gain – 6dBi, (Directional gain < 6dBi) =0 PSD Limit Reduction = Directional gain – 6dBi, (Directional gain < 6dBi) =0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: 0 check the authenticity of testing/Inspection report & certificate, phase contact us at telephore: (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Starbou Industrial Park, Starbou Area, China (Jiangau) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的4号厂店南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 11 of 305

4.2 AC Power Line Conducted Emissions

SG

Test Requirement:	47 CFR Part 15C Sectio	n 15.207			
Test Method:	ANSI C63.10-2020 Sect	ion 6.2			
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz			
Limit:		Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarithm of the frequency.				
Test Procedure:	room. 2) The EUT was connect Impedance Stabilization impedance. The power of a second LISN 2, which plane in the same way a multiple socket outlet str single LISN provided the 3) The tabletop EUT wa ground reference plane. placed on the horizontal 4) The test was perform of the EUT shall be 0.4 r vertical ground reference reference plane. The LIS unit under test and bond mounted on top of the gr between the closest poir the EUT and associated In order to find the maxin	ed with a vertical ground referent from the vertical ground reference plane was bonded to the hores of the a ground reference plane. This detect to a ground reference plane. This detect of the LISN 1 and the EUT equipment was at least 0.8 mmum emission, the relative point interface cables must be charter of the cables must be charter	ugh a LISN 1 (Line $0\Omega/50\mu$ H + 5Ω linear EUT were connected to ference g measured. A ble power cables to a xceeded. table 0.8m above the ement, the EUT was erence plane. The rear erence plane. The rear erence plane. The rizontal ground he boundary of the he for LISNs istance was 7. All other units of in from the LISN 2. bistions of		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document constained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document can be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM. Doccheck@gss.com
Contractive Charter Ve & Deadlore Dead Contractive Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 12 of 305






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms.and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms.and-Conditions/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullulest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To brack the authenticity of testing/Inspection report a certificate, please contact us at lenghome: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2305000166RG05 Rev.: 01 13 of 305 Page:

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1905	11.67	22.97	34.64	64.01	29.37	16.97	28.64	54.01	25.37	PASS
2	0.6540	11.66	14.97	26.63	56.00	29.37	2.53	14.19	46.00	31.81	PASS
3	1.2975	11.73	6.95	18.68	56.00	37.32	-2.86	8.87	46.00	37.13	PASS
4	2.0400	11.73	10.83	22.56	56.00	33.44	-1.61	10.12	46.00	35.88	PASS
5	4.0830	11.77	4.88	16.65	56.00	39.35	-5.09	6.68	46.00	39.32	PASS
6	12.1065	11.90	1.33	13.23	60.00	46.77	-5.96	5.94	50.00	44.06	PASS
Rema	rk:										

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] - Value[dBµV]




is otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints eaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document ict to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp</u> tion is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to is instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to its instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to of in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content rance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated it to shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. except in content o a: (86-755) 8307 1443

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 14 of 305



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and <u>urisdiction issues defined therein</u>, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Stachou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区港胜路1号的4号厂房南部 邮编: 215000

Report No.: SEWM2305000166RG05 Rev.: 01 Page: 15 of 305

4.3 Duty Cycle

The detailed test data see: Appendix



· · · · · · · · · · · · · · · · · · ·
一世 检验检测考用章 影 Inspection & Testing Services 考
SGS-CSTC The du Technical Services Galering Ltd.
Wireless Labor high rechnical service

sgs.china@sgs.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 16 of 305

Test Requirement: 47 CFR Part 15C Section 15.247 (b)(3) Test Method: ANSI C63.10-2020 Section 11.9.1.2 Test Setup: 0 0 E.U.T Ground Reference Plane * Test with power meter (Detector function: Peak) Test Instruments: Refer to section 6 for details. Exploratory Test Mode: Transmitting with all kind of modulations, data rates Final Test Mode: Refer to section 3.7 for details. Limit: 30dBm **Test Results:** Pass The detailed test data see: Appendix

4.4 Conducted Output Power

S



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/ Inspection report & certificate, phases contact us at telehome: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000


 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 17 of 305

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth

S





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: Or check the authenticity of testing/Inspection report & certificate, places contact us at telephore: (66-755) 5307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 18 of 305

4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemulfication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in fully, without prior written approval of the Company have nor any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor rolly to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 19 of 305

4.7 Band-edge for RF Conducted Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: Or check the authenticity of testing/Inspection report & certificate, places contact us at telephore: (66-755) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的4号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 20 of 305

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10-2020 Section 11.11
Test Setup:	PC FC communication FE control Unit FE control Unit F
Instruments Used:	Refer to section 6 for details.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Refer to section 3.7 for details.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass
The detailed test data see:	Appendix

4.8 **RF Conducted Spurious Emissions**

S



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone; (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 21 of 305

4.9 Radiated Spurious Emissions

S

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10-2020 Secti	ion 11.12					
Test Site:	Measurement Distance:	3m (Semi-Anechoi	ic Chamber)				
Test Frequency:	9kHz ~ 25GHz						
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark		
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak		
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average		
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak		
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average		
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak		
		Peak	1MHz	3MHz	Peak		
	Above 1GHz	Peak	1MHz	3MHz	Peak		
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or failsfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Anea, China (Jiangsu) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

Report No.:	SEWM2305000166RG05
Rev.:	01
Page:	22 of 305

Test Setup:						
AE EUT Ground Refere	nce Plane,					
Figure 1. Be	elow 30MHz	Figure 2. 30MHz to 1GHz				
	Im o Turntable Ground Reference Plane Test Receiver	r 3m				
	Figure 3.	Above 1 GHz				
Test Procedure:	a. For below 1GHz, the meters above the gro	EUT was placed on the top of a rotating table 0.8 bund at a 3 or 10 meter semi-anechoic camber. The 0 degrees to determine the position of the highest				
 b. For above 1GHz, the EUT was placed on the top of a rotating meters above the ground at a 3 meter semi-anechoic camber was rotated 360 degrees to determine the position of the high (Distance from antenna to EUT is 1m for measurements >18G c. The EUT was set 3 or 10 meters away from the interference-r antenna, which was mounted on the top of a variable-height a d. The antenna height is varied from one meter to four meters al ground to determine the maximum value of the field strength. horizontal and vertical polarizations of the antenna are set to measurement. e. For each suspected emission, the EUT was arranged to its was a strength. 						
	frequency of below 3	s tuned to heights from 1 meter to 4 meters(for the test 0MHz, the antenna was tuned to heights 1 meter) and as turned from 0 degrees to 360 degrees to find the				



	nditions.aspx and, for electron	ne Company su	//www.sas.com
ms-e-Document.aspx.	n/Terms-and-Conditions/Terr	//www.sgs.com/	ocuments at ht
	es defined therein. Any holde me of its intervention only a		
	this document does not en		
	locuments. This document c teration, forgery or falsificat		
		coulted to the fu	nders may be pl
ation of the content or as otherwise stated the	lest extent of the law. Unless		
ation of the content or is otherwise stated the	lest extent of the law. Unless are retained for 30 days only. laase contact us at telephor	such sample(s)	mple(s) tested a
ation of the content or is otherwise stated the	are retained for 30 days only.	i such sample(s) & certificate, p	mple(s) tested a

Member of the SGS Group (SGS SA)

Report No.: SEWM2305000166RG05

	Rev.: 01
	Page: 23 of 305
	maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	i. Repeat above procedures until all frequencies measured was complete.
	j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
	k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
	 At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	Measurements below 30MHz
	• RBW = 10 kHz
	• VBW = 30 kHz
	 Detector = Peak & Average & Quasi-peak
	Trace mode = max hold
	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	• Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	 VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10 Hz, when duty cycle is no less than 98 percent.
	• VBW \geq 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
	Charge + Transmitting mode.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
Test Results:	Pass
The detailed test data see	e: Appendix



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linspection report & certificate, offense only. South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01


 Page:
 24 of 305

4.10 Restricted bands around fundamental frequency

Test Requirement:47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10-2020 Section	11.12			
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Chaml	per)		
Limit:	Frequency	Limit (dBuV/m)	Remark		
	30MHz-88MHz	40.0	Quasi-peak		
	88MHz-216MHz	43.5	Quasi-peak		
	216MHz-960MHz	46.0	Quasi-peak		
	960MHz-1GHz	54.0	Quasi-peak		
	Above 1GHz	54.0	Average Value		
		74.0	Peak Value		

Test Setup:

SG





SG:

Report No.:	SEWM2305000166RG05
Rev.:	01
Page:	25 of 305

	Page: 25 01 305				
Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. 				
	 b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. 				
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.				
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.				
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.				
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.				
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel				
	h. Test the EUT in the lowest channel , the Highest channel				
	 The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. 				
	j. Repeat above procedures until all frequencies measured was complete.				
Test Configuration:	Measurements Below 1000MHz				
-	• RBW = 120 kHz				
	• VBW = 300 kHz				
	• Detector = Quasi-peak				
	Trace mode = max hold				
	Peak Measurements Above 1000 MHz				
	• RBW = 1 MHz				
	• VBW ≥ 3 MHz				
	• Detector = Peak				
	Sweep time = auto				
	Trace mode = max hold				
	Average Measurements Above 1000MHz				
	• RBW = 1 MHz				
	• VBW = 10 Hz, when duty cycle is no less than 98 percent.				
	• VBW \geq 1/T, when duty cycle is less than 98 percent where T is the minimum				
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.				
Final Test Mode:	Refer to section 3.7 for details.				
Instruments Used:	Refer to section 6 for details.				
	1J				



Report No.: SEWM2305000166RG05 Rev.: 01 Page: 26 of 305

Test Results:	Pass	
The detailed test data see	: Appendix	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Tocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extend for 80 days only. Attention: to these the authenticity of testing inspection report & certificate, glease contact us at telephone; (86-755) 5307 1443, Attention: to these the authenticity of testing inspection report & certificate, glease contact us at telephone; (86-755) 5307 1443, South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn



sgs.china@sgs.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 27 of 305

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
7	Radio Frequency ±1.0 % Duty Cycle ±0.37%	
		± 3.13dB (9k to 30MHz)
8	Redicted Emission	± 4.88dB (30M to 1GHz)
ŏ	Raulaleu Emission	± 4.75dB (1GHz to 18GHz)
		± 4.77dB (Above 18GHz)
Pomark:		

Remark:

S

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing Inspection report & certificate, phase contact us at telephoner. (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Studiou Industrial Park, Studiou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号约6号厂房南都 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 28 of 305

6 Equipment List

SG

RF Test Equipment							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05		
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	-02-09-09 NCR	NCR		
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10		
Wideband Radio Communication Tester	ROHDE& SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05		
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05		
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2022/11/23	2023/11/22		
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2022/11/23	2023/11/22		
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2023/02/06	2024/02/05		
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05		
Signal Generator	ROHDE&SCHWARZ	SMM100A	SUWI-01-07-04	2023/02/22	2024/02/21		
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2022/11/23	2023/11/22		

Conduction Test Equipment							
Test Equipment	Manufacturer	Manufacturer Model No. Inventory No.		Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07		
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/Terms.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 29 of 305

	Fage. 29 01 505							
	RSE Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
Semi- Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-02	2021/11/25	2024/11/24			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-13	2023/02/07	2024/02/06			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-06	2022/11/23	2023/11/22			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9168	SUWI-01-11-04	2021/12/05	2023/12/04			
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-05	2021/12/05	2023/12/04			
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11			
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09			
Amplifier	Tonscend	TAP9K3G32	SUWI-01-14-06	2022/11/23	2023/11/22			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-04	2022/11/23	2023/11/22			
Amplifier	Tonscend	TAP30M7G30	SUWI-01-14-05	2022/11/23	2023/11/22			
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR			



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的45厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 30 of 305

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in fully, without prior written approval of the Company hay no untorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-75) B307 1443.

Green and Long Doctine Categories And State State Categories (Annual Annual Annua Annual Annual

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 31 of 305

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions,Terms-en-Cournent.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of his document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Altennion: To these the subtending of testing /inspection report & certificate, places contact us at tempore; (66-759) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 32 of 305

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant22	2412	8.040	2408.440	2416.480	≥0.5	PASS
	Ant24	2412	7.560	2408.440	2416.000	≥0.5	PASS
11b-CDD	Ant22	2437	7.120	2433.440	2440.560	≥0.5	PASS
	Ant24	2437	7.560	2433.000	2440.560	≥0.5	PASS
	Ant22	2462	8.040	2457.480	2465.520	≥0.5	PASS
	Ant24	2462	7.120	2458.440	2465.560	≥0.5	PASS
	Ant22	2412	15.760	2404.440	2420.200	≥0.5	PASS
	Ant24	2412	15.200	2404.440	2419.640	≥0.5	PASS
	Ant22	2437	14.400	2428.840	2443.240	≥0.5	PASS
11g-CDD	Ant24	2437	14.960	2429.480	2444.440	≥0.5	PASS
	Ant22	2462	11.320	2456.960	2468.280	≥0.5	PASS
	Ant24	2462	16.280	2453.840	2470.120	≥0.5	PASS
	Ant22	2412	15.880	2404.560	2420.440	≥0.5	PASS
	Ant24	2412	14.440	2405.720	2420.160	≥0.5	PASS
11n20MIMO	Ant22	2437	15.040	2428.240	2443.280	≥0.5	PASS
	Ant24	2437	10.680	2430.720	2441.400	≥0.5	PASS
	Ant22	2462	11.840	2454.200	2466.040	≥0.5	PASS
	Ant24	2462	11.880	2455.760	2467.640	≥0.5	PASS
	Ant22	2422	30.080	2406.960	2437.040	≥0.5	PASS
	Ant24	2422	34.000	2404.480	2438.480	≥0.5	PASS
11n40MIMO	Ant22	2437	35.360	2418.840	2454.200	≥0.5	PASS
	Ant24	2437	35.280	2419.240	2454.520	≥0.5	PASS
	Ant22	2452	36.000	2433.840	2469.840	≥0.5	PASS
	Ant24	2452	33.280	2435.360	2468.640	≥0.5	PASS
	Ant22	2412	15.400	2406.160	2421.560	≥0.5	PASS
	Ant24	2412	16.880	2404.440	2421.320	≥0.5	PASS
11ax20MIMO	Ant22	2437	18.880	2427.440	2446.320	≥0.5	PASS
	Ant24	2437	17.280	2427.760	2445.040	≥0.5	PASS
	Ant22	2462	9.280	2455.160	2464.440	≥0.5	PASS
	Ant24	2462	18.320	2452.600	2470.920	≥0.5	PASS
	Ant22	2422	30.320	2405.760	2436.080	≥0.5	PASS
	Ant24	2422	36.160	2403.920	2440.080	≥0.5	PASS
110/101/11/00	Ant22	2437	37.840	2417.960	2455.800	≥0.5	PASS
11ax40MIMO	Ant24	2437	37.520	2418.040	2455.560	≥0.5	PASS
	Ant22	2452	38.000	2432.960	2470.960	≥0.5	PASS
	Ant24	2452	37.840	2433.040	2470.880	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. Terms-en-Document aspx. Attention is drawn to the limitation of tiability, indemnification and jurigicition issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document to excore the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 33 of 305



Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000






中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com






www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 51 of 305

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
	Ant22	2412	13.077	2405.5778	2418.6548	
	Ant24	2412	12.877	2405.7139	2418.5909	
11b-CDD	Ant22	2437	13.009	2430.1280	2443.1370	
	Ant24	2437	13.096	2430.4083	2443.5043	
	Ant22	2462	12.791	2455.3331	2468.1241	
	Ant24	2462	13.070	2455.4548	2468.5248	
	Ant22	2412	16.418	2403.9266	2420.3446	
	Ant24	2412	16.354	2403.8992	2420.2532	
11g-CDD	Ant22	2437	16.486	2428.6135	2445.0995	
rig-CDD	Ant24	2437	16.402	2428.7889	2445.1909	
	Ant22	2462	16.454	2453.8087	2470.2627	
	Ant24	2462	16.481	2453.7873	2470.2683	
	Ant22	2412	17.581	2403.3707	2420.9517	
	Ant24	2412	17.601	2403.2659	2420.8669	
11-20141140	Ant22	2437	17.661	2428.0469	2445.7079	
11n20MIMO	Ant24	2437	17.628	2428.1747	2445.8027	For
	Ant22	2462	17.354	2453.1937	2470.5477	
	Ant24	2462	17.533	2453.2346	2470.7676	
	Ant22	2422	35.743	2404.1262	2439.8692	Report
	Ant24	2422	35.799	2404.1164	2439.9154	Purpose
11n40MIMO	Ant22	2437	36.021	2418.9188	2454.9398	
TTN40IVIIIVIO	Ant24	2437	36.004	2418.9231	2454.9271	
	Ant22	2452	36.101	2433.9132	2470.0142	
	Ant24	2452	36.196	2433.8813	2470.0773	
	Ant22	2412	18.799	2402.7341	2421.5331	
	Ant24	2412	18.873	2402.6346	2421.5076	
4400141140	Ant22	2437	18.947	2427.4498	2446.3968	
11ax20MIMO	Ant24	2437	18.794	2427.5877	2446.3817	
	Ant22	2462	18.648	2452.5299	2471.1779	
	Ant24	2462	18.810	2452.5949	2471.4049	
-	Ant22	2422	37.426	2403.2615	2440.6875	
	Ant24	2422	37.451	2403.2938	2440.7448	
4440141140	Ant22	2437	37.611	2418.1377	2455.7487	1
11ax40MIMO	Ant24	2437	37.679	2418.1086	2455.7876	1
	Ant22	2452	37.719	2433.1345	2470.8535	1
	Ant24	2452	37.711	2433.0551	2470.7661	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, Chine (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05


 Rev.:
 01

 Page:
 52 of 305













Member of the SGS Group (SGS SA)





Member of the SGS Group (SGS SA)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000






t (86-512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn


Member of the SGS Group (SGS SA)






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000






www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport. (86-755) 8307 1443, Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000






t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


www.sgsgroup.com.cn





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport. (86-755) 8307 1443, Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport. (86-755) 8307 1443, Attention: To here the authenticity of testing inspection report & certificate, please contact us at temport.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 70 of 305

Maximum conducted output power Test Result

TestMode	Antenna	Frequency[MHz]	Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
	Ant22	2412	18.06	≤30.00	PASS
	Ant24	2412	17.81	≤30.00	PASS
	total	2412	20.95	≤30.00	PASS
	Ant22	2437	18.78	≤30.00	PASS
11b-CDD	Ant24	2437	18.76	≤30.00	PASS
	total	2437	21.78	≤30.00	PASS
	Ant22	2462	17.83	≤30.00	PASS
	Ant24	2462	18.34	≤30.00	PASS
	total	2462	21.10	≤30.00	PASS
	Ant22	2412	20.82	≤30.00	PASS
	Ant24	2412	21.01	≤30.00	PASS
	total	2412	23.93	≤30.00	PASS
	Ant22	2437	20.66	≤30.00	PASS
11g-CDD	Ant24	2437	20.79	≤30.00	PASS
Ū	total	2437	23.74	≤30.00	PASS
	Ant22	2462	19.85	≤30.00	PASS
	Ant24	2462	20.23	≤30.00	PASS
	total	2462	23.05	≤30.00	PASS
	Ant22	2412	19.01	≤30.00 I	PASS
	Ant24	2412	18.94	≤30.00	PASS
	total	2412	21.99	≤30.00	PASS
	Ant22	2437	20.67	≤30.00	PASS
11n20MIMO	Ant24	2437	20.44	≤30.00	PASS
	total	2437	23.57	≤30.00	PASS
	Ant22	2462	19.51	≤30.00	PASS
	Ant24	2462	20.93	≤30.00	PASS
	total	2462	23.29	≤30.00	PASS
	Ant22	2422	17.11	≤30.00	PASS
	Ant24	2422	16.84	≤30.00	PASS
	total	2422	19.99	≤30.00	PASS
	Ant22	2437	17.15	≤30.00	PASS
11n40MIMO	Ant24	2437	17.32	≤30.00	PASS
	total	2437	20.25	≤30.00	PASS
	Ant22	2452	17.40	≤30.00	PASS
	Ant24	2452	17.59	≤30.00	PASS
	total	2452	20.51	≤30.00	PASS
	Ant22	2412	20.04	≤30.00	PASS
	Ant24	2412	20.11	≤30.00	PASS
	total	2412	23.09	≤30.00	PASS
	Ant22	2437	22.50	≤30.00	PASS
11ax20MIMO	Ant24	2437	21.82	≤30.00	PASS
	total	2437	25.18	≤30.00	PASS
	Ant22	2462	20.88	≤30.00	PASS
	Ant24	2462	22.97	≤30.00	PASS
	total	2462	25.06	≤30.00	PASS
	Ant22	2422	16.85	≤30.00	PASS
	Ant24	2422	17.11	≤30.00	PASS
11ax40MIMO	total	2422	19.99	≤30.00	PASS
	Ant22	2437	17.98	≤30.00	PASS
	Ant24	2437	17.63	≤30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, Terms-and-Conditions, Terms-and-Condition, Ter

South of No. 6 Plant, No. 1, Rundseng Road, Suchou Hoteshal Park, Suchou Avea, China (Jaingsu) Plot Free Tackz Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由景易试验区苏州ド区苏州工业园区消胜路1号的号厂房南部 邮编: 215000 t (86–512) 62992980 sgs.china@sgs.com

		Report No.:	SEWM2305000166RG05	
		Rev.:	01	
		Page:	71 of 305	
total	2437	20.82	≤30.00	PASS
Ant22	2452	17.56	≤30.00	PASS
Ant24	2452	17.87	≤30.00	PASS
total	2452	20.73	≤30.00	PASS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Tocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extend for 80 days only. Attention: to these the authenticity of testing inspection report & certificate, glasss contact us at telephone; (86-755) 5307 1443, Attention: to these the authenticity of testing inspection report & certificate, glasss contact us at telephone; (86-755) 5307 1443, t (86-512) 62992980 www.sgsgroup.com.cn



Member of the SGS Group (SGS SA)

t (86-512) 62992980

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

sgs.china@sgs.com

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 72 of 305

Test Result for AX Part RU

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
			26Tone	RU0	22.97	≤30.00	PASS
	Ant22	2412	52Tone	RU37	22.50	≤30.00	PASS
			106Tone	RU53	21.52	≤30.00	PASS
			26Tone	RU0	23.32	≤30.00	PASS
	Ant24	2412	52Tone	RU37	23.45	≤30.00	PASS
			106Tone	RU53	21.37	≤30.00	PASS
			26Tone	RU0	26.16	≤30.00	PASS
	total	2412	52Tone	RU37	26.01	≤30.00	PASS
			106Tone	RU53	24.46	≤30.00	PASS
			26Tone	RU4	21.61	≤30.00	PASS
	Ant22	2437	52Tone	RU38	24.10	≤30.00	PASS
			106Tone	RU53	21.82	≤30.00	PASS
			26Tone	RU4	21.97	≤30.00	PASS
11ax20MIMO	Ant24	2437	52Tone	RU38	24.12	≤30.00	PASS
			106Tone	RU53	22.01	≤30.00	PASS
		2437	26Tone	RU4	24.80	≤30.00	PASS
	total		52Tone	RU38	27.12	≤30.00	PASS
			106Tone	RU53	24.93	≤30.00	
			26Tone	RU8	20.78	≤30.00	PASS
	Ant22	2462	52Tone	RU40	22.32	≤30.00	
			106Tone	RU54	21.14	≤30.00 PASS	
			26Tone	RU8	21.32	≤30.00	PASS
	Ant24	2462	52Tone	RU40	23.98	≤30.00 PASS ≤30.00<	
			106Tone	RU54	21.37		
			26Tone	RU8	24.07	≤30.00	
	total	2462	52Tone	RU40	26.24		
			106Tone	RU54	24.27		
	Ant22	2422	242Tone	RU61	19.75	≤30.00	
	Ant24	2422	242Tone	RU61	19.72	≤30.00	
	total	2422	242Tone	RU61	22.73	≤30.00	
	Ant22	2437	242Tone	RU61	21.85		
11ax40MIMO	Ant24	2437	242Tone	RU61	21.92		
	total	2437	242Tone	RU61	24.90		
	Ant22	2452	242Tone	RU62	21.78	≤30.00	
	Ant24	2452	242Tone	RU62	22.04	≤30.00	PASS
	total	2452	242Tone	RU62	24.92	≤30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 73 of 305

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
	Ant22	2412	-5.21	≤8.00	PASS
	Ant24	2412	-5.65	≤8.00	PASS
	total	2412	-2.41	≤8.00	PASS
	Ant22	2437	-6.47	≤8.00	PASS
11b-CDD	Ant24	2437	-6.15	≤8.00	PASS
	total	2437	-3.30	≤8.00	PASS
-	Ant22	2462	-5.83	≤8.00	PASS
	Ant24	2462	-5.7	≤8.00	PASS
	total	2462	-2.75	≤8.00	PASS
	Ant22	2412	-9.36	≤8.00	PASS
	Ant24	2412	-8.48	≤8.00	PASS
	total	2412	-5.89	≤8.00	PASS
	Ant22	2437	-8.87	≤8.00	PASS
11g-CDD	Ant24	2437	-8.98	≤8.00	PASS
-	total	2437	-5.91	≤8.00	PASS
-	Ant22	2462	-9.38	≤8.00	PASS
	Ant24	2462	-9.94	≤8.00	PASS
	total	2462	-6.64	≤8.00	PASS
	Ant22	2412	-9.27	≤8.00	PASS
F	Ant24	2412	-8.3	≤8.00	PASS
F	total	2412	-5.75	≤8.00	PASS
F	Ant22	2437	-8.68	≤8.00	PASS
11n20MIMO	Ant24	2437	-9.08	≤8.00	PASS
	total	2437	-5.87	≤8.00	PASS
Ē	Ant22	2462	-8.56	≤8.00	PASS
F	Ant24	2462	-9.79	≤8.00	PASS
F	total	2462	-6.12	≤8.00	PASS
	Ant22	2422	-14.86	≤8.00	PASS
Ē	Ant24	2422	-14.98	≤8.00	PASS
-	total	2422	-11.91	≤8.00	PASS
-	Ant22	2437	-15.31	≤8.00	PASS
11n40MIMO	Ant24	2437	-13.56	≤8.00	PASS
	total	2437	-11.34	≤8.00	PASS
	Ant22	2452	-15.48	≤8.00	PASS
F	Ant24	2452	-15.92	≤8.00	PASS
F	total	2452	-12.68	≤8.00	PASS
	Ant22	2412	-11.19	≤8.00	PASS
	Ant24	2412	-11.01	≤8.00	PASS
-	total	2412	-8.09	≤8.00	PASS
1	Ant22	2437	-10.8	≤8.00	PASS
11ax20MIMO	Ant24	2437	-10.79	≤8.00	PASS
	total	2437	-7.78	≤8.00	PASS
-	Ant22	2462	-11.31	≤8.00	PASS
ł	Ant24	2462	-11.69	≤8.00	PASS
ŀ	total	2462	-8.49	≤8.00	PASS
	Ant22	2422	-16.33	≤8.00	PASS
	Ant24	2422	-16.46	≤8.00	PASS
11ax40MIMO	total	2422	-13.38	≤8.00	PASS
	Ant22	2422	-17.17	≤8.00	PASS
ŀ	Ant22 Ant24	2437	-17.01	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. (Marchan 1990) and the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Rundseng Road, Suchou Hoteshal Park, Suchou Avea, China (Jaingsu) Plot Free Tackz Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由景易试验区苏州ド区苏州工业园区消胜路1号的号厂房南部 邮编: 215000 t (86–512) 62992980 sgs.china@sgs.com

			Report No.:	SEWM2305000166RG05	
			Rev.:	01	
			Page:	74 of 305	
	total	2437	-14.08	≤8.00	PASS
	Ant22	2452	-16.99	≤8.00	PASS
	Ant24	2452	-17.08	≤8.00	PASS
	total	2452	-14.02	≤8.00	PASS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gas.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.gas.com/en/Terms-and-Conditions for Terms-and-Conditions for the document as advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the auti-tenticity of testing filtest and such sample(s) are retained for 30 days only. Such as the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only. Such as the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only. Such as the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only. Such as the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only. Such as the sample(s) tested and such sam

· · · · · · · · · · · · · · · · · · ·
检验检测专用愈 器 Inspection & Testing Services 考
SGS-CSTC Contents Technical Services (Service) Ca. LM. Wireless Laboration Contents Services

Member of the SGS Group (SGS SA)

t (86-512) 62992980

sgs.china@sgs.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 劇場: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 75 of 305

Test Result for AX Part RU

TestMode	Antenna	Frequency[MHz]	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
			26Tone	RU0	-9.15	≤8.00	PASS
	Ant22	2412	52Tone	RU37	-8.78	≤8.00	PASS
			106Tone	RU53	-10.08	≤8.00	PASS
			26Tone	RU0	-7.14	≤8.00	PASS
	Ant24	2412	52Tone	RU37	-7.45	≤8.00	PASS
			106Tone	RU53	-10.16	≤8.00	PASS
			26Tone	RU0	-6.23	≤8.00	PASS
	total	2412	52Tone	RU37	-5.05	≤8.00	PASS
			106Tone	RU53	-7.11	≤8.00	PASS
			26Tone	RU4	-6.26	≤8.00	PASS
	Ant22	2437	52Tone	RU38	-5.82	≤8.00	PASS
			106Tone	RU53	-7.28	≤8.00	PASS
			26Tone	RU4	-5.39	≤8.00	PASS
11ax20MIMO	Ant24	2437	52Tone	RU38	-6.93	≤8.00	PASS
			106Tone	RU53	-9.45	≤8.00	PASS
		2437	26Tone	RU4	-2.79	≤8.00	PASS
	total		52Tone	RU38	-3.33	≤8.00	PASS
			106Tone	RU53	-5.22	≤8.00	PASS
			26Tone	RU8	-9.93	≤8.00	PASS
	Ant22	2462	52Tone	RU40	-10.61	≤8.00	PASS
			106Tone	RU54	-10.6	≤8.00	PASS
			26Tone	RU8	-5.29		
	Ant24	2462	52Tone	RU40	-6.74		
			106Tone	RU54	-9.32	≤8.00 PASS ≤8.00 PASS ≤8.00 PASS	
			26Tone	RU8	-4.01	≤8.00	PASS
	total	2462	52Tone	RU40	-5.25	≤8.00	PASS
			106Tone	RU54	-6.90	≤8.00	PASS
	Ant22	2422	242Tone	RU61	-14.96	≤8.00	PASS
	Ant24	2422	242Tone	RU61	-15.31	≤8.00	PASS
	total	2422	242Tone	RU61	-12.12	≤8.00	PASS
	Ant22	2437	242Tone	RU61	-14.86	≤8.00	PASS
11ax40MIMO	Ant24	2437	242Tone	RU61	-14.49	≤8.00	PASS
	total	2437	242Tone	RU61	-11.66	≤8.00	PASS
	Ant22	2452	242Tone	RU62	-14.9	≤8.00	PASS
	Ant24	2452	242Tone	RU62	-15.52	≤8.00	PASS
	total	2452	242Tone	RU62	-12.19	≤8.00	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2305000166RG05

 Rev.:
 01

 Page:
 76 of 305



Test Graphs

